Polysafe QuickLay PUR

ADHESIVE-FREE

INSTALLATION





TRANSFORM

Polysafe QuickLay is a loose lay safety flooring designed for adhesive-free installation and is the perfect solution for busy commercial environments in need of a quick turnaround and where sustainable slip resistance is a priority.

REDUCED DOWNTIME

Subfloor preparation is considerably reduced as Polysafe QuickLay can be laid directly over existing floor coverings — saving both time and money. In addition, depending on the environment, it is even possible to lay the floor while the space is in use.



NO ADHESIVE REQUIRED

The double sided QuickLay tape is fitted around the perimeter of the room, underneath all seams and doorways securing the flooring in place.



SAME DAY INSTALL AND WALK

Adhesive-free installation means no drying time and the space can be in use again on the same day.

SAVE TIME & MONEY WITH SAME DAY INSTALLATION





...to this in 24 hours

COFFEE

LATTE

TEA

CHAI

MOCHA

EISPRESSIO MACHIATO

CAPPUCCINO

HANDI POUREDI COFFEE

COLD BRIEW BIOTITLE

2.5

3.5


4

5

2.5

2.5

4



*Grout lines may require further preparation to avoid grin through, for further advice contact Polyflor's technical team on +44 (0) 161 767 1912



Designed for LOW COST maintenance

ACCESS TO SUBFLOOR

Adhesive-free installation means the flooring can be easily uplifted, ideal in either residential or commercial settings, should there be a need to access the subfloor later.

Q LOW MAINTENANCE

Polysafe QuickLay has the tried and tested PUR coating that provides superior cleaning benefits and resistance to staining and chemicals; perfect if grease or food does happen to reach the floor.

NO DISRUPTIONS OR DOWNTIME

IDEAL FOR NEW BUILDS & REFURBS ALIKE!

Designed for **HEALTHIER** environments

ODOUR FREE INSTALLATION

Adhesive-free installation promotes excellent indoor air quality and low VOC emissions which leaves a healthy environment that can be used straight away. This is perfect for busy commercial spaces especially areas with lots of people learning and working.



Polysafe QuickLay is a sustainable flooring choice, built to last but offering end of life flexibility — uplift and re-use or recycle via Recofloor.

PERFECT FOR **HIGH** TRAFFIC AREAS IN THE HEALTHCARE & EDUCATION SECTORS





DEMENTIA FRIENDLY

A loose lay safety flooring with the University of Stirling **dsdc** accreditation for use in dementia care environments.


Specify Polysafe QuickLay in specialist care environments with confidence — the whole collection is **dsdc** accredited.

The **dsdc** is an international centre of knowledge and expertise dedicated to improving the lives of people living with dementia which offers a product accreditation scheme.

The **dsdc** rates products in a tier scale. The Polysafe QuickLay collection performs exceptionally well with **10 colours** achieving the highest **1a** rating and 2 colours achieving **1b**.

1b

Flooring within this rating is semi-plain (minimal texture or fleck / pattern, wood effect with no knots) and in general, can be used throughout.*



w/r = weld rod NCS = Natural Colour System LRV = Light Reflectance Value

Decoration and shade may vary slightly from the samples shown

^{*}Bear in mind the need to contrast flooring with walls, skirtings, doors/frames, furniture & sanitary ware. A minimum contrast of 30 units LRV (Light Reflectance Value) is recommended between the critical surfaces mentioned above.



SAMEDAY INSTALL & WALK

Adhesive-free Polysafe QuickLay can be installed over damp subfloors (up to 97% RH) which means you can weld and walk same day — getting back to business as usual.

The double sided QuickLay tape is fitted around the perimeter of the room, underneath all seams and doorways securing the flooring in place.

Simply follow our 12 easy steps...

12 EASY STEPS TO THE PERFECT **QUICKLAY** INSTALLATION



Sweep or vacuum the floor area, check the condition of the subfloor and make good as necessary. If the substrate is highly porous a suitable primer maybe required.



Apply the QuickLay double sided tape along the marked seams.



Once complete, place the floor covering into position ensuring a 'neat fit'.



DO NOT peel the tape until the flooring has been laid & measured correctly

Apply the QuickLay double sided tape around the perimeter of the room and at any doorways, set 2mm away from the edge of the room.



To ensure the QuickLay tape is firmly positioned correctly, simply press down with a hand roller or cork board.



A hand roller or heavy roller can be used at all seams/perimeter immediately after installing to ensure sufficient contact has been made.

PRE-INSTALLATION

RECEIPT & STORAGE

On arrival at site, check colours correspond, quantities are correct and that there are no signs of damage.

The rolls should be safely secured in an upright position and stored at a minimum temperature of 18°C for at least 24 hours prior to installation.

CONDITIONING

Polysafe QuickLay requires conditioning ahead of installation, this should be carried out in the same area as the installation to prevent thermally induced dimensional changes.

PRODUCT HANDLING

Polyflor recommend that the QuickLay flooring should be rolled out face upward taking care not to damage the surface and cut approximately to size.

TOOLS

Standard Installation Tools.

PLUS Polysafe QuickLay Tape.



Use the appropriate method to install QuickLay in the room (refer to the relevant section in our Technical Manual). Allow a 25mm overlap at the seams and cut in to form a tight seam.



Check you are happy with the positioning of the flooring and the measurements are correct.



Measure 37.5mm away from the side of the seam and mark with a straight edge or chalk line.



Carefully peel away the protective film from all areas where the tape has been applied.



Quicklay can be hot welded upon immediate completion of the installation. Refer to Section 9 of our Technical Manual for detailed guidance.



Once completed the QuickLay flooring can be trafficked immediately.

13

12 Polysafe QuickLay PUR


PRODUCT **TESTING**

In areas where there is a higher potential for slips and trips, it is important to choose a HSE compliant flooring solution that offers sustainable slip resistance for the product's lifetime.


















EN 13845 The European safety flooring standard

Conformance to the 50,000 cycles abrasion test demonstrates that the performance particles within a safety floor are durable, offering longevity and sustainable performance for the guaranteed life of the product.



- Easy clean
- Maintain cost savings
- Optimum appearance retention
- Resistance to staining & chemicals



TECHNICAL SPECIFICATION

Gauge	ISO 24346 (EN 428)	2.2mm
Roll Size	ISO 24341 (EN 426)	$2m \times 20m = 40m^2$
Total Weight	ISO 23997 (EN 430)	2700g/m²
General Performance	EN 13845	Conforms
Scheral i chomune	ASTM F1303	Conforms
Jse Area	ISO 10874 (EN 685)	
	EN 13845	ESf
Enhanced Slip Resistance	AS 4586 Appendix A	P4
	AS 4586 Appendix D	R11
	DIN 51130/DIN EN 16165 Ann. B	R11
	RRL Pendulum Test	≥45 (wet test - 4S Rubber/Slider 96)
	Surface Roughness	Rz ≥20μm
	ASTM D2047	SCOF≥0.8
	of the product, with strict adherence to HS resistance, consult Polyflor.	E Guidelines. For further clarification regard
	resistance, consult Polyflor.	
Abrasion Resistance	resistance, consult Polyflor. EN 13845	E Guidelines. For further clarification regard
Abrasion Resistance	resistance, consult Polyflor. EN 13845 EN 13501-1	50,000 cycles Class Bfl-S1
	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648	50,000 cycles Class Bfl-S1 Class 1
Abrasion Resistance Reaction to Fire	resistance, consult Polyflor. EN 13845 EN 13501-1	50,000 cycles Class Bfl-S1 Class 1 Complies
	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1	50,000 cycles Class Bfl-S1 Class 1 Complies >8.0kW/m²
	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3	50,000 cycles Class Bfl-S1 Class 1 Complies
	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1	50,000 cycles Class Bfl-S1 Class 1 Complies >8.0kW/m²
Reaction to Fire	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2	50,000 cycles Class BfI-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500
Reaction to Fire Static Electrical Propensity	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815	50,000 cycles Class Bfl-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 ≤2.0kV Classified as 'antistatic'
Reaction to Fire Static Electrical Propensity	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD	50,000 cycles Class Bfl-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 ≤2.0kV Classified as 'antistatic' Eurofins certified product
Reaction to Fire	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD AgBB/ABG	50,000 cycles Class BfI-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 <2.0kV Classified as 'antistatic' Eurofins certified product Pass
Reaction to Fire Static Electrical Propensity	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD AgBB/ABG Floorscore	50,000 cycles Class Bfl-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 ≤2.0kV Classified as 'antistatic' Eurofins certified product Pass Certified
Reaction to Fire Static Electrical Propensity /OC Emissions	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD AgBB/ABG Floorscore Finnish M1 Classification	50,000 cycles Class BfI-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 ≤2.0kV Classified as 'antistatic' Eurofins certified product Pass Certified Certified
Reaction to Fire Static Electrical Propensity /OC Emissions Resistance to Chemicals Castor Chair Abrasion	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD AgBB/ABG Floorscore Finnish M1 Classification ISO 26987 (EN 423)	50,000 cycles Class BfI-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 <2.0kV Classified as 'antistatic' Eurofins certified product Pass Certified Certified Good chemical resistance
deaction to Fire Static Electrical Propensity OC Emissions Desistance to Chemicals Castor Chair Abrasion Acoustic Impact Sound Reduction	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD AgBB/ABG Floorscore Finnish M1 Classification ISO 26987 (EN 423) ISO 4918 (EN 425)	50,000 cycles Class BfI-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 ≤2.0kV Classified as 'antistatic' Eurofins certified product Pass Certified Certified Good chemical resistance Suitable
Reaction to Fire Static Electrical Propensity /OC Emissions Resistance to Chemicals	resistance, consult Polyflor. EN 13845 EN 13501-1 ASTM E648 Australian BCA Spec C1.10-3 AS ISO 9239-1 CAN/ULC S 102.2 EN 1815 Indoor Air Comfort GOLD AgBB/ABG Floorscore Finnish M1 Classification ISO 26987 (EN 423) ISO 4918 (EN 425) EN ISO 10140-3	50,000 cycles Class BfI-S1 Class 1 Complies >8.0kW/m² FSV <300; SDV <500 ≤2.0kV Classified as 'antistatic' Eurofins certified product Pass Certified Certified Good chemical resistance Suitable 10dB

Environmentally Preferable Flooring - Polysafe QuickLay PUR achieves BRE Global A+ rating (Generic) in the Green Guide to Specification in use areas such as education and healthcare. EN 15804 Environmental Product Declaration (EPD) available on request. It is 100% recyclable and contains recycled material. Recyclable via the Recofloor scheme. Visit www.polyflor.com/sustainability

Polysafe PUR - Polysafe QuickLay PUR features a high quality, cross-linked polyurethane reinforcement, UV cured to provide superior cleaning benefits, life cycle maintenance savings and optimum appearance retention. As with all Polysafe products, Polysafe QuickLay PUR should not have a polish applied.



Hygiene - All Polyflor commercial sheet vinyl ranges provide a continuous, impervious and hygienic flooring solution which can be confidently cleaned in accordance with recommended maintenance procedures and approved maintenance products. The implementation of an effective cleaning regime is the most important defence against infection.

Polysafe safety flooring ranges have good resistance to dilute acids and alkalis, are compatible for use with the most commonly used alco-based hand gels and are suitable for steam cleaning on a periodic basis. Chemical resistance charts available on request. For information regarding handling and installation, adhesives, maintenance, applications, chemical resistance and product warranty, consult Polyflor Customer Technical Services on +44 (0)161 767 1912, or email tech@polyflor.com.

The data presented is correct at the time of printing. For latest information, please visit our website polyflor.com. Decoration and shade may vary slightly from the samples shown.

































15

For more information regarding our recommended safety flooring finishes or product testing please contact Customer Technical Services Department on +44 (0)161 767 1912 or email tech@polyflor.com Alternatively please visit polyflor.com/safety

14 Polysafe QuickLay PUR

Polysafe

POLYFLOR™ INTERNATIONAL

AustraliaPolyflor Australia
Tel: 1800 777 425

Canada Polyflor Canada In Tel: +1 905 364 3000 E-mail: sales@polyflor.ca

France James Halstead France SAS Tel: +33 (0)8 20 20 32 11 E-mail: info@jhfrance.fr

Germany objectflor Art und Design Belags GmbH Tel: +49 (0) 2236 966 330 E-mail: info@objectflor.de

India Polyflor India Pvt Ltd. Tel: +91 22 4023 2485 E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland Tel: +353 (1) 864 9304 E-mail: salesireland@polyflor.com

Malaysia Polyflor Martex Tel: 1300 80 7788

l@polyflorfze.ae

New Zealand

Polyflor New Zealand Ltd. Tel: 0800 765 935 Tel: +64 9 269 1111 E-mail: sales@polyflor.co.nz

Norway Polyflor Nordic Tel: +47 23 00 84 00 E-mail: firmapost@polyflor.no

Polflor Sp. Z.o.o Tel: +48 (0) 61 820 3155 E-mail: polyflor@polflor.com.pl

South Africa Poly Sales Africa (Pty.) Ltd. Tel: +27 (0) 11 609 3500 E-mail: info@polyflor.co.za

SpainPolyflor Ltd.
Tel: +34 619 949 054 E-mail: info@polyflor.com

FalckDesign AB Tel: +46 (0) 300 15820 E-mail: info@falckdesign.com

POLYFLOR™ UK

Polyflor Ltd. PO Box 3, Radcliffe New Road, Whitefield, Manchester, M45 7NR

UK Samples Direct: +44 (0) 161 767 2551 Export Sales Direct: +44 (0) 161 767 1913 Technical Support: +44 (0) 161 767 1912 E-mail: info@polyflor.com

polyflor.com/safety



