

Ecophon Akusto™ Wall Edge

C

Ecophon Akusto™ Wall C has a concealed grid and bevelled edge to create a narrow groove between each panel. Available in a variety of surface options. Excellent room acoustic properties are achieved when this wall absorber is paired with a sound absorbing ceiling.



SYSTEM RANGE



Size, mm	2700x600
Thinline Profile	•
WP Profile	•
Thickness	40
Inst. Diagr.	M609, M354, M355, M592









Wall Panel C system with Connect WP profile and external corner


Acoustic



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.





- Akusio VVdii C Texona 40 mm, 45 mm o.a.s
- Akusto Wall C Akutex FT 40 mm, 45 mm o.d.s.Akusto Wall C Texona 40 mm, 45 mm o.d.s.
- --- Akusto Wall C Super G 40 mm, 45 mm o.d.s. o.d.s = overall depth of system

Frequency	H;
-----------	----

	THK	o.d.s. mm		$lpha_{ m p^{\prime}}$ Practical sound absorption coefficient					$\alpha_{_{\!\scriptscriptstyle{\mathrm{W}}}}$	Sound absorption class
	mm	O.d.s. IIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	$\alpha_{\rm w}$	Sound absorption class
Akutex FT	40	45	0.20	0.70	1.00	1.00	1.00	1.00	1.00	А
Texona	40	45	0.15	0.75	1.00	1.00	1.00	1.00	1.00	А
Super G	40	45	0.15	0.70	1.00	1.00	1.00	1.00	1.00	А

	THK mm	o.d.s. mm	NRC	SAA
Texona	40	45	0.95	0.96
Super G	40	45	0.95	0.96

THK	AC(1.5)
mm	Articulation Class, ASTM E1111, ASTM E1110
40	240

Indoor Air Quality











Cradle to Cradle Certified®



Akusto products with Akutex FT surface are Cradle to Cradle Certified® at Bronze level (version 4.0).



Material Health



Akusto products with Akutex FT surface have received a C2C Certified Material Health Certificate™ at the Silver level (standard version 4.0). The C2C Certified Material Health Certificate™ is a verification of the health and safety of a product's composition using the Material Health requirements of the Cradle-to-Cradle Certified Product



Carbon footprint

	kg CO2 equiv/m²	Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804
Akusto Wall C - Texona	6,18 (Akusto Wall C EPD in conformity with ISO 14025 / EN 15804)	. 14023 / EIN 13004
Akusto Wall C - Akutex FT	6,42 (Akusto Wall C EPD in conformity with ISO 14025 / EN 15804)	_
Akusto Wall C - Super G	7,28 (Akusto Wall C EPD in conformity with ISO 14025 / EN 15804)	•

Circularity



Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable



Fire safety

Country	Fire standard	Class	The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.
Europe	EN 13501-1	A2-s1,d0	non-combostible according to £14130-1102.



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akusto Wall in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Super G and Akutex FT surface). Weekly dusting and vacuum cleaning (Texona) as required.



Use of disinfectants

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.



Accessibility



The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they are likely to be hit regularly. In such cases a protective net in front of the system is recommended.



System weight

	kg/m²	Weight information is indicative and subject to variation.
Akusto Wall C/Akutex FT	3,5	
Akusto Wall C/Texona	3,5	
Akusto Wall C/Super G	3,7	



Mechanical properties

No additional live load is allowed.




Impact Resistance

Surface	M-sketch	Classification	Tested and classified to fulfil the requirements of DIN 18032- 3, equivalent to 1A according to EN13964
Super G	M354	Fulfills	o, equivalent to 17 deceraing to 21 170 704




CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.





QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect Thinline Profile, L=2658 mm	as required
3	Connect Thinline Ext. Corner	as required
4	Connect Thinline Int. Corner	as required
5	Connect Fixing Plate installed 3 per panel length	as required
6	Connect Spline	as required
7	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
8	Connect Thinline Splice, used to extend Thinline profiles where needed.	as required
9	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	














Live load/load bearing capacity




QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×600
1	Akusto Wall C (Akusto Wall C/Super G for Ball Impact Resistance)	0,62/m²
2	Connect Installation screw MVL (for use in plasterboard or timber)	as required
3	Connect WP Space bar, L=2400 mm	as required
4	Connect WP Profile, L=2687 mm, fixed at 400 mm centres	as required
5	Connect WP External corner mounted in Connect WP Profile	as required
6	Connect WP Profile splice, used to extend WP profiles where needed.	as required
7	Connect Spline	as required
8	Connect Fixing Plate installed 3 per panel length	as required
	Δ Min. overall depth of system: 44 mm	















Live load/load bearing capacity





© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect WP Profile, L=2687 mm, fixed at 400 mm centres	as required
3	Connect Installation screw MVL (for use in plasterboard or timber)	as required
4	Alt. Connect Fixing bracket, fixed at 400 mm centres.	as required
5	Connect Fixing Plate installed 3 per panel length	as required
6	Connect WP Profile splice, used to extend WP profiles where needed.	as required
7	Connect WP External corner mounted in Connect WP Profile	as required
	Δ Min. overall depth of system: 44 mm	










Detail of WP Profile splice

Detail of lower connection


Live load/load bearing capacity




 ${\small \texttt{@} \ Ecophon}$


QUANTITY SPECIFICATION (EXCL. WASTAGE)

		Size, mm 2700x600
1	Akusto Wall C	0,62/m²
2	Connect Thinline Profile, L=2658 mm	as required
3	Connect Thinline Ext. Corner	as required
4	Connect Fixing Plate installed 3 per panel length	as required
5	Connect Spline	as required
6	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
7	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	-





Detail of panel with Thinline frame



Detail of Thinline corner



Live load/load bearing capacity