



The  
**SOLID  
WOOD**  
Flooring Company

The Solid Wood Flooring Company  
Thousand Acres, Bournstream  
Wotton under Edge, Gloucestershire  
GL12 7DY

Tel: 01453 844675

Mobile: 07831 680206

Fax: 05603 146907

Email: [enquiries@thesolidwoodflooringcompany.com](mailto:enquiries@thesolidwoodflooringcompany.com)

Web: [www.thesolidwoodflooringcompany.com](http://www.thesolidwoodflooringcompany.com)

Friday, 28 August 2009

We can source any type of flooring to order including exotic timbers and different hand finishes

### 340mm WIDE SANDWICH BOARDS IN OUR AMETHYST RANGE

These sandwich boards have a 6mm solid top layer, 9mm middle layer and 5mm bottom layer all in Oak but totally stable. These boards can be used with underfloor heating. The sandwich board construction with the grain of the strips of oak in the middle going in the opposite direction to the top and bottom layer means they can be used in almost any environment.



**SAPPHIRE-E110 Unfinished 340mm wide SANDWICH OAK** Engineered flooring in lengths of 2200mm with 4 boards per carton one of which is split 600mm or 1100mm and 2.992 m<sup>2</sup> per carton. This board is 20mm thick with a solid 6mm thick top layer and then a 9mm thick inner layer of strips of solid Oak in a cross grain pattern and then a 5mm outer layer at the back of the board. This makes the board the hardest and most stable of all engineered boards. It is very heavy and very durable. You can finish it with master oil or any other finish you want. Examples are shown in the unfinished section on the web site so you can see the different colours.

Diamond  
Range

Amethyst  
Range

Ruby  
Range

Sapphire  
Range



The  
**SOLID  
WOOD**  
Flooring Company

The Solid Wood Flooring Company  
Thousand Acres, Bournstream  
Wotton under Edge, Gloucestershire  
GL12 7DY

Tel: 01453 844675

Mobile: 07831 680206 **Friday, 28 August 2009**

Fax: 05603 146907

Email: [enquiries@thesolidwoodflooringcompany.com](mailto:enquiries@thesolidwoodflooringcompany.com)

Web: [www.thesolidwoodflooringcompany.com](http://www.thesolidwoodflooringcompany.com)

We can source any type of flooring to order including exotic timbers and different hand finishes



### **SPECIAL ORDER ONLY 10 WEEK LEAD TIME**

**SAPPHIRE-E112 Unfinished 340mm wide SANDWICH OAK** Engineered flooring in lengths of 3660mm with 4 boards per carton one of which is split 600mm or 1100mm and 2.992 m<sup>2</sup> per carton. This board is 20mm thick with a solid 6mm thick top layer and then a 9mm thick inner layer of strips of solid Oak in a cross grain pattern and then a 5mm outer layer at the back of the board. This makes the board the hardest and most stable of all engineered boards. It is very heavy and very durable. You can finish it with master oil or any other finish you want. Examples are shown in the unfinished section on the web site so you can see the different colours.

***We supply real wood flooring at truly economical prices and deliver Nationwide including Europe and Ireland.***

**Finishing:** You can finish this board using our WOCA Master Oil which we supply. The WOCA oxidising Master oil is a penetrating wood oil system. The master oil actually penetrates the surface, compared to other oils surface oil and lacquer type building systems. The master oil actually cures within the wood, hardens and protects the floor leaving a beautiful natural open pore surface.

WOCA master oil treatment oils were the obvious choice for the very high traffic Eurostar project in St Pancras which was opened by the Queen in November 2007.

WOCA master oils were chosen because of the worldwide reputation of successfully treated high traffic projects including Copenhagen Airport, where nearly 20,000 square meters were laid and then treated with WOCA Master oils over 25 years ago. This has been maintained ever since with the WOCA oils, and the floor still looks magnificent.

Treating our unfinished Oak Boards

For the natural looks just use the WOCA natural master oil.

For a more individual look you can use any of the WOCA coloured oils.

**Diamond  
Range**

**Amethyst  
Range**

**Ruby  
Range**

**Sapphire  
Range**



The  
**SOLID  
WOOD**  
Flooring Company

The Solid Wood Flooring Company  
Thousand Acres, Bournstream  
Wotton under Edge, Gloucestershire  
GL12 7DY

Tel: 01453 844675

Mobile: 07831 680206

Fax: 05603 146907

Email: [enquiries@thesolidwoodflooringcompany.com](mailto:enquiries@thesolidwoodflooringcompany.com)

Web: [www.thesolidwoodflooringcompany.com](http://www.thesolidwoodflooringcompany.com)

Friday, 28 August 2009

**We can source any type of flooring to order including exotic timbers and different hand finishes**

For a White sanded look board you should use the Master White oil

If you want a Sanded Look White Board on our unfinished boards then you have two solutions to create the "as sanded (but treated) look". You could either use the White Master Oil, or if you think this is too light then simply mix 50/50 White oil with natural oil.

Our engineered floors can also be easily and quickly installed over solid sub-floors using the Bona R850 adhesive. If the subfloor needs to be sealed and damp proofed then you can use the Bona 410 to do this before gluing down with the Bona R850.

Engineered wooden flooring boards are used in environments where stability is required and moisture is going to be prevalent. For example you should use these on new concrete floors, over garages, basements etc. Due to the cross ply structure, these boards will not move like solid wood.

The boards are tongue and groove all round. Our Engineered boards look like solid boards but are much stronger due to their structure and the manufacturing process we use.

Our engineered sandwich wooden floors are suitable for nailing onto an existing suitable base such as joists, battens, chipboard or plywood. Our engineered wooden floors can also be glued down using the Bona R850 or Lecol adhesive (see the adhesive section), or laid as a floating floor where you just glue the tongue and grooves together. ***Our engineered wood floors are ideal for new build or renovation projects such as homes, flats, offices, studios, restaurants and bars, pubs and clubs.***

***If you use the master oil you can use the WOCA natural Oil Floor Maintenance Kits*** to keep your floor looking like new. Full details of these are in the Maintenance Kit section on the left hand side of this web site. These are high quality engineered boards. All our boards are tongue and groove all round for easy installation. Delivery nationwide, Europe and Ireland.

Diamond  
Range

Amethyst  
Range

Ruby  
Range

Sapphire  
Range