byweert[®] Range


LPS1175 (SR2) Commercial Door

High Performance & Ultra Secure Aluminium Commercial Door System



www.blyweertbeaufort.com

LPS1175 (SR2) COMMERCIAL DOOR HIGH SECURITY DOOR SYSTEMS



LPS1175 (SR2) Commercial Door

High Performance & Ultra Secure Aluminium Commercial Door System

LPS1175 (SR2) Commercial Door System is the very latest in security door performance. Tested and certified to BRE's LPS1175 Security Rating 2, the commercial door system provides secure resistance to intruder attack by combining the inherent strength and durability of aluminum along with the very latest in security hardware.

Design Features

- Unique and bespoke Security and safety features
- Ultra secure, specialist glazing
- Structurally enhanced door framing
- · Fully glazed, commercial swing door
- Incorporates the Adams Rite Sentinel 6 mechanical dead lock



LPS 1175 Door Certified to LPS1175: Issue 1 Security Rating 2



Official Police Security Initiative



Key Facts

- Our LPS1175 (SR2) commercial Door is the first, and only, fully accredited LPS1175 (SR2) aluminium doorset currently available on the market
- LPS1175 (SR2) has become the minimum door performance requirement for secure external doorsets as detailed in SBD for Schools guidance document
- Door sets have been tested with full glazing (no use of steel reinforced panels)

Applications

The LPS1175 (SR2) Commercial Door range can be specified for a range of applications where security and protection are paramount, including:

- Schools, colleges & universities
- Hospitals and medical units
- High value retail buildings
- High street betting shops
- Hotels & restaurants
- Secure storage buildings



Installation depth Profile width Profile width Profile width Profile width Profile width

Sizing

- Performance
- Accreditation
- Accreditation
- Compliance
- Acoustics

LPS1175 (SR2) COMMERCIAL DOOR HIGH SECURITY DOOR SYSTEMS

Frame	110mm
Frame	55mm
Stiles	61mm & 97mm
Top Rail	85mm
Bottom Rail	120mm &180mm
Mid Rail	106mm & 166mm
	Frame Stiles Top Rail Bottom Rail

LPS1175 Security Rating 2	
Secured By Design	
DDA Compliant	
32mm Acoustic Glass	



Blyweert Beaufort Aluminium Limited Imperial Park, Celtic Way, Newport, NP10 8BE

> Tel: 01633 81 04 40 Fax: 01633 81 60 04 Email: info@blyweertbeaufort.com

www.blyweertbeaufort.com















