

For more information go to [www.barbourproductsearch.info](http://www.barbourproductsearch.info)

**Ideal Standard**  
The Bathroom Works  
National Avenue  
Kingston upon Hull  
HU5 4HS

T 01482 346461  
F 01482 445886

[www.idealstandard.co.uk](http://www.idealstandard.co.uk)

**Ideal Standard**  
M50 Business Park  
Ballymount  
Dublin 12

T 00353 1 4564525  
F 00353 1 4564505

[www.idealstandard.ie](http://www.idealstandard.ie)



**Kubo**  
Designed for  
everyday living



For more information go to [www.barbourproductsearch.info](http://www.barbourproductsearch.info)

# KUBOO

## Timeless design for everyone

A range of sleek, modern, minimalist shower enclosures offering affordable, quality showering without compromising on functionality.

Designed to look stylish, Kubo combines hardwearing practicality with flexible, durable construction for an everyday showering experience.

Whatever bathroom you have in mind, Kubo fits in beautifully.

Kubo 900mm quadrant enclosure, Idealite shower tray with CTV thermostatic shower valve and Idealrain shower kit.

# Easy to love

## Impossible to resist

The clean, balanced lines of Kubo are easy on the eye, but don't let their apparent simplicity fool you. The entire range is expertly designed and built using quality materials and can offer smart solutions. With features including IdealClean as standard, and horizontal adjustment of up to 50mm, every Kubo shower enclosure is easy and flexible to install in any bathroom space.



High-quality IdealClean 6mm toughened safety glass is standard across the range. Kubo is designed for everyday family life and for added peace of mind has been tested over 20,000 times.









With a wide choice of door styles and sizes, Kubo fits your life perfectly. From sliding doors to pivots, quadrants to corner entry enclosures it suits virtually any space. Clear glass with IdealClean finish complements Kubo's distinctive bright silver frames, meaning you can create an enclosure to match your ideal showering experience perfectly.

Built with the quality, design and performance principles you expect from Ideal Standard, every Kubo product exceeds all current European Standards and is guaranteed for ten years.



### Key features

These symbols appear throughout the brochure to provide a quick overview of each enclosure's features:

-  Toughened safety glass thickness
-  IdealClean finish. Makes glass easier to clean – and stay clean for longer
-  Click and Clean. The bottom wheels and panels can be released to expose the doors, panels and seals for thorough cleaning. The panel then easily clicks back into position to ensure a water tight seal.
-  Smooth Running Wheels  
Means doors glide along... with no jarring
-  Horizontal Adjustment  
Up to 25mm on each profile on all models allows perfect fitting to out-of-true walls
-  Power Shower Tested. Enclosures have been power shower tested to ensure the seals are watertight with even the most invigorating shower

## Kubo quadrant / offset quadrant

Harmonious, curved edges allow a large yet unimposing showering area. Sliding doors inside the enclosure ensure maximum access, making Kubo quadrant or offset quadrant an ideal way to create an oasis of calm.



**CC** **Click and Clean**  
Click and Clean makes cleaning the door panels simple and easy. Just push on the bottom wheel covers to release the lower part of the door panel allowing access for cleaning.

design

Kubo 900mm quadrant shower enclosure, Idealite shower tray with ITV exposed shower valve and Idealrain shower kit.



Kubo 1200 x 800mm offset quadrant shower enclosure and Idealite shower tray, Ceratherm 100 thermostatic shower valve and Idealrain shower kit.

For more information go to [www.barbourproductsearch.info](http://www.barbourproductsearch.info)

## Kubo pivot door

The Kubo pivot door is a versatile solution for any space. The door swings open to offer wide access. With a Kubo side panel it creates an elegant, spacious pivot corner enclosure – or it's ideal for a classic alcove installation.



By adding a side panel you can create an elegant light enclosure with a spacious feel. Panels can be used with pivot, bi-fold and sliding doors.

Kubo 900mm pivot door with side panel, Idealite shower tray, ITV exposed thermostatic shower valve and Idealrain shower kit.



Kubo 900mm pivot door, Idealite shower tray, ITV exposed thermostatic shower valve and Idealrain shower kit.

## Kubo slider doors

The Kubo slider door offers maximum access and a reassuring feeling of quality to enhance your showering experience. With their simple, clean, sophisticated lines and smooth runners, they are a practical solution for alcove installations. You can use slider doors to cover an opening up to 1200mm for a spacious enclosure in any bathroom, or create the feeling of even more room by combining your slider door with a Kubo side panel.



Kubo 1000mm slider door with Idealite shower tray, Ceratherm 100 thermostatic shower valve and Idealrain shower kit.



**Nice and easy**  
Smooth running wheels add a genuine quality feel every time you open and close the door, eliminating annoying jarring.

**functionality**



Kubo 1200mm slider door with 800mm side panel, Idealite shower tray, ITV exposed thermostatic shower valve and Idealrain shower kit.

## Kubo bi-fold door

The unique bi-fold door is a great option for bathrooms with limited space, folding both inwards and outwards, it offers wide access even in awkward spaces.



Kubo 900mm bi-fold door with Idealite shower tray, Ceratherm 100 shower valve and Idealrain shower kit



**A true bi-fold**  
For added convenience the unique Kubo bi-fold door opens both inwards and outwards, making cleaning the enclosure simple and easy.

**innovation**




Kubo 900mm corner entry shower enclosure with Idealite shower tray, Ceratherm 100 thermostatic shower valve and Idealrain shower kit.

## Kubo corner entry

If space is tight on either side of your shower, a Kubo corner entry shower enclosure could be the perfect solution. Sliding doors roll inside a compact frame, accentuating the feeling of space.



Built with quality, design and performance in mind the seals on all Kubo enclosures are enclosed within the profile for a cleaner look.



# Kubo

## It's part of the family

The sleek, modern style of Kubo fits perfectly into the complete Ideal Standard range, with a choice of complete bathroom solutions to make your bathroom perfect. Choose from a selection of shower trays and shower valves and kits to accent your Kubo shower enclosure, and add other accessories to set off your style. The choice is almost limitless.

### Idealite

Idealite low profile shower trays represent a new generation of shower trays. Incredibly strong and surprisingly light, they are available in a wide choice of sizes and shapes with the option of integral upstands so they can be tiled in with a watertight fit or riser kits to accommodate plumbing above floor level. Tough and resilient enough to stand up to daily wear and tear. The trays are supplied complete with an attractive fast-flow contemporary chrome waste which, coupled with a 45mm height, makes them perfect for creating a minimal look. All Idealite shower trays are backed by our famous ten year guarantee.



### Idealrain

A complete shower range for a new dimension in showering: one of the flattest handsprays on the market and a slim, clean and contemporary design aesthetic for maximum performance and functionality.  
(Designed by ARTEFAKT)




## Kubo



### Quadrant

T7350EO 800 Quadrant  
T7351EO 900 Quadrant


| Quadrant enclosure | Dim. A Width (mm) | Dim. B Opening (mm) | Dim. C Width (mm) |
|--------------------|-------------------|---------------------|-------------------|
| 800                | 755 - 780         | 405                 | 755 - 780         |
| 900                | 855 - 880         | 560                 | 855 - 880         |



### Offset quadrant

T7352EO 800 x 1000 Offset quadrant  
T7355EO 800 x 1200 Offset quadrant


| Offset Quadrant enclosure | Dim. A Width (mm) | Dim. B Opening (mm) | Dim. C Width (mm) |
|---------------------------|-------------------|---------------------|-------------------|
| 1000 x 800                | 755 - 780         | 493                 | 955 - 980         |
| 1200 x 800                | 755 - 780         | 493                 | 1155 - 1180       |



### Pivot alcove

T7371EO 700 Pivot door  
T7372EO 760 Pivot door  
T7373EO 800 Pivot door  
T7374EO 900 Pivot door

| Pivot enclosure | Dim. A Width (mm) | Dim. B Opening (mm) |
|-----------------|-------------------|---------------------|
| 700             | 650 - 700         | 450                 |
| 760             | 710 - 760         | 475                 |
| 800             | 750 - 800         | 500                 |
| 900             | 850 - 900         | 550                 |




# Kubo



## Pivot corner

- T7371EO 700 Pivot door
- T7372EO 760 Pivot door
- T7373EO 800 Pivot door
- T7374EO 900 Pivot door
- T7367EO 700 Side panel
- T7368EO 760 Side panel
- T7369EO 800 Side panel
- T7370EO 900 Side panel


| Pivot enclosure | Dim. A Width (mm) | Dim. B Opening (mm) | Side panel | Dim. C Width (mm) |
|-----------------|-------------------|---------------------|------------|-------------------|
| 700             | 651 - 701         | 450                 | 700        | 655 - 705         |
| 760             | 711 - 761         | 475                 | 760        | 715 - 765         |
| 800             | 751 - 801         | 500                 | 800        | 755 - 805         |
| 900             | 851 - 901         | 550                 | 900        | 855 - 905         |



## Bi-fold alcove

- T7375EO 760 Bi-fold door
- T7376EO 800 Bi-fold door
- T7377EO 900 Bi-fold door


| Bi-fold enclosure | Dim. A Width (mm) | Dim. B Opening (mm) |
|-------------------|-------------------|---------------------|
| 760               | 710 - 760         | 520                 |
| 800               | 750 - 800         | 560                 |
| 900               | 850 - 900         | 660                 |



## Slider alcove

- T7378EO 1000 Slider door
- T7379EO 1100 Slider door
- T7380EO 1200 Slider door


| Slider enclosure | Dim. A Width (mm) | Dim. B Opening (mm) |
|------------------|-------------------|---------------------|
| 1000             | 950 - 1000        | 390                 |
| 1100             | 1050 - 1100       | 440                 |
| 1200             | 1150 - 1200       | 490                 |



## Bi-fold corner

- T7375EO 760 Bi-fold door
- T7376EO 800 Bi-fold door
- T7377EO 900 Bi-fold door
- T7368EO 760 Side panel
- T7369EO 800 Side panel
- T7370EO 900 Side panel


| Slider enclosure | Dim. A Width (mm) | Dim. B Opening (mm) | Side panel | Dim. C Width (mm) |
|------------------|-------------------|---------------------|------------|-------------------|
| 760              | 711 - 761         | 520                 | 760        | 715 - 765         |
| 800              | 751 - 801         | 560                 | 800        | 755 - 805         |
| 900              | 851 - 901         | 660                 | 900        | 855 - 905         |



## Slider corner

- T7378EO 1000 Slider door
- T7379EO 1100 Slider door
- T7380EO 1200 Slider door
- T7368EO 760 Side panel
- T7369EO 800 Side panel
- T7370EO 900 Side panel


| Slider enclosure | Dim. A Width (mm) | Dim. B Opening (mm) | Side panel | Dim. C Width (mm) |
|------------------|-------------------|---------------------|------------|-------------------|
| 1000             | 952 - 1002        | 390                 | 760        | 715 - 765         |
| 1100             | 1052 - 1102       | 440                 | 800        | 755 - 805         |
| 1200             | 1152 - 1202       | 490                 | 900        | 855 - 905         |



## Corner entry

- T7358EO 760 Corner entry door
- T7361EO 800 Corner entry door
- T7364EO 900 Corner entry door

| Corner entry enclosure | Dim. A Width (mm) | Dim. B Opening (mm) | Dim. C Width (mm) |
|------------------------|-------------------|---------------------|-------------------|
| 760                    | 715 - 740         | 395                 | 715 - 740         |
| 800                    | 755 - 780         | 425                 | 755 - 780         |
| 900                    | 855 - 880         | 495                 | 855 - 880         |




# Idealite shower trays



## Square flat top low profile tray

- L631301 760 tray and waste
- L631401 800 tray and waste
- L631501 900 tray and waste
- L631601 1000 tray and waste
- LV69967 Adhesive upstand

|             | A    | B    | C   |
|-------------|------|------|-----|
| 760 x 760   | 770  | 770  | 385 |
| 800 x 800   | 810  | 810  | 405 |
| 900 x 900   | 910  | 910  | 455 |
| 1000 x 1000 | 1010 | 1010 | 505 |




# Idealite shower trays

## Square upstand low profile tray

- L633301 760 tray and waste
- L633401 800 tray and waste
- L633501 900 tray and waste


|           | A   | B   | C   |
|-----------|-----|-----|-----|
| 760 x 760 | 770 | 770 | 385 |
| 800 x 800 | 810 | 810 | 405 |
| 900 x 900 | 910 | 910 | 455 |



## Rectangular flat top low profile tray

- L631701 900 x 760 tray and waste
- L631801 900 x 800 tray and waste
- L631901 1000 x 800 tray and waste
- L632001 1200 x 760 tray and waste
- L632101 1200 x 800 tray and waste
- L632201 1200 x 900 tray and waste
- LV69967 Adhesive upstand


|            | A    | B   | C   |
|------------|------|-----|-----|
| 900 x 760  | 910  | 770 | 455 |
| 900 x 800  | 910  | 810 | 455 |
| 1000 x 800 | 1010 | 810 | 505 |
| 1200 x 760 | 1210 | 770 | 605 |
| 1200 x 800 | 1210 | 810 | 605 |
| 1200 x 900 | 1210 | 910 | 605 |



## Rectangular upstand low profile tray

- L633601 900 x 760 tray and waste
- L633701 1000 x 800 tray and waste
- L633801 1200 x 760 tray and waste
- L633901 1200 x 800 tray and waste


|            | A    | B   | C   |
|------------|------|-----|-----|
| 900 x 760  | 910  | 770 | 455 |
| 1000 x 800 | 1010 | 810 | 505 |
| 1200 x 760 | 1210 | 770 | 605 |
| 1200 x 800 | 1210 | 810 | 605 |



## Quadrant flat top low profile tray

- L632601 800 quadrant tray and waste
- L63270 900 quadrant tray and waste
- LV69967 Adhesive upstand


|           | A   | B   | C   | D   | E   | F   | G    |
|-----------|-----|-----|-----|-----|-----|-----|------|
| 800 x 800 | 810 | 810 | 510 | 510 | 260 | 260 | 909  |
| 900 x 900 | 910 | 910 | 610 | 610 | 360 | 360 | 1056 |



## Quadrant upstand low profile tray

- L634101 800 quadrant tray and waste
- L634201 900 quadrant tray and waste


|           | A   | B   | C   | D   | E   | F   | G    |
|-----------|-----|-----|-----|-----|-----|-----|------|
| 800 x 800 | 810 | 810 | 510 | 510 | 260 | 260 | 909  |
| 900 x 900 | 910 | 910 | 610 | 610 | 360 | 360 | 1056 |



## Offset Quadrant flat top

- L663101 1000 x 800 LH offset quadrant tray and waste
- L663001 1000 x 800 RH offset quadrant tray and waste
- L663301 1200 x 800 LH offset quadrant tray and waste
- L663201 1200 x 800 RH offset quadrant tray and waste
- LV69967 Adhesive upstand

|               | A    | B    | C   | D   | E   | F   |
|---------------|------|------|-----|-----|-----|-----|
| 1000 x 800 LH | 810  | 1010 | 710 | 510 | 460 | 260 |
| 1000 x 800 RH | 1010 | 810  | 510 | 710 | 260 | 460 |
| 1200 x 800 LH | 810  | 1210 | 910 | 510 | 660 | 260 |
| 1200 x 800 RH | 1210 | 810  | 510 | 910 | 260 | 660 |



## Sundries

- L630901 Idealite 1200 riser kit (for use with trays up to 1200)
- L631001 Idealite Quadrant riser kit
- L630801 Idealite flexible waste pipe

# Guarantee

Our confidence in the quality and reliability of Ideal Standard products enables us to offer long guarantees for complete peace of mind. Kubo shower enclosures are guaranteed for ten years, one year for IdealClean glass coating and Idealite shower trays for ten years. The guarantee covers all defects in materials and manufacture but excludes general wear and tear. Our guarantee is offered on all products that have been used in the manner they were intended, and does not apply to any products that have been misused or abused in any way. Products must be installed and cared for in line with our fixing instructions and local water byelaws. The guarantee covers products in domestic use by the consumer and not commercial or business use. In the unlikely event the product fails within the guarantee period, we offer a free replacement or replacement part (or nearest equivalent). Liability is limited to individual products and does not cover consequential loss or damage on installations. When your bathroom has been satisfactorily installed and is working well, please ensure you register your guarantee. The guarantee is transferable – it applies to the product not the purchaser provided guarantee registration details are passed on to the new owner. You can register for guarantees on a bathroom bought on your behalf by a plumber or builder. Applies to UK and Republic of Ireland only. This guarantee does not affect your statutory rights.

Ideal Standard pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice. Colour reproduction is as accurate as possible within the limitations of the printing process.

A division of Ideal Standard (UK) Ltd.  
P1585 07/11.

**Important installation information**  
A key element in the performance of a bathroom is the quality of the installation. We recommend you use a plumber from a registered association (see below) and consult him (or her) right from the start. Your local Ideal Standard stockist may offer a plumbing service or, if not, will be able to recommend a qualified plumber.

**Recognised plumbing associations**  
Association of Plumbing and Heating Contractors (APHC) [www.aphc.co.uk](http://www.aphc.co.uk)  
Tel: 024 7647 0626

The Institute of Plumbing and Heating Engineering [www.iphe.org.uk](http://www.iphe.org.uk)  
Tel: 01708 472791

Scottish and Northern Ireland Plumbing Employers Federation [www.snipef.org.uk](http://www.snipef.org.uk)  
Tel: 0131 225 2255