



Speckled Grey option On Request

Pennine

Uniclass			
L2226			
Ci/SiB	(2)	X	
September 2011			

Suited for use in dry areas where function and price are the most important factors. Pennine offers all the key functional qualities required for a practical washroom environment.

Fast-Track

Melamine Faced Chipboard (MFC)

Solid PVC edging

Available in Speckled or Plain Grey, White or Cream



www.washroomcubicles.co.uk/pennine



Indicator Face



Cubicle Leg



Cubicle Latch





Hidden Safety Hinge

Pennine cubicles offer a level of durability not normally associated with a budget range

Brackets and hinges are through-bolt types that provide a strong and secure cubicle fixing





Manufacturer

Cubicle Centre Ltd, Unit 33 Caldervale Business Park,
Ravensthorpe, West Yorkshire, WF13 3JL
Tel: (01924) 457600 Fax: (01924) 437600
Email: sales@washroomcubicles.co.uk

Specification

Overall cubicle height: 1955mm including a 155mm floor clearance

Doors: 18mm thick, Melamine Faced Chipboard (MFC) - hinges through-bolted to front panels for added strength

Partitions: 18mm thick, Melamine Faced Chipboard (MFC) - 1500mm (deep) x 1800mm (high) as standard - maximum depth of 1800mm can be supplied on request

Edging: 1.0mm solid PVC

Fittings: PVC head-rail with SAA fittings - wall and pilaster brackets, cubicle legs, heavy duty hinges and cubicle latches

Colour options

Speckled Light Grey, Plain Grey, White or Cream

Standard Size Guide

Overall height:	1955mm
Partition height:	1800mm
Partition depth:	1500mm (standard)
Door width:	600mm
Door opening:	550mm
Start / End Fascia:	150mm
Middle Fascia:	300mm
Floor clearance:	155mm