For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

domestic, commercial,
laboratory and fittings

Armitage Shanks

Ideal Standard

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

	Page	Applications	Material	Type	High back	Length	Projection	Depth
Alder cleaners sink	12:2:1		Fireclay	Cleaners	Yes – 30.5cm	51cm	38cm	23cm
Angus stainless steel cleaners sink	12:2:2		Stainless steel	Cleaners	Yes – 25cm	41cm	34cm	24cm
Belfast contract	12:2:3		Fireclay	Contract	No	46, 61 or 76cm	38 or 46cm	21 or 26cm
Belfast traditional	12:1:1		Fireclay	Domestic	No	60cm	46cm	26cm
Birch laboratory/cleaners	12:2:4		Fireclay	Lab/Cleaners	Yes – 15cm	46 or 51cm	38cm	21 or 23cm
Calder Trough	12:2:5		Stainless steel	Contract	No	120, 180 or 240cm	37cm	15cm
Calder Upstand Trough	12:2:6		Stainless steel	Contract	Yes – 7.7cm	120, 180 or 240cm	39cm	15cm
Edinburgh 60	12:1:2		Fireclay	Domestic	No	60cm	47cm	22cm
Elm plaster receiver	12:2:7		Fireclay	Receiver	No	33cm	33cm	33cm
Havana 11/2 bowl	12:1:3		Fireclay	Domestic	No	98cm	50cm	20cm
Havana single bowl	12:1:3		Fireclay	Domestic	No	98cm	50cm	20cm
Larch laboratory	12:3:1		Fireclay	Laboratory	No	33, 36, 46 or 59cm	28, 33, 36 or 38cm	15, 18, 19 or 23cm
London traditional	12:1:4		Fireclay	Domestic	No	60cm	46cm	26cm
Wansbeck shelf sink	12:2:8		Fireclay	Contract	No	61cm	54cm	26cm

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

domestic

For more information on Armitage Shanks visit www.barbourproductsearch.info

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

belfast traditional

The traditional Belfast sink is manufactured from heavy duty fireclay. Its ultimate durability makes it perfect for everyday kitchen use.

Its resistance to acids, alkalis and staining means it maintains its appearance and surface for a long time.

- *Traditional sink*
- *Domestic applications*
- *Resistant to acids and alkalis*
- *Hard wearing and durable*
- *Fireclay*

Illustrated
S5803 (35003DM) Belfast sink 60cm x 46cm x 26cm
S8725 (70038P2) 1½in strainer waste, slotted tail
S9219 (7931VE0) aluminium alloy build-in brackets

Material
Heavy duty fireclay

Weight
49.0kg

Colours
Available in White only

Options
S8768 (70668M0) 1½in chain waste with slotted tail and wood screw stay



price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

edinburgh 60

Domestic bow fronted sink in fireclay.

Fireclay's resistance to acids, alkalis and staining means it maintains its appearance and surface for a long time. This durability means that Edinburgh sinks are perfect for everyday kitchen use.

- *Fireclay*
- *Hard wearing and durable*
- *Domestic applications*
- *For open front kitchen units*

Illustrated
S5875 (3544100)
Edinburgh sink
60cm x 51cm x 22cm,
no overflow, centre
back outlet
E0206 Academy sink
monoblock mixer with
swivel nozzle
S9219 (7931VE0)
aluminium alloy
build-in brackets

Material
Fireclay

Weight
Sink 34.4kg

Colours
Available in White only

Special notes
Suitable for waste
disposal or basket
strainer wastes only



For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

havana

Sink in fireclay for domestic applications. This 98cm x 50cm countertop sink is fully reversible to suit customer requirements.

- *Fireclay*
- *Hard wearing and durable*
- *Domestic applications*
- *Reversible*
- *Single and 1½ bowl options*

Illustrated
S5822 (3541100) Havana countertop sink with small bowl for vegetable preparation
E6816AA Tantadisc CD monoblock twin flow swivel spout kitchen mixer, chrome plated
S8797 (90358Q8) combined pop-up waste, and basket strainer with trap, 75mm seal

Material
Fireclay

Weight
Sink (single) 37.6kg
Sink (1½) 34.4kg

Colours
Available in White or Dark Green

Options
S8798 (90368Q8) combined waste and basket strainer waste with trap, 75mm seal, lift out plug and chrome plated taphole stopper (for 1½ bowl)
S5823 (3540100) Havana single bowl countertop sink
S8795 (90338Q8) 1½in pop-up waste with trap – 75mm seal (for single bowl)
S8796 (90348Q8) 1½in waste with trap, 75mm seal, lift plug and chrome plated taphole stopper (for single bowl)
S582490 (3538100DP) Havana single bowl sink in Dark Green
S582690 (3539100DP) Havana sink with small bowl in Dark Green

Special notes
It is not possible to use Havana sink with a drawer unit



For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

london traditional

The traditional London sink is manufactured from heavy duty fireclay to an exceptional finish for domestic applications.

Its durability makes it perfect for everyday kitchen use. Being resistant to acids, alkalis and staining it maintains its appearance and surface for a long time.

- *Traditional design*
- *Resistant to acids and alkalis*
- *Very durable*
- *Domestic applications*

Illustrated
S5804 (35003WD)
London sink 60cm x 46cm x 26cm
S9219 (7931VE0)
aluminium alloy build-in brackets

Material
Fireclay

Weight
Sink 49.0kg

Colours
Available in White only

Special notes
Suitable for waste disposal units or basket strainer wastes only



price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

commercial

For more information on Armitage Shanks visit www.barbourproductsearch.info

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

alder

Heavy duty cleaners' sink in fireclay, 51cm x 38cm with 31cm high splashback, bucket grating and hardwood pad.

For use in public buildings, schools and hospitals.

- *Cleaners' sink*
- *Public building applications*
- *Splashback*
- *Bucket grating*
- *Hardwood pad*

Illustrated
S5900 (0560A00) Alder sink, 51cm with hardwood pad, 31cm high back and fitted stainless steel bucket grating
S7205 (6610400) Nimbus ½in inclined bib taps
S8331 (81460PR) ½in wall mounts for exposed plumbing
S8726 (70038P3) 1½in unslotted strainer waste
S9221 (7931WD0) aluminium alloy build-in brackets
S9101 (7550BPR) Domex screws

Material
Fireclay

Weight
47.0kg

Colours
Available in White only

Options
S9233 (7930BWD) Stainless steel legs and aluminium alloy bearers. Legs can be reduced in height on site





price 4

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

angus

General purpose cleaners' sink with 25cm high splashback and bucket grating.

Manufactured from 18 gauge stainless steel sheet with satin finish.

- *Cleaners' sink*
- *Stainless steel*
- *Bucket grating*
- *Anti vandal*

Illustrated
S5910 (5409100) Angus sink, 44cm with 25cm high back, 1½in integral strainer waste and stainless steel bucket grating
S7205 (6610400) Nimbus ½in inclined bib taps
S8331 (81460PR) ½in wall mounts for exposed plumbing
S8905 (70198Q4) 1½in chrome plated bottle trap with 75mm seal

Material
Satin finish 18 gauge stainless steel

Weight
Sink 3.0kg

Special notes
The sink is fixed to wall with 4 screws through the back of the sink. This sink is not suitable for use with plastic bottle trap





price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

belfast

Heavy duty sink in fireclay with weir overflow for commercial applications.

Sink is reversible and conforms to BS 1206:1974.

Reversible drainer and hardwood pad options.

- *Three sizes*
- *Commercial application*
- *Conforms to BS 1206*
- *Hardwood pad option*
- *Reversible drainer*

Illustrated

S5805 (350086S) Belfast sink 61cm x 46cm x 26cm
S7205 (6610400) Nimbus ½in inclined bib taps
S8331 (81460PR) ½in wall mounts for exposed plumbing
S8766 (70668M8) 1½in slotted waste, chain and plug, screw stay
S9250 (7930FVE) stainless steel legs and bearers
S5835 (3507100) 61cm x 46cm plain drainer
S9268 (7930JVE) stainless steel leg with screw to wall aluminium alloy bearer for drainer.

Material

Fireclay

Weight

Sink	76cm	63.0kg
	61cm	49.0kg
	46cm	25.0kg
Drainer		22.0kg

Options

S9219 (7931VE0) aluminium alloy build-in brackets
S9220 (7931VE1) aluminium alloy build-in bracket
S5800 (350016S) Belfast sink 46 cm x 38cm x 21cm
S9221 (7931WD0) brackets
S9251 (7930FWD) legs and bearers
S5811 (3500A6S) Belfast sink 76cm x 46cm x 26cm
S5807 (35008PR) Belfast sink 61cm x 46cm x 26cm RH outlet, hardwood pad
S5806 (35008PL) Belfast sink 61cm x 46cm x 26cm LH outlet, hardwood pad

Special notes

Stainless steel leg can be reduced in height on site

Colours

Available in White only

Standards

Sinks conform to BS 1206: 1974



Catalogue numbers, sizes and supports	A B L	Brackets	Legs and Bearers
S5800	46x38x21cm	S9211	S9251
S5805	61x46x26cm	S9219	S9250
S5811	76x46x26cm	S9219	S9250

price 2

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

birch

Laboratory and cleaners' sink in fireclay manufactured in 2 sizes, 46cm x 38cm and 51cm x 38cm.

This heavy duty sink is available with plain edge or with hardwood pad.

For use in laboratories, public buildings, schools and hospitals.

- *Heavy duty sink*
- *Cleaners' fittings option*
- *Institutional applications*
- *Two sizes*

Illustrated
S5915 (0565A00) Birch 46cm cleaners' sink with hardwood pad on front edge and fitted bucket grating
S7205 (6610400) Nimbus 1/2in inclined bib taps
S8331 (81460PR) 1/2in wall mounts for exposed plumbing
S8726 (70038P3) 1 1/2in unslotted strainer waste
S9221 (7931WD0) aluminium alloy build-in brackets
S9101 (7550BPR) Domex screws

Material
Fireclay

Weight
46cm 38.0kg
51cm 43.0kg

Colours
Available in White only

Options
S5920 (0565B00) 51cm cleaners' sink with hardwood pad on front edge and fitted bucket grating
S5925 (351617F) 46cm laboratory sink with plain front edge
S5930 (351627F) 51cm laboratory sink with plain front edge
S9233 (7930BWD) Stainless steel legs and screw to wall aluminium alloy bearers.

Special notes
Legs can be reduced in height on site



A	B	L	M
455	380	205	375
510	380	230	435

price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

calder

Washing trough in stainless steel available with or without tapholes.

- *Screw to wall*
- *Stainless steel*
- *Three standard lengths*
- *Bespoke sizes*
- *With or without tapholes*



Illustrated
S2812 (543214W) Calder stainless steel washing trough 120cm long, with tapholes, right hand waste
S7231 (629141R) Avon self-closing non-concussive taps with spray (2)
S8760 (70658N0) 1½in strainer waste
S8905 (70198Q4) 1½in metal bottle trap, 75mm seal

Material
18 gauge stainless steel sheet

Weight
120cm 7.0kg
180cm 10.0kg
240cm 14.0kg

Finish
Polished stainless steel

Standards
Stainless steel sheet to BS 1449: Part 2: 1983

Options
S2810 (543214U) 120cm, tapholes, left hand waste
S2813 (543214X) 120cm, no tapholes, right hand waste
S2811 (543214V) 120cm, no tapholes, left hand waste
S2816 (543224W) 180cm, tapholes, right hand waste
S2814 (543224U) 180cm, tapholes, left hand waste
S2817 (543224X) 180cm, no tapholes, right hand waste
S2815 (543224V) 180cm, no tapholes, left hand waste
S2820 (543234W) 240cm, tapholes, right hand waste
S2818 (543234U) 240cm, tapholes, left hand waste
S2821 (543234X) 240cm, no tapholes, right hand waste
S2819 (543234V) 240cm, no tapholes, left hand waste

Associated products
S8335 (8147000) concealed inlet wall mounts (2)

price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

calder upstand

Washing trough with upstand in stainless steel, with or without tapholes.

- *Screw to wall*
- *Stainless steel*
- *Three standard lengths*
- *Bespoke lengths available*







Illustrated

S2833 (543314X) Calder upstand stainless steel washing trough with upstand back 120cm long, no tapholes, right hand waste
S7111 (697541G) Nuastyle 1/2in bib taps, dual index
S8331 (81460PR) exposed inlet wall mounts (pair)
S8760 (70658N0) 1 1/2in strainer waste
S8905 (70198Q4) 1 1/2in metal bottle trap, 75mm seal

Material

18 gauge stainless steel sheet

Weight

120cm 8.0kg
180cm 12.0kg
240cm 16.0kg

Finish

Polished stainless steel

Standards

Stainless steel sheet to BS1449: Part 2: 1983

Options

S2831 (543314V) 120cm, no tapholes, left hand waste
S2832 (543314W) 120cm, tapholes, right hand waste
S2830 (543314U) 120cm, tapholes, left hand waste
S2837 (543324X) 180cm, no tapholes, right hand waste
S2835 (543324V) 180cm. no tapholes, left hand waste
S2836 (543324W) 180cm, tapholes, right hand waste
S2834 (543324U) 180cm, tapholes, left hand waste
S2841 (543334X) 240cm, no tapholes, right hand waste
S2839 (543334V) 240cm, no tapholes, left hand waste
S2840 (543334W) 240cm, tapholes, right hand waste
S2838 (543334U) 240cm, tapholes, left hand waste

price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

elm

Laboratory receiver sink, 33cm x 33cm, in fireclay for use as a plaster or sediment receiver, designed for use with galvanised tray.

- *Laboratory receiver sink*
- *Galvanised tray*
- *Optional steel cover*

Illustrated
S5955 (35151F8) Elm receiver 33cm horizontal outlet, no vent
S9371 (7745000) stainless steel cover
S9370 (7743000) galvanised tray

Material
Fireclay

Weight
Sink 34.0kg

Colours
Available in White only

Special notes
Outlet connectors to suit are available from Multikwik:
Straight connector for 98-105mm I.D. soilpipe ref. MK55
Offset connector for 98-105mm I.D. soilpipe ref. MK05



Receiver outlet 90 OD



S9371 (7745000)



S9370 (7743000)

price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

wansbeck

Shelf sink in fireclay with slot overflow and soap recess.

Suitable for commercial application.

Conforms to BS 1206: 1974.

- *Slot overflow*
- *61cm x 54cm*
- *Conforms to BS 1206*
- *Soap recess*

Illustrated
S5820 (350216T)
Wansbeck 61cm sink
S7115 (6974400)
Nuastyle 1/2in inclined high neck pillar taps
S9300 (62904AT)
1/2in extended inlet tails
S8765 (70668M7)
1 1/2in waste, chain and plug, bolt stay
S9249 (7930FUF)
stainless steel legs and aluminium alloy screw to wall bearers

Material
Fireclay

Weight
Sink 63.0kg

Colours
Available in White only

Standards
Conforms to BS 1206: 1974

Options
S9217 (7931UF0)
aluminium alloy build-in brackets

Special notes
Legs can be reduced in height on site



price 3

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

laboratory

For more information on Armitage Shanks visit www.barbourproductsearch.info

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

larch laboratory

Laboratory sink in fireclay.
Manufactured in 4 sizes with flanged edge and no overflow.

For fixing under benchtop.

- *Resistant to acids and alkalis*
- *Fireclay sink*
- *Fixed under benchtop*
- *Four sizes*
- *No overflow*

Illustrated
S5945 (351427C) Larch laboratory sink, flanged edge, 33cm x 26cm, no overflow
S9210 (72160Y4) fixing clips (set of 4)
S8776 (848279V) 1¼in acid resistant waste with loose lift out grid and 125mm stand tube overflow

Material
Fireclay

Weight
33cm x 26cm 15.0kg
31cm x 31cm 15.0kg
43cm x 33cm 23.0kg
56cm x 36cm 29.0kg

Colours
Available in White only

Options
S5948 (351457C) flanged edge, 31cm x 31cm, no overflow
S5950 (351497C) flanged edge, 43cm x 33cm, no overflow
S5952 (3514C7C) flanged edge, 56cm x 36cm, no overflow
S8775 (848279U) 1¼in acid resistant waste with loose lift out grid and plug
S8777 (848279W) 1¼in acid resistant waste with loose lift out grid and 180mm stand tube overflow (56cm size)
S8990 (8496700) 1¼in acid resistant bottle trap with 75mm seal

Special notes
Use silicone sealant between sink and benchtop



Bench top fixing detail



72160Y4
fixing clips

Use silicone sealant between sink and bench top

A	B	A1	B1	C	D	L
355	280	330	255	275	200	150
330	330	305	305	250	250	180
455	355	430	330	375	275	190
585	380	560	355	505	300	230

price 2

For more information on Armitage Shanks visit www.barbourproductsearch.info

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

fittings

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

fittings

Armitage Shanks

Ideal Standard

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

wall mounts • wastes • traps

Fittings for sinks.

- *Wall mounts*
- *Wastes*
- *Bottle traps*

S8775

S8776

S8775/
S8776

S8335

S8726

S8345

S8765

S8330

S8915

S8925

S8905

Wall mounts

Illustrated
S8330 (8146000CP) chrome plated, 1/2in wall mount for exposed plumbing
S8335 (8147000CP) chrome plated, 1/2in wall mount for concealed plumbing
S8345 (8174B00CP) chrome plated, 1/2in extension 75mm long

Options
S8331 (81460PRCP) 1/2in wall mounted for exposed plumbing (pair)
S8336 (81470PRCP) 1/2in wall mounted for exposed plumbing (pair)
S8346 (8174BPRCP) 1/2in extension 75mm long (pair)

Wastes

Illustrated
Chrome plated, 1 1/2in wastes with chain and plug
S8768 (70668M0CP) 90mm unslotted tail, screw stay;
S8765 (70668M7CP) 90mm slotted tail, bolt stay
S8766 (70668M8CP) 90mm slotted tail, screw stay.

Chrome plated, 1 1/2in strainer wastes
S8726 (70038P3CP) 80mm unslotted tail;
S8725 (70038P2CP) 80mm but slotted tail.
Self-colour, 1 1/4in acid resistant wastes;
S8775 (848279USC) with plug;
S8776 (848279VSC) with 125mm stand tube overflow;
S8777 (848279WSC) with 180mm stand tube overflow

Bottle traps

Illustrated
S8915 (70238Q4SC) self-colour, 1 1/2in plastic bottle trap with 75mm seal, multi-purpose outlet
S8925 (7360800SC) self-colour, 1 1/2in plastic resealing bottle trap with 75mm seal, multi-purpose outlet
S8905 (70198Q4CP) chrome plated, 1 1/2in bottle trap with 75mm seal. Outlet screwed 1 1/2in BSP male with compression nut and ring
S8990 (8496700SC) self-colour, 1 1/4in acid resistant bottle trap with 75mm seal, outlet screwed 1 1/2in male with compression nut and ring (not illustrated)

For more information on Armitage Shanks visit www.barbourproductsearch.info

sinks

brackets • legs • bearers

Fittings for sinks.

Build-in brackets in aluminium alloy.

Legs in polished stainless steel and screw to wall bearers in aluminium alloy.

- *Build-in brackets*
- *Aluminium alloy with bearers*
- *Stainless steel legs*



- *Build-in brackets*
- *Aluminium alloy*



Catalogue numbers and sizes

	A Bracket	B Stud	C Build-in	
S9221 (7931WD0 SC)	355	305	115	Pair
S9219 (7931VE0 SC)	405	355	115	Pair
S9220 (7931VE1 SC)	405	355	115	Single
S9217 (7931UF0 SC)	455	405	115	Pair
S9218 (7931UF1 SC)	455	405	115	Single
S9215 (7931TG0 SC)	510	455	150	Pair



- *Polished stainless steel legs*
- *Screw to wall bearers*

Catalogue numbers and sizes

	A Bearer	B Stud	C Leg	D	
S9233 (7930BWD PO)	355	305	350	30	Pair
S9251 (7930FWD PO)	355	305	650	30	Pair
S9232 (7930BVE PO)	405	355	350	30	Pair
S9250 (7930FVE PO)	405	355	650	30	Pair
S9268 (7930JVE PO)	405	355	900	30	Single
S9249 (7930FUF PO)	455	405	650	35	Pair
S9267 (7930JUF PO)	455	405	900	35	Single
S9248 (7930FTG PO)	510	455	650	35	Pair
S9247 (7930FSH PO)	560	510	650	35	Pair