amtico spacia

Beautifully simple.

LVT that works. Every single time.

In stock & ready when you are.

0.55 mm wear layer

Think Play Sketch Specify Spacia



Get creative with our Room Visualiser

Explore patterns and colours for your next project.

amtico.com

Contents

Specify Spacia	4
Parquets	8
Wood	10
Stone	22
Stripping	36
Acoustic	37
Enhanced Protection	38
Laying Patterns	40
Sustainability	44
Projects	46
Product Availability	54
Packaging	56

If you're looking for a collection that's reliably beautiful. One that can feel both contemporary and timeless. That's in stock and ready when you are. And supported by seamless service. A collection that delivers, every single time.

Specify Spacia.





For a floor that's ready when you are. Installed in hours. Fresh for years.

Spacia is always in stock* – so it can be ready when you are, and is guaranteed to perform for 10 years.



36 New products

Designs for greater choice

0.55 mm UK

Wear layer

British manufacturer

Year warranty

Wood and Stone parquet designs

For a floor that just works.

With a combination of seamless service and a balanced, versatile palette, Spacia is a collection you'll return to again and again.

Specify Spacia


with a free online supply service for samples. amtico.com/commercia




For Parquet your way.

Timeless and classic, people come back to parquet again and again. So, our updated Spacia collection has the biggest selection ever of 74 parquet options in two sizes for you to play with. Naturally there's the traditional wood designs. But for a really contemporary vibe, we now have stone parquet options in the subtle new Tones palette (p31) and in Spacia's four elegant marble designs (p29).

Blackened Spa Wood - Small Parquet SP136





Grey Marble - Large Parquet SP146



Small Parquet Available in Wood & Stone

Planks & Tiles:



Large Parquet Available in Wood & Stone







Iced Oak SS5W3310







Smoked Timber SS5W2652

Cool Woods

🛮 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

White Ash SS5W2540



Sash Oak SS5W3032



Blackened Spa Wood SS5W3025



Iced Oak - Large Parquet SP140






Neutral Woods

🛮 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.





Estuary Pine SS5W3028

Dusky Walnut SS5W2542











Pale Ash SS5W2518



Dry Cedar SS5W2535

Featured Oak SS5W2533

Golden Woods

Muted Oak SS5W3312

🛮 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Eden Oak SS5W1010



Limed Wood Natural SS5W2549



Noble Oak SS5W3030



Muted Oak – Stripwood

1.1













Rustic Barn Wood SS5W2513

Royal Oak SS5W2530

Exotic Walnut SS5W2541

Warm Woods

Smoothbark Hickory SS5W2545

🛮 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.



Traditional Oak SS5W2514



Black Walnut SS5W2534





Forge Oak SS5W3317

Heritage Oaks







Granary Oak SS5W3318

Our Heritage Oak designs feature a beautifully tactile and realistic surface texture. Using in-register emboss (IRE) technology, the physical grain carefully follows the wood design, resulting in a highly natural, organic finish.

Explore the latest Oak designs in the Spacia collection.



Forge Oak - Stripwood



Salvaged Timber

For 36+ slip resistant and acoustic solutions see pages 37-39.

Salvaged Timber is our interpretation of authentic reclaimed wood, so the colour tones and texture effects have a high degree of variation across individual planks. Please visit the website for more information and product imagery.

Find out more about Spacia Salvaged Timber.







Washed Salvaged Timber SS5W3322



Urban Salvaged Timber - Large Parquet



Plaza Concrete – Uniform Block



Rialto Concrete SS5S2611



Villa Concrete SS5S2612



Metropolis Ice SS5A2617

Cool Stones

🛚 Available in Large and Small Parquet.

Plaza Concrete SS5S3070



Gallery Concrete SS5S3071



Linear Stone Shale SS5S3606



Mirus Feather SS5A6120



Monument Concrete SS5S3072



Zinc SS5A3620





Kingham Stone – Broken Bond



Ceramic Frost SS5S1591



Stanton Stone SS5S1593



Limestone Cool SS5S1561

Pale Stones

Dry Stone Alba SS5S4401



Mirus Cotton SS5A6110



Kingham Stone SS5S1594



Ceramic Ecru SS5S3592



Ceramic Light SS5S1565



Fairford Stone SS5S1595





Ceramic Sable – Bonded Stone



Century Concrete SS5S3069



Ceramic Dark SS5S3566



Mirus Hemp SS5A6130

Neutral Stones

Bronze SS5A4805



Steel SS5A2804



Ceramic Flint SS5S2594



Monmouth Slate SS5S7501



Metropolis Smoke SS5A2627



Ceramic Sable SS5S3593





Rose Marble – Bonded Stone



White Marble SS5S2618

Rose Marble SS5S2620




Grey Marble SS5S2619

Marble

🛚 Available in Large and Small Parquet.









Black Marble SS5S2621







Lichen – Uniform Tile









Rialto Concrete SS5S2611

Elemental Terrazzo

🛮 Available in Large and Small Parquet.


For 36+ slip resistant and acoustic solutions see pages 37-39.





Find out more about Spacia's two Terrazzo designs.





Villa Concrete, Capri – Broken Bond

Stripping

Amtico stripping – add contrast, definition or create a grout effect.

Feature stripping is available in the following sizes*:

3.2 mm x 914.4 mm 6.4 mm x 914.4 mm 9.5 mm x 914.4 mm



Pure Plain Black



And the second of the second of the second	WINDS OF THE PARTY
American Oak	AR0W7050
Bronze	AROAMP18
Cirrus Air	AR0W8100
The second second	and the same of th
Concrete Pale	AROSCN30
Fused Birch	AR0W7500
Gold	AR0AMP78
Comment of the second	The second second
Mirabelle Crème	AROSMB14

AROAPN22

	Pure Plain White	AR0APN11
	Shimmer Denim	AROASE39
	Silver	AROAMP38
		78.30
	Stria Basalt	AROSMS43
	the state of the s	1936
	Stria Sediment	AROSMS14
	《 等等等的 数据 的 等。	
	Stria Volcanic	AROSMS42
		1.573
	Wenge Wood	AR0W7490
	Wild Walnut	AR0W7620

Choose stripping that complements the tone and materiality of planks and tiles, then combine them in one of our timeless patterns.

Stria Basalt AROSMS43 $3.2\,\mathrm{mm}$ stripping represented in this example.




Fairford Stone SS5S1595



Laid in Uniform Block

Acoustic

Amtico Spacia Absorbing sound, with style.



Specify on demand

Amtico Acoustic is applied in production, removing the need for additional underlay. It enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of underfoot comfort.

Optional Acoustic backing can be specified on all Spacia products except Heritage Oaks and patterns requiring stripping.

What silence looks like.



Turn great looking spaces into great sounding space with Amtico Acoustic



Clearly superior resistance

36+ slip resistant planks and tiles

Made to the same exacting standards as standard Amtico LVT, Spacia 36+ gives you the performance of slip resistant sheet but with the enhanced design possibilities that LVT planks and tiles bring.

Add an extra level of safety to your next project with our high-performance slip resistant flooring.

Specify Spacia 36+*





ENHANCED SLIP RESISTANCE



11 PLANK AND TILE SIZES



PARQUET AVAILABLE

Amtico Antimicrobial protection

Spacia is specified* with integral, antimicrobial protection.

Under independent tests this active ingredient has been proven to reduce bacteria growth by 99% over 24 hours when compared with standard product of a similar type and construction.

This means Amtico Spacia brings an extra level of defence, giving you peace of mind between cleanings.






^{*}All products, except Heritage Oaks, are available in our high-performance 36+ slip resistant flooring and with our antimicrobial protection.

Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

explore all the ways to lay spacia planks and tiles.	
mtico.com/commercial/spacia	

Broken Bond




Tiles: 304.8 x 457.2 mm / 12 x 18" 609.6 x 914.4 mm / 24 x 36"



Gallery Concrete SS5S3071

Uniform Block




Tiles: 304.8 × 457.2 mm / 12 × 18" 609.6 × 914.4 mm / 24 × 36" 76.2 × 228.6 mm/ 3 × 9" 101.6 × 457.2 mm/ 4 × 18"



Horizon SS5S2634

Bonded Stone




Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18" 914.4 x 914.4 mm / 36 x 36"




Metropolis Ice SS5A2617

Uniform Tile



Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18" 914.4 x 914.4 mm / 36 x 36"* *We recommend installing this size tessellated




Kingham Stone SS5S1594

Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

xplore all the ways to lay pacia planks and tiles.		
mtico.com/commercial/spacia		

Linear Block




Tiles: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48" 76.2 x 228.6 mm/ 3 x 9" 101.6 x 457.2 mm/ 4 x 18"



Grey Marble SS5S2619

Stripwood



Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"



New England Oak SS5W2527

Deck Block




Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"



Nordic Oak SS5W2550

Wicket



Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"



Muted Oak SS5W3312

ON CLIMATE, ON WASTE, ON PEOPLE AND INNOVATION, THIS IS WHERE WE STAND.

Greenwashing 20 year goals Half measures





Our plan is for right now, today.

RESPONSIBLE FOUNDATIONS

WE BELIEVE:

LEADING
MANUFACTURERS
SHOULD BE CLIMATE
LEADERS, TOO.



IF WE CAN REDUCE SOME WASTE, WE CAN REDUCE ALL WASTE.



WE WOULD BE NOTHING WITHOUT OUR 582-STRONG FAMILY.



OUR GOAL
IS MAKING
FLOORING FIT
FOR THE FUTURE.




Our approach to the future of flooring is all about data, real targets and hard work. Find out more about how we're building a better business and more sustainable future for us all.



Read our full sustainability strategy at amtico.com/wherewestand



Projects – Aston Villa Football Club



Highlights

Location **Birmingham, UK**

Sector **Hospitality & Leisure**

Collection

Amtico Spacia 36+

6,400 sq ft total area

36+

Slip resistance

2

Products used

"The Gas Lamp was an important project for Aston Villa FC, Levy UK and Benchmark, bringing an underused area up to high quality hospitality use. The Amtico Spacia 36+ range allowed the flooring to be stylish, functional and cost effective."


Paul Smith, Projects Director Benchmark

View this project on our website



Featured Oak - Large Parquet

Projects - Puma



Highlights

Location
Herzogenaurach,
Germany

Sector Office

Collection

Amtico Spacia

3,300 sq ft total area

Broken Bond

Laying pattern


10 Year commercial warranty

View this project on our website



Plaza Concrete – Broken Bond
Image: www.schmitt-photodesign.de

Projects – Ten Degrees, 100a George Street



Highlights

Location
South London, UK

Sector **Build to Rent**

Collection **Amtico Spacia**

35,000 m² of Acoustic Spacia product

18 dB Sound reduction

546Apartments

"We use Amtico LVT flooring because we like the balance the product brings in terms of aesthetic quality, variety in finishes, flexibility in pattern and robustness in wear."

Neal Shah, Design Director Greystar Europe Holdings

View this project on our website



Eden Oak – Stripwood

Projects - Smeg



"The showroom's previous floor was not fit for purpose, so durability was a key factor when choosing a replacement. With an established relationship with Amtico on our exhibition displays, we know the quality of the products. By using the Spacia collection in the oak and concrete shades, it really helps to complement Smeg's semi-industrial look."

John Davies, Head of Marketing Smeg UK



Highlights

Location Oxfordshire, UK

Sector Retail

Collection **Amtico Spacia**

Products used

400 m² space

Laying patterns

View this project on our website



Sun Bleached Oak – Stripwood Gallery Concrete – Broken Bond

Product Availability – Stone

Single Planks QGE = Quantum Guard Eli AO = Aluminium Oxide C															PQ =	ing Po Parque Boardv	et	ns
= 36+ Slip resistantA coustic backing a	nd 36+ Slip re	sistant																
Product Name	Product Code	Surface Textures	Surface Coating	Optional Availability	Str	aigh	nt Gr	ain				ΧG	rain	1	PQ Small	PQ Large	BDW	Optional Availability
					101.6 x 914.4 mm (4 x 36")	184.2 × 1219.2 mm (7.25 × 48")	304.8 × 304.8 mm (12 × 12")	304.8 × 457.2 mm (12 × 18")	457.2 x 457.2 mm (18 x 18")	609.6 × 914.4 mm (24 × 36")	914.4 × 914.4 mm (36 × 36")	101.6 x 914.4 mm (4 x 36")	184.2 × 1219.2 mm (7.25 × 48")	304.8 × 457.2 mm (12 × 18")	76.2 x 228.6 mm (3 x 9")	101.6 x 457.2 mm (4 x 18")	101.6 × 914.4 mm (4 × 36") 184.2 × 1219.2 mm (7.25 × 48")	
Black Walnut	SS5W2534	Tick	QGE	• E A	-	•	(-)	(1)	7	0	0)	_	_	(1)	SP122	SP160		• • •
Blackened Spa Wood	SS5W3025	Barnwood	QGE	• • •		•				H					SP136	SP174		• = 4
Bleached Elm	SS5W2516	Tick	QGE	• = 4		•				Н					0. 100	5. 1/4		7
Canopy Oak	SS5W1020	Tick	QGE	• • •		•												
Carriage Oak	SS5W3316	Heritage	AO															
Coastal Pine	SS5W3029	Barnwood	QGE	• E A						П					SP127	SP165		• E A
Credenza Oak	SS5W3035	Barnwood	QGE	• • •	•	•												
Drift Pine	SS5W3027	Barnwood	QGE	• II A	•	•				П								
Dry Cedar	SS5W2535	Barnwood	QGE	• I A	•	•												
Dusky Walnut	SS5W2542	Tick	QGE	• I A	•	•												
Eden Oak	SS5W1010	Tick	QGE	● ■ ▲	•	•												
Estuary Pine	SS5W3028	Barnwood	QGE	● ■ ▲	•	•												
Exotic Walnut	SS5W2541	Tick	QGE	• E A	•	•												
Featured Oak	SS5W2533	Tick / Barnwood	QGE	• E A	•	٠									SP132 SP133	SP170 SP171		•
Forge Oak	SS5W3317	Heritage	AO			٠												
Granary Oak	SS5W3318	Heritage	AO			٠												
Hampton Oak	SS5W3031	Tick	QGE	• • •	•	٠												
Haven Oak	SS5W3033	Tick	QGE	• • •	•	٠										00400		
Honey Oak	SS5W2504	Tick / Barnwood	QGE	• E A	•	٠									SP128 SP129	SP166 SP167		• E A
Iced Oak	SS5W3310	Tick	QGE	• E A		•									SP104	SP140		• E A
Limed Wood Natural	SS5W2549	Tick	QGE	• I A	•	•												
Malthouse Oak	SS5W3315	Heritage	AO			•												
Mulled Oak	SS5W3313	Tick	QGE	• I A		•									SP101	SP137		• E A
Muted Oak	SS5W3312	Tick	QGE	● ■ ▲		•									SP102	SP138		• E A
New England Oak	SS5W2527	Tick / Barnwood	QGE	• E A	•	•												
Noble Oak	SS5W3030	Tick	QGE	• • •	•	٠									SP121	SP159		• • •
Nordic Oak	SS5W2550	Tick / Barnwood	QGE	● ■ ▲		•									SP124 SP125	SP162 SP163		• E A
Pale Ash	SS5W2518	Tick	QGE	• E A	•	•				П					SP120			• E A
Powdered Oak	SS5W3311	Tick	QGE	• • •											SP103	SP139		• • •
Royal Oak	SS5W2530	Tick/	QGE	• = 4						П					SP134	SP172		• = 4
Rustic Barn Wood		Barnwood			-			-		Н					SP135	SP173		
Sash Oak	SS5W2513 SS5W3032	Barnwood Tick	QGE	• = 4	•	•												
Scorched Timber	SS5W3032 SS5W3024	Barnwood	QGE	• = 4	•	•				H								
		Tick/								H								
Sherwood Oak	SS5W2532	Barnwood	QGE	• • •	•	•				Ш								
Smoked Timber	SS5W2652	Barnwood	QGE	•	•	•												
Smoothbark Hickory	SS5W2545	Tick	QGE	• I A	•	•										05:		
Sun Bleached Oak	SS5W2531	Barnwood Tick /	QGE	• • •	•	•									SP126 SP130	SP164 SP168		
Traditional Oak	SS5W2514	Barnwood	QGE	• • •	•	•				Ш					SP131	SP169		• • •
Urban Salvaged Timber	SS5W3323	Barnwood	QGE	•		٠				Ш						SP142	SP176	• • •
Warm Maple	SS5W2502	Tick	QGE	• • •	•	٠										_		• • •
Washed Salvaged Timber	SS5W3322	Barnwood	QGE	• • •		٠										SP141	SP175	• = 4
Weathered Oak	SS5W2524	Barnwood	QGE	• • •	•	٠												
White Ash	SS5W2540	Barnwood	QGE	• • •	•	٠									SP123	SP161		• • •
White Maple	SS5W2654	Tick	QGE	• • •	•	٠												
White Oak	SS5W2548	Tick	QGE	• • •	•	•												

Size & Specificat	tion									
Single Tiles							Lay	ing P	atte	rns
QGE = Quantum Guard Eli AO = Aluminium Oxide C	oating	esistant					1 -	= Parque = Board		
Product Name	Product Code	Finish	Surface	Optional Availability	Straight Grain	X Grain	PQ Small	PQ Large	BDW	Optional Availability

= Acoustic backing	g and 36+ Slip re	sistant																
Product Name	Product Code	Finish	Surface Coating	Optional Availability	Str	aigh	nt Gr	rain				ХG	rain		PQ Small	PQ Large	BDW	Optional Availabilit
					101.6 × 914.4 mm (4 × 36")	184.2 × 1219.2 mm (7.25 × 48")	304.8 × 304.8 mm (12 × 12")	304.8 × 457.2 mm (12 × 18")	457.2 × 457.2 mm (18 × 18")	609.6 x 914.4 mm (24 x 36")	914.4 × 914.4 mm (36 × 36")	101.6 × 914.4 mm (4 × 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 × 457.2 mm (12 × 18")	76.2 x 228.6 mm (3 x 9")	101.6 x 457.2 mm (4 x 18")	101.6 × 914.4 mm (4 × 36") 184.2 × 1219.2 mm (7.25 × 48")	
A If:	0050000	0	005	• = 4	5	8	3	36				5	9	30	76	1	5 6	
Amalfi Black Marble	SS5S2609	Ceramic	QGE				_	-	•	•	•				SP106	SP144		• • •
Bronze	SS5S2621		QGE	• • •			•	•	•						37100	3P144		7
Capri	SS5A4805 SS5S2610	Ceramic	QGE	• E A				•			•							
Century Concrete	SS5S3069	Ceramic	QGE	• • •							•							
Ceramic Dark	SS5S3566	Ceramic	QGE	• E A							•							
Ceramic Ecru	SS5S3592	Ceramic	QGE	• E A														
Ceramic Flint	SS5S2594	Ceramic	QGE	• • •														
Ceramic Frost	SS5S1591	Ceramic	QGE	• = 4						H								
Ceramic Light	SS5S1591	Ceramic	QGE	• • •			-											
Ceramic Sable	SS5S3593	Ceramic	QGE	• E A														
Dry Stone Alba	SS5S4401	Ceramic	QGE	• = 4														
Earth	SS5S2637	Ceramic	QGE	• E A										-	SP112	SP150		• E A
Fairford Stone	SS5S1595	Ceramic	QGE	• E A							•				02	000		7
Gallery Concrete	SS5S3071	Ceramic	QGE	• E A							•							
Gibson	SS5S2603	Ceramic	QGE	• • •			•				•							
Grey Marble	SS5S2619	Ceramic	QGE	• E A			•				_				SP108	SP146		• E A
Highball	SS5S2608	Ceramic	QGE	• E A							•				0. 100	0		V = -
Horizon	SS5S2634	Ceramic	QGE	• I A			•				•				SP113	SP151		• = 4
Julep	SS5S2606	Ceramic	QGE	• I A							•				01 110	01 101		V = -
Kingham Stone	SS5S1594	Ceramic	QGE	• = 4			•				•							
Lichen	SS5S2629	Ceramic	QGE	• E A			•				•				SP115	SP153		• E A
Limestone Cool	SS5S1561	Ceramic	QGE	• E A							_				01 110	01 100		V = -
Linear Stone Shale	SS5S3606	Ceramic	QGE	• I A														
Metropolis Ice	SS5A2617	Ceramic	QGE	• I A														
Metropolis Smoke	SS5A2627	Ceramic	QGE	• ■ Δ														
Mimosa	SS5S2607	Ceramic	QGE	• I A							•							
Mirus Cotton	SS5A6110	Ceramic	QGE	• I A														
Mirus Feather	SS5A6120	Ceramic	QGE	• I A														
Mirus Hemp	SS5A6130	Ceramic	QGE	• I A														
Monmouth Slate	SS5S7501	Riven	QGE	• • •														
Monument Concrete	SS5S3072	Ceramic	QGE	• I A														
Negroni	SS5S2604	Ceramic	QGE	• • •			•											
Pampas	SS5S2635	Ceramic	QGE	• • •							•				SP110	SP148		• E A
Peak	SS5S2633	Ceramic	QGE	• ■ Δ							•	H			SP111	SP149		• = 4
Plaza Concrete	SS5S3070	Ceramic	QGE	• ■ 🛦			ŕ				•	H				2		
Rialto Concrete	SS5S2611	Ceramic	QGE	• = 4						•	•				SP118	SP156		• = 4
Rose Marble	SS5S2620	Ceramic	QGE	• ■ Δ											SP107	SP145		• = 4
Salt	SS5S2632	Ceramic	QGE	• ■ Δ							•	H			SP117	SP155		• = 4
Sea	SS5S2631	Ceramic	QGE	• = 4							•				SP114	SP152		• = 4
Sidecar	SS5S2605	Ceramic	QGE	• • •							•							
Snow	SS5S2628	Ceramic	QGE	• • •							•				SP116	SP154		• = A
Stanton Stone	SS5S1593	Ceramic	QGE	• = 4										\vdash	01 110	01 104		
Steel	SS5A2804	Ceramic	QGE	• = 4			-		-		-							
Villa Concrete	SS5S2612	Ceramic	QGE	• = 4											SP119	SP157		• = A
Vista	SS5S2636	Ceramic	QGE	• = 4											SP109	SP147		• = 4
White Marble	SS5S2636 SS5S2618	Ceramic	QGE	• E A			•			-	•				SP109	SP147		• = 4
Zinc	33032010	Jeruniic	QUE		1							1			01 100	01 140		

Products bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your Area Sales Manager for the latest information.

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.





Standard Spacia Product									
Details	101.6 × 914.4 mm (4 × 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	4572 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 × 914.4 mm (36 × 36")	Small Parquet 228.6 × 76.2 mm (9 × 3")	Large Parquet 4572 x 1016 mm (18 x 4")
Plank/Tile per Box	27	9	27	18	12	5	8	144	54
M² per Box	2.5	2	2.5	2.5	2.5	2.78	6.69	2.5	2.5
Weight (kg) per Box	8.88	7.23	8.78	8.76	8.99	10.72	24.41	8.78	8.76
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M² per Pallet	180	180	180	180	180	111.2	200.7	180	180
Weight (kg) per Pallet	639.00	650.31	632.16	630.64	647.48	428.68	732.19	632.43	630.64

The 4 Heritage Oaks are boxed in 2.25 $m^2\,$ in 1219.2 x 184.2 mm / 48 x 7.25"

Acoustic Spacia Product									
Details	101.6 × 914.4 mm (4 × 36")	184.2 × 1219.2 mm (7.25 × 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	4572 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 × 914.4 mm (36 × 36")	Small Parquet 228.6 x 76.2 mm (9 x 3")	Large Parquet 4572 x 101.6 mm (18 x 4")
Plank/Tile per Box	20	6	20	13	9	4	6	102	39
M² per Box	1.86	1.34	1.86	1.81	1.88	2.23	5.01	1.78	1.81
Weight (kg) per Box	7.24	5.37	7.25	7.05	7.54	9.63	20.45	6.96	7.05
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M² per Pallet	133.92	120.6	133.92	130.32	135.36	89.2	200.4	128.16	130.32
Weight (kg) per Pallet	521.45	483.19	522.36	507.34	543.08	385.1	817.9	501.03	507.34

SE M1> RESION CLASS OF RELIGION CLASS OF RELIGIO	Amtico Spacia has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.		Amtico Spacia products have been UPEC classified, therefore conforming to local French certification.
FB	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.	CE	The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).
ISO 9000 State	Our quality system complies with BS EN ISO 9001 and is certified by LRQA.	UK	The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).
floor	Amtico Spacia products are third-party certified for low-VOC emissions contributing towards good indoor air quality.	DGNB° Dockele Geed could life Vice beholdings General Sectional & Budding Council	Amtico International GmbH is a member of the DGNB German Sustainable Building Council.
Phthalate Free	Amtico Spacia products are manufactured using both phthalate-free and bio-based plasticisers except for recycled content.	150 140012015 Environmental Management	Amtico products comply with BSI ISO 14001 environmental standards.
SAR COLLEGE SERVICE SERVICE PRODUCTION OF THE PR	Amtico Spacia complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.	PVC Next	SOL PVC Pro is the French professional organisation of PVC flooring manufacturers; standing for their shared values and commitments related to environment, comfort, regulation and communication. Amtico International partenaire de Sols Pvc ^{rno}



Amtico UK & European Sales

Solar Park Southside Solihull, West Midlands B90 4SH, UK +44 (0) 121 745 0800 samples@amtico.com

South European Sales

Español: +34 (0) 911 14 74 42 English: +44 (0)1217450842 Sales.southeurope@amtico.com Samples: info@amtico.de

Amtico Head Office

Kingfield Road Coventry CV6 5AA, UK +44 (0) 24 7686 1400 samples@amtico.com

Amtico International Germany

Im Taubental 11 41468 Neuss, Germany +49 (0) 2131 359 16 0 info@amtico.de

Amtico International France

36 Avenue Hoche 75008 Paris, France +33 (0) 155 38 95 70 info@amtico.fr

Amtico International Scandinavia

S:t Olofsgatan 11A 753 21 Uppsala +46 (0) 8 584 233 24 info@amtico.se

Amtico International HK Ltd

Rm 2003 20/F OfficePlus @ Wan Chai 303 Hennessy Rd, Hong Kong +852 2327 7703 samples@amtico.com

Amtico International Middle East, Africa & India

8th Floor Building Number 2 J&G DMCC, Dubai, UAE +971 (0) 50 192 33 46 samples@amtico.com

Amtico International Australia & New Zealand

PO Box 752 Jimboomba QLD 4280, Australia +61 (0) 477708418 australia.orders@amtico.com

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582 and EN1307. Brochure correct at the time of printing.

Click Call Chat Specify Spacia

amtico.com



