


TWINTOUR.

DIMENSIONS AND SPECIFICATIONS

Α						В	C	D	E
Diameter	Capacity /	# of Door	Disabled	Type of	Emergency	Installation	Throat	Height Under	Canopy
(mm)	Minute	Wings	Access	Traffic	Exit	Width	Opening	Canopy	Height
						(mm)	(mm)	(mm)	(mm)
3000	2x 60	2x2	Ċ.	İ Ę	\checkmark	3077	2027	2200-2700	300-600
3200	2x 61	2x2	Ŀ	İ	\checkmark	3277	2168	2200-2700	300-600
3400	2x 68	2x2	Ŀ	İ	√	3477	2310	2200-2700	300-600
3600	2x 70	2x2	Ŀ	İ	\checkmark	3677	2451	2200-2700	300-600
3800	2x 75	2x2	Ŀ	İ	\checkmark	3877	2592	2200-2700	300-600

Doors outside these dimensions are available on request, please consult your Boon Edam representative for more information.




LEVEL UP OPTIONS

- Push-button temporary low speed
- Safety Plus Package for applications where a higher level of safety is required
- Glass protection sheets
- Air curtains
- Floor mats

NIGHT LOCKING OPTIONS

- Night locking doors (automatic locking also available)
- Mechanical locks (door set)
- Authorised night entry



TECHNICAL SPECIFICATIONS

Power Supply: 200-240 VAC, 50/60 Hz

Motor: AC motor, 3-phase

Power Consumption Operating: 260W Stationary: 90W


Ambient Temperature: -20°C to +50°C

Fuse: External power supply fused with 16A slow

EMERGENCY EGRESS

The Twintour is equipped with a unique collapsible door set system (patented by Boon Edam), which unlocks in case of an emergency such as a fire alarm, power failure or an emergency stop. After deactivation of these locks, the door wings can be collapsed creating an emergency escape. (Escape route requirements are subject to local regulations).

CONFIGURATION EXAMPLES



OUR REACH IS GLOBAL.

We have been in business for 150 years, manufacturing premium aesthetic and security entrance solutions in The Netherlands, the United States of America and China. We can confidently say that we cover every corner of the globe with subsidiary companies in major cities across the globe. Furthermore our global export division not only partner with our distributors, but also offer direct sales and service to every territory. This wide net allows us to have a strong global footprint and a personal grasp of local markets and their unique entry requirements.

To find your closest Boon Edam expert, please go to:

www.boonedam.co.uk/contact





