



Blackwood
P L A N T H I R E

THE UKS
PLANT HIRE
PROFESSIONALS

blackwoodplanthire.co.uk



**And the winner of the Small and Medium Sized Rental Company of the Year is...
from the UK, Blackwood Plant Hire Limited.**

The judges said; "Blackwood could serve as a model for an independent rental business, investing in a modern fleet, using technology to enhance safety, proactive on training, and innovative in its use of social media to deepen its connection to customers and the local community."

**Arrange a meeting with one
of our account managers today.**

Call 01560 482136



**BEST SMALL & MID-SIZED
RENTAL COMPANY
IN EUROPE 2024**

THE UKS PLANT HIRE PROFESSIONALS

04	About us	40	LGP Excavators
06	Locations	42	22m Long Reach Excavators
08	Blackwood Training Academy	44	Komatsu D61PX-24 Dozer
10	Safety Shield	46	Dual View Dumpers
12	Digital Innovations	48	Dumptrucks
14	GPS Solutions	50	Tracked Dumpers
16	Service Levels	52	Small Dumpers and Rollers
17	Hire Service	54	13 Ton Rollers
18	Standard Specifications	56	Telehandlers
20	Operated & Self Drive Hire	58	Road Sweeper
24	1.5 - 40 Ton Excavators	60	Transport
32	50 Ton Excavator - Hitachi ZX490-7	64	Crushers and Screeners
34	Wheeled Excavators	66	IT Solutions
38	Zero Tail Swing Excavators	76	KPIs

**Arrange a meeting with one
of our account managers today**

Call 01560 482136

blackwoodplanthire.co.uk

OUR STORY

1960 Tom Blackwood Snr starts Blackwood Plant Hire, evolving from land drainage and agricultural work.

2001 Tom Blackwood Jnr buys BPH comprising of two JCB 3CX machines and begins expanding.

2010 BPH became Network Rail Link Up approved for off track plant receiving a 5 star audit.

2017 May 1st MBO performed by Paul McCormack and Allan Wilson.

Black
P L A N T
**OVER
YEARS
STRONG**

As an independently owned and managed business, customer service and value are integral to our success. The quality of our equipment and standard of service is second to none.

2024 has proved to be a very exciting year for BPH, having been awarded Best Small and Mid-Sized Plant Hire Company in Europe, we continue to push forward, now opening two new depot this year in the North of Scotland at Inverurie and Nairn.



BASED IN THREE LOCATIONS COVERING THE UK



HEAD OFFICE

COCKLEBIE FARM/DUNLOP RD, KILMARNOCK KA3 3DX



NORTH EAST DEPOT

INVERAMSAY FARM, PITCAPLE, INVERURIE AB51 5DQ



NORTHERN DEPOT

BALMAKEITH INDUSTRIAL ESTATE, NAIRN IV12 5Q

OUR CLIENT BASE REACH
FROM SOUTHAMPTON TO
THE SHETLAND ISLANDS.



Link-up
empowered by Achilles




Achilles



**BUILDER'S
PROFILE**





"We have operated in these areas for over 15 years and feel that we now need to strategically place our plant and resources in these areas to ensure that our customers, current and new get the consistent service that we strive to provide."

Paul McCormack - Managing Director

Blackwood TRAINING ACADEMY

PLANT OPERATOR CERTIFICATION

Blackwood Plant Hire's new training academy has been launched to address the skills gap within the industry and invest in the future workforce.

From a new six-acre training ground, operatives will gain the hands-on experience, skills and qualifications needed to work within the industry.

The academy features a 12-seat classroom, with plans afoot for a second classroom to be added to carry out external training for different customers.

Like many construction businesses, Blackwood Plant Hire has found it challenging at times to recruit experienced operators. The training academy will benefit not just Blackwood Plant Hire but the industry as a whole.

ADDRESSING THE SKILLS GAP IN OUR INDUSTRY



SCAN HERE



blackwoodtraining.co.uk



Contact us on 01560 090675



Unit 24, Magbiehill Park Stewarton KA3 3DX

**Scan the QR Code to
find out more about BTA**



**Are you a CITB
levy-paying employer?**

Did you know you can offset
the costs of training and testing?

**Request a copy of our
training brochure today**

Call 01560 090 675

INVESTING IN THE FUTURE WORKFORCE

Book now at blackwoodtraining.co.uk



AI COLLISION AVOIDANCE FOR PLANT AND MACHINERY

The technology behind the Safety Shield system consists only of AI cameras, there are no tags, sensors or radars.

Safety Shield works as the drivers third eye, only detecting the human form, therefore reducing driver distractions as well as only alerting when a collision is imminent.

Reducing unnecessary distractions and alerting for anyone who is in a potentially vulnerable situation, including pedestrians who don't have permission to be on sites as well as all members of staff.





DIGITAL INNOVATIONS AT BLACKWOOD

The Problem

Throughout the years we have changed our fleet from JCB towards Komatsu, Hitachi, CAT & Kobelco machines.

These all have different ways of operating certain functions on the machine; this causes slow production whilst the operator familiarises themselves with the new functions. Another issue we find is that, although we send a machine pack out with every hire, the certificates often get misplaced or they are required to be emailed to site. Again this sometimes slows production as no lifts etc can be done until this information is available.




The Solution

An individual QR Code is applied on each machine which will allow access to the following information:

- Start Up Procedure
- Quick Hitch Operation
- Daily Check Walk Round
- Machine Certificate
- Quick Hitch Certificate
- Lifting Chart



Scanning the QR Code using the camera on any smart phone, will direct the operator to a unique part of the [blackwoodplanthire website](#).



The operator will then have the option to watch a short tutorial video or download and view certificates.

To discuss in more detail Call 01560 482136




Trimble® Earthworks Grade Control Platform

Trimble machine control systems are the most versatile grading technologies available and can be used on a wide range of machine types including excavators, dozers, motor graders, compactors, milling machines, trimmers, pavers and more.

By putting design surfaces, grades and alignments inside the cab, the system gives operators unprecedented control over grading, excavating, compaction and paving applications, significantly reducing material overages and dramatically improving productivity and profitability.

Our team can help you select the best option for your machine and application: sonic, angle sensors, laser, GNSS or total station.

- 10" or 7" touch 3D Colour-Display
- Gorilla® Glass
- Best visibility even in bright sunlight
- Android operating system
- Powerful octa-core processor platform with dedicated graphics processor
- Integrated Bluetooth® and Wi-Fi for wireless connectivity
- Quick release RAM mounting for daily theft protection removal
- Front facing USB for easy firmware updates and synchronisation of design and productivity data



The **Trimble Earthworks Assistant** app simplifies access to consolidated Trimble Earthworks learning material and documentation, allowing for a shorter learning curve and less downtime.

The Trimble Earthworks Assistant app makes it easy to learn and troubleshoot using an Android phone, even from remote sites.

Available on the Google Play Store



SITECH® is the chosen construction technology partner of Blackwood Plant Hire. We are the UK dealer for the Trimble Heavy Civil and Construction portfolio and experts in technologies that create a connected site and improve productivity, quality, safety and sustainability.





Augmented reality view

Configurable views

Rugged display

PRODUCTION
INCREASED BY

100%

INCREASED
JOB SAFETY



98%
ON GRADE
ACCURACY

43%
SAVINGS IN
DIESEL FUEL

TWENTYFOUR SEVEN THREESIXFIVE WORKING ABILITY

We support various utility contractors, highway contractors, as well as Rail contractors nationwide with all services on this basis which proves to be highly successful as at the drop of a hat we can accommodate delivery services, operated and self-drive plant hire services and training/familiarisation needs.

To discuss in more detail
Call 01560 482136

blackwoodplanthire.co.uk

OUR FIVE STEP HIRE PROCESS



ORDER PROCESSED

Our experienced and professional account managers provide a stress free, quick and easy ordering process.



50 POINT CHECK

We have a robust and transparent process for all our vehicles. Exceptionally high standards and safety are part of our core values.



LOADED FOR DELIVERY

We have a vast, modern and fuel efficient fleet of delivery vehicles to ensure our machines are delivered safely and on time.



MACHINE DELIVERY

We are a national company based on the West Coast of Scotland with clients as far as Wick and Southampton.



MACHINE ON-SITE

All documentation is provided. A certification pack which includes an approval to work and sign off sheet.

EXCEEDING PLANT STANDARDS

Blackwood Plant Hires priority is to provide an exceptionally high level of safety at all times.

1. Miller GTX Double Locking Fully Automatic Hitches Fitted as Standard.
Optional Engcon Tilt Rotator
2. Audible & Visual Quickhitch Alarm
3. Boom and Dipper Check Valves
4. Seatbelt Warning Light with built in Dead Man
5. Edge Protection to Prevent Falls from Height
6. Travel Alarm
7. Tier V (Stage 5) Engine or Above
8. 270 Degree Camera
9. High Viz Handrails and Steps
10. Safety Shield AI HFR (Human Form Recognition) Cameras
11. Optional Trimble 3D Earthworks Machine Control
12. Telematics

**For more information
Call 01560 482136**





3

2

4

10

12

5

8

7

6

9

VAST AND UNRIVALLED EXPERIENCE

All of our machines are available self-drive or complete with an experienced CPCS qualified operator.

Our fleet includes over 300 machines, all under three years old and ranging from 1 ton to 50 ton excavators, Rubber Ducks, LGP Dump trucks, Telehandlers, Dozers, Rollers and Backhoe loaders.

Our fleet of machines can be supplied with a varied range of attachments including hydraulic breakers, Engcon Tilt Rotators, log and selector grabs, clamshell buckets and compactor plates.

All machines in the Blackwood Plant Hire fleet are supplied with a delivery pack which includes relevant certificates for the machine. If the machine is operated we include all operator training certificates.

blackwoodplanthire.co.uk





BLACKWOOD

TE795



blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136

MINI EXCAVATORS

Blackwood Plant Hire has a fleet of Mini Excavators which includes 1.5 ton to 3 ton vehicles.

Ideal for working in tight spaces or highway works due to their narrow width. All Mini Excavators are supplied with rubber tracks and Hydraulic quickhitches.

Specifications :

Model No.	Weight	Width	Height	Dig Depth
Volvo EC18E	1810kgs	995-1352mm	2334mm	2434mm
Volvo ECR25D	2527kgs	1500mm	2537mm	2761mm
Hitachi Zx26U	2720kgs	1500mm	2430mm	2730mm

	Volvo EC18C	Volvo ECR25D	Hitachi Zx26U
Piped for Breaker	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic Quickhitch	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Tow Weight Legal with Trailer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dual Flow Circuit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Vandal Guards	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rubber Tracks	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Extendable Rubber Tracks	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

VOLVO HITACHI



blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136

Specifications :

6 & 8 TON EXCAVATORS

We have over fifty 6 & 8 ton Excavators of which are either are minimal or Zero Tail swing and equipped with hydraulic double locking quickhitches.

All are also equipped with boom and dipper check valves for extra safety when lifting. The machines are supplied with oscillating booms and rubber tracks.

Model No.	Weight	Width	Height	Dig Depth
Hitachi ZX48U	4790kgs	1960mm	2530mm	3630mm
Hitachi ZX55U	5140kgs	2000mm	2530mm	3830mm
Komatsu PC55MR-5	5280kgs	1960mm	2590mm	4130mm
Volvo ECR58	5880kgs	2000mm	2580mm	4000mm
CAT 308 Next Gen	8847kgs	2300mm	2541mm	4644mm


	Hitachi ZX48U	Hitachi ZX55U	Komatsu PC55MR-5	Volvo ECR58	CAT 308 Next Gen
Piped for Breaker	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double Locking Hydraulic Quickhitch	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage V Engine	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Vandal Guards	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Dual Flow Circuit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rubber Tracks	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Zero Tail Swing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available with Engcon Tilt Rotator	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

HITACHI

KOMATSU

VOLVO

CAT



Specifications :

Model No.	Weight	Width	Height	Dig Depth
Hitachi ZX130-7	14200kgs	2690mm	2870mm	6030mm
Kobelco SK130-11	14900kgs	2690mm	2920mm	5980mm

blackwoodplanthire.co.uk



14 TON EXCAVATORS

The 14 ton machine is a perfect machine for small earthworks and is large enough for general lifting activities.

Blackwood Plant Hire have over 80 of these machines in their fleet and have equipped all with boom and dipper check valves for extra safety when lifting. All are supplied with double locking hydraulic quickhitches.

	Hitachi ZX130-7	Kobelco SK130-11
Piped for Breaker	✓	✓
Double Locking Hydraulic Quickhitch	✓	✓
Available Self Drive or Operated	✓	✓
Stage V Engine	✓	✓
Vandal Guards	✓	✓
Dual Flow Circuit	✓	✓
Available with Engcon Tilt Rotator	✓	✓
Rubber Tracks Option	✓	✓
360 Degree Camera Option	✓	✓
Boxing Ring	✓	✓



Specifications :

Model No.	Weight	Width	Height	Dig Depth
Komatsu PC210	22260kgs	3080mm	3035mm	6620mm
Kobelco SK210-11	23000kgs	2990mm	3060mm	6700mm

blackwoodplanthire.co.uk



22 TON EXCAVATORS

The 22 ton Excavator is a perfect machine for general earthworks and can perform heavy lifting activities at ease. Blackwood Plant Hire have over 50 of these machines in their fleet.

All these machines are equipped with boom and dipper check valves for extra safety when lifting and are supplied with double locking hydraulic quickhitches.

	Komatsu PC210	Kobelco SK210-11
Piped for Breaker	✓	✓
Double Locking Hydraulic Quickhitch	✓	✓
Available Self Drive or Operated	✓	✓
Stage V Engine	✓	✓
Available with GPS	✓	□
Vandal Guards	✓	✓
Dual Flow Circuit	✓	✓
Rubber Tracks Option	✓	✓
360 Degree Camera Option	✓	✓
Boxing Ring	✓	✓

KOMATSU

KOBELCO



To discuss in more detail
Call 01560 482136

blackwoodplanthire.co.uk



40 TON EXCAVATORS

Blackwood Plant Hire has a fleet of around 15 40 ton Excavators these machines are ideal for large earthworks and heavy lifting activities.

All these machines are equipped with boom and dipper check valves for extra safety when lifting and are supplied with double locking hydraulic quickhitches.

Specifications :

Model No.	Weight	Width	Height	Dig Depth
Komatsu PC360-11	37000kgs	3290mm	3285mm	7380mm

Komatsu PC360-11	
Piped for Breaker	<input checked="" type="checkbox"/>
Double Locking Twinlock Quickhitch	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>
Stage V Engine	<input checked="" type="checkbox"/>
Available with GPS	<input checked="" type="checkbox"/>
Boxing Ring	<input checked="" type="checkbox"/>
Dual Flow Circuit	<input checked="" type="checkbox"/>
360 Degree Camera Option	<input checked="" type="checkbox"/>



HEAVY DUTY EXCAVATION

The Hitachi ZX490-7 now available from Blackwood Plant Hire, puts you firmly in control, so you can feel assured of your machine’s performance, and supported by the technological expertise and services that Hitachi provides.

Model No.	Weight	Width	Height	Dig Depth
Hitachi ZX490-7	51200kgs	3640 - 3820mm	3710mm	7700mm

Hitachi ZX490-7	
Piped for Breaker	✓
Double Locking Twinlock Quickhitch	✓
Available Self Drive or Operated	✓
Stage V Engine	✓
Available with GPS	✓
Boxing Ring	✓
Dual Flow Circuit	✓
360 Degree Camera Option	✓

HITACHI





blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136

WHEELED EXCAVATORS

Ideal use for a wide variety of work including highway works and general site work.

With our fleet ranging from 8 ton to 22 ton we can provide you with the most suitable excavator for your requirements.

Specifications :

Model No.	Weight	Width	Height	Dig Depth
JCB 3CX Plus	8600kgs	2350mm	3610mm	5460mm
Takeuchi TB295W	10337kg	2335mm	3010mm	4115mm
JCB 110W	10750kg	2420mm	2988mm	4410mm

	JCB 3CX Plus	Takeuchi TB295W	JCB 110W
Piped for Breaker	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Low Flow Circuit	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
40Kph Road Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stage V Engine	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Available with Engcon Tilt Rotator	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dual Flow Circuit	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double Locking Hydraulic Quickhitch	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Vandal Guards	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tilting Ditching Bucket	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TAB Boom	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>





blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136

WHEELED EXCAVATORS

All our small and large machines are equipped with boom and dipper check valves for extra safety when lifting and are supplied with double locking hydraulic quickhitches.

Specifications :

Model No.	Weight	Width	Height	Dig Depth
Komatsu PW148	15710kgs	2300mm	3220mm	5362mm
Komatsu PW160	18310kgs	2550mm	3260mm	5365mm
Hitachi ZX170W	19100kgs	2550mm	3060mm	5720mm
JCB JS200	22647kgs	2530mm	3250mm	6370mm

	Komatsu PW148	Komatsu PW160	Hitachi ZX170W	JCB JS200
Piped for Breaker	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Low Flow Circuit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available with Engcon Tilt Rotator	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Stage V Engine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Dual Flow Circuit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double Locking Hydraulic Quickhitch	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Vandal Guards	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Tilting Ditching Bucket	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Boxing Ring for Added Safety at Height	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
360 Degree Camera Option	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TAB Boom	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

HITACHI

KOMATSU

JCB





Specifications :

Model No.	Weight	Width	Height	Dig Depth
Komatsu PC138US-11	14230kgs	2690mm	3210mm	5900mm
Komatsu PC228USLC-11	23870kgs	3080mm	3255mm	6620mm
Hitachi ZX225USR-6	24800kgs	2990mm	3030mm	6620mm



ZERO TAIL SWING EXCAVATORS

We have over 25 zero tail swing excavators which range from 14 to 25 ton. These machines are ideal for working in tight areas or public roads.

All these machines are equipped with boom and dipper check valves for extra safety when lifting and are supplied with double locking hydraulic quickhitches.

	Komatsu PC138US-11	Komatsu PC228USLC-11	Hitachi ZX225USR-6
Piped for Breaker	✓	✓	✓
Double Locking Twinlock Quick hitch	✓	✓	✓
Available Self Drive or Operated	✓	✓	✓
Boxing Ring	✓	✓	✓
Dual Flow Circuit	✓	✓	✓
360 Degree Camera Option	✓	✓	✓
Available with Engcon Tilt Rotator	✓	✓	✓

Specifications :

Model No.	Weight	Width	Height	Dig Depth	Ground Pressure	Pad Width
CAT 308 Next Gen	8440kgs	3000mm	2590mm	4730mm	0.18kgs/cm ² 2.56psi	1000mm
Kobelco SK130	16000kgs	3600mm	2920mm	5980mm	0.17kgs/cm ² 2.8psi	1200mm
Komatsu PC210-11	22260kgs	3080mm	3035mm	6620mm	0.28kgs/cm ² 3.9psi	1200mm





	CAT 308 Next Gen	Kobelco SK130	Komatsu PC210-11
Piped for Breaker	✓	✓	✓
Dual Flow Circuit	✓	✓	✓
Double Locking Hydraulic Quickhitch	✓	✓	✓
360 Degree Camera Option	□	✓	✓
Vandal Guards	✓	✓	✓
Available Self Drive or Operated	✓	✓	✓
Available with Engcon Tilt Rotator	✓	✓	✓

Specifications :

Model No.	Weight	Width	Height	Dig Depth
Komatsu PC360 SLF	42150kgs	3390mm	3470mm	22000mm



Komatsu PC360 SLF

Piped for Breaker	✓
Fitted for Trimble Earthworks full 3D machine Control System	✓
Available Self Drive or Operated	✓
Vandal Guards	✓
Boxing Ring	✓
360 Degree Camera Option	✓

To discuss in more detail
Call 01560 482136

VERSATILITY AND POWER AT YOUR FINGERTIPS

The Komatsu D61PX-24 is the first Earthworks Low Ground Pressure Dozer to join our fleet.

This machine is ideal for muckshifting or grading activities due to the PAT Blade & being equipped with full machine control Trimble Plug & Play. This machine is available self drive or with an experienced operator.

WEIGHT	19,460KGS
HEIGHT	3180MM
BLADE WIDTH	3540MM
GROUND PRESSURE	0.32KGS/CM²
BLADE CAPACITY	3.8M³

**Stage V Engine / Available with GPS /
Vandal Guards / 360 Degree Camera Option**

**To discuss in more detail
Call 01560 482136**



Blackwood

PLANT HIRE



KOMATSU

DUAL VIEW DUMPERS

The **DV90 Dual View** sets new standards in terms of operator and construction site safety, flexibility and economic efficiency. The dual view concept allows a comfortable and quick change of the seat position through a 180° turn of the entire operating and seat console.

In this way, the operator always has perfect vision in the direction of travel – during transportation, loading and unloading.

The rotation can be performed conveniently from the driver's seat by simply unlocking the seat console and turning it around.

Safety redefined – dual view provides a clear view in any direction.

Specifications :

Model No.	Weight	Width	Height	Capacity
Wacker Neuson DV90	5016kgs	2420mm	2945mm	9000kgs

Wacker Neuson DV90	
Available Self Drive or Operated	✓
Stage V Engine	✓
Swivel Skip Option	✓
360 Degree Camera Option	✓





Blackwood
PLANT HIRE



blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136

DUMPTRUCKS

We have over 15 LGP Dumptrucks ranging from 25 to 30 tonne carrying capacity and are equipped with LGP Tyres to cope with soft ground.

These trucks are ideal for tight sites due to their tight turning circle.

Specifications :

Model No.	Weight	Width	Height	Capacity	Ground Pressure
Bell B20E	16493kgs	3102mm	3619mm	25000kgs	0.96kgs/cm ² 13.6psi
Bell B30E	20310kgs	2998mm	3661mm	30000kgs	2.18kgs/cm ² 31psi

	Bell B20E	Bell B30E
Low Ground Pressure Tyres	✓	✓
Road Legal	✓	✓
Available Self Drive or Operated	✓	✓
Tail Gate	✓	✓
Stage V Engine	✓	✓
360 Degree Camera Option	✓	✓

BELL





Blackwood
PLANT HIRE

B20E

Tel: 01560 482136
www.blackwoodplanthire.co.uk

Blackwood
PLANT HIRE

B20E

BELL

Tracked Dumpers

The new TCR50-2 crawler dumper offers greater functionality, performance, comfort and serviceability. With an ample 65 degree dumping angle and 3,700 kg maximum loading weight, operator always get a lots of soil discharged with just a single dumping stroke.

180 degree turning dump for efficient sideways dumping reduces the need for unskilled operator to continually reposition the machine and it prevents early wear of rubber tracks.

Specifications :

Model No.	Weight	Width	Height	Capacity	Ground Pressure
TCR50-2	6550kgs	2200mm	2725mm	3700kgs	6.1psi

TCR50-2	
Available Self Drive or Operated	<input checked="" type="checkbox"/>
Stage V Engine	<input checked="" type="checkbox"/>
Swivel Skip	<input checked="" type="checkbox"/>
Hand & Foot Throttle Option	<input checked="" type="checkbox"/>

Blackwood
PLANT HIRE



MIND YOUR HEIGHT

Blackwood
PLANT HIRE

0560 482 136

TCR50-2
TAKEUCHI

TAKEUCHI

Small Dumpers and Rollers

Our fleet of 3 ton dumpers and 120 rollers are ideal for small construction projects.

Specifications :

Model No.	Weight	Width	Height
JCB 3T-2ST (3 Ton Dumper)	2390kgs	1650mm	3016mm
JCB CT260-120	2560kgs	1295mm	2510mm
Bomag 120 Roller	2600kgs	1276mm	2476mm

	JCB 3T-2ST (3 Ton Dumper)	JCB CT260-120	BOMAG 120 ROLLER
Vibrating Drum	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
360 Degree Vision for added Safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Swivel Skip	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



Blackwood
PLANT HIRE



blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136



blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136



13 Ton Rollers

Our 13 ton plus rollers are more suitable for larger muckshift and mass infill jobs.

Specifications :

Model No.	Weight	Width	Height
CAT CS66B	12550kgs	2230mm	3000mm
Ammann ARS 130	12580kg	2260mm	2970mm
Bomag BW213DH	12720kg	2990mm	2270mm
JCB VM 137	14550kg	2230mm	3000mm

	CAT CS66B	Ammann ARS 130	BW213DH	JCB VM 137
Vibrating Drum	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
360 Degree Vision for added Safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rear Camera	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
360 Degree Camera Option	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Trimble GPS	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>






Specifications :

Model No.	Weight	Width	Height	Max Reach	Max Lift Capacity
JCB 535-95	8215kgs	2360mm	2490mm	8780mm	3500kgs
JCB 535-170	12060kgs	2440mm	2690mm	16700mm	4000kgs


	JCB 535-95	JCB 535-170
Bulk Loading Bucket	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Auxiliary Pipework for Attachments	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hydraulic Side Sift	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Stabiliser Legs	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Available Self Drive or Operated	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
360 Degree Camera Option	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

ROAD SWEEPER

Our Road sweepers come with Dual Sweep, power lance, Gully-sucker and are Chapter 8 approved



M02TD-002-1



To discuss in more detail
Call 01560 482136

Dimensions in mm



blackwoodplanthire.co.uk

Scania G450 8WH Beavertail





Specifications

Short Wheelbase with Rear Steer
which is ideal for tight access points
Safety Rail for working at height
Maximum Gross Weight of 32 tonnes
Capable of Carrying up to 20 tonnes

Scania S Series





Specifications

Max gross weight of 80 Tonnes

Hub reduction

Capable of Carrying weights of up to 55 tonnes


To discuss in more detail Call 01560 482136

Based on Working Specifications :

Model No.	Weight	Width	Length	Height
Warrior 1400X (3 Way Split)	27,600kg	12.59m	14.2mm	4.4mm
1000 Maxtrak	30,440kg	2.8m	14.6m	4.6m
Premiertrak 400X/R400X	46,500kg	4.33m	14.66m	4.13m

blackwoodplanthire.co.uk

To discuss in more detail
Call 01560 482136



We can supply the full package from Jaw Crushers, Cone Crushers to Stackers and Screeners including our extensive fleet of plant, to support your crushing requirements






Vehicle tracking, or fleet tracking, connects the location of your vehicles with software that collects fleet data. This fleet management solution shows precisely the time spent behind the wheel and when, where and how your fleet is utilised.

Webfleet Solutions's vehicle tracking and fleet tracking solutions deliver the real-time location of every vehicle in your fleet. This allows you to adapt quickly to new developments and make smart, informed decisions. Our vehicle tracking system tells you which employee is closest to any new assignment as well as giving you instant access to important vehicle information and driving behaviour information such as speeding or harsh braking. Vehicle tracking can save you money and make your business more efficient.

blackwoodplanthire.co.uk



“

“Webfleet is an invaluable software for us. It helps to map out routes based on load size, pin points our transport fleet across multiple sites and keeps our drivers safe.”

Paul McCormack Managing Director at Blackwood Plant Hire





Blackwood Plant Hire depends on using the best equipment and the best software available. Point of Rental's Syrinx software allows us to provide an efficient, paperless process both for our team and yours. From operator training to equipment maintenance to contract writing and invoicing, it all gets tracked in one easy-to-understand system.



pointofrental.com/syrinx



Accurate Billing

Whether it's a short- or long-term hire, Syrinx provides convenient, accurate billing options and is flexible with collections.



Qualified Operators

We track operator card dates within Syrinx, ensuring our operators always have current training on the equipment they use.



Safety Guaranteed

Syrinx tracks our maintenance schedules, ensuring every inspection is completed on time so your equipment is ready to go.



Reliable Information

With Syrinx's inventory tracking, when you book a hire with us, you can be sure your equipment will be ready for you on time.





Deliver Results

Syrinx Driver

Deliveries and Collections can be a big challenge to a hire company's productivity. Vital time is lost as employees return to the depot to drop off important paperwork or pick up details of their next job. It can also be difficult to keep track of drivers' status, which can have a knock-on effect when trying to plan response times to customers.

That's where Syrinx Driver App comes in - an application that runs on a mobile Android device that allows jobs to be downloaded from Syrinx and carried out remotely by your drivers. On completion of each job, data is automatically uploaded/saved in Syrinx. Now your businesses transport can run with more accuracy and efficiency than ever before.

Why Use Driver App?



Reduce Costs

With mobile jobs now stored electronically, searching for information is quick, straightforward and the need for printing is reduced.



Stay on Track

Improve your productivity and responsiveness - imagine completing a contract before your driver has even left site. This is possible with Syrinx Driver.



Accuracy Increases

This easy to use app means your drivers always have accurate and detailed information of their trips. No more missing paperwork, Syrinx captures all.



Customer Service


The more equipped you are to handle your customers ever changing needs the greater your performance. You now have the right information for your drivers.

WHY USE THE **WORKSHOP** APP?

Since inspections are digital, your team saves countless hours in scanning and saving the data.

With real-time integration into Syrinx, Workshop lets you service equipment at your shop or out on the job site while relaying all of the data into the Syrinx system.

Adding parts or labour during a machine repair? Adding parts is as easy as scanning a barcode or RFID tag, and adding labour can be done with just a touch.



Whether you're at your shop or out at the job site, engineers can access their jobs even in remote areas without reception.

Remote workers can log in remotely to see their open jobs and reminders. From the Syrinx RMS at the office, any authorised user can see all active and historical engineer jobs.



SitePad is unique in its ability to efficiently manage large construction groups, multiple offices, and sites with speed and ease. Its focus on speed and simplicity makes it stand out in the construction CRM landscape.

- ✓ Fast Setup, Instant Use
- ✓ Lightweight and Efficient
- ✓ Intuitive and Easy to Use


^ **76%**
Quotes

This Month **37**

Last Month **15**

Sales Pipeline

This Month ▾




Contacts

- Ive Smith**
e Manager (Smith Lond...
dated: 06/06/2023 At 14:44
4 [phone] [email] [x]
- ancesca Stewart**
e Manager (Smith Lond...
dated: 06/06/2023 At 14:44
4 [phone] [email] [x]
- nley Stone**
e Manager (Smith Lond...
dated: 06/06/2023 At 14:44
4 [phone] [email] [x]

Clients


FAST, EFFICIENT, EASY



Our Company's Digital Toolbox

Management software that keeps our team engaged, connected, and aligned.

Through regular updates we have slimlined our induction process, along with implementing Toolbox talks and absence management.



TELEMATICS AT

Blackwood
PLANT HIRE

KOMATSU

KOMTRAX



BELL FLEETM@TIC®

Live telematics, now standard on applicable machines, use the latest in telematic technology to help you monitor and manage your machine fleet remotely anywhere in the world via web, email or mobile.

So, however big or small and however diverse, live telematics can radically improve the efficiency, productivity and security of your machine fleet



Simplicity.

Take the effort out of managing your machine fleet by letting Live Telematics do the work. Get real-time health alerts, machine service alerts and incorrect operation alerts.



Profitability.

Live Telematics lowers servicing and running costs by ensuring your machines are operated to their optimum performance, reducing fuel consumption and unnecessary machine wear. For rental customers, Live Telematics helps you manage your chargeable hours for maximum revenue.



Efficiency.

Use Live Telematics to prioritise, plan and monitor your servicing around your customers or jobs. Monitor idle time and machine duty cycle activity to optimise machine productivity.



Security.

Live Telematics helps to keep your machines safe and improves control over machine misuse. Real-time geo-fencing alerts tell you when machines move out of predetermined zones set by you. Curfew alerts inform you of unauthorised usage.

Our Key Performance Indicators

Below is an insight into how we operate our business on a day to day basis. Every member of the Blackwood Plant Hire team are accountable to these KPIs, this ensures that our business continually strives to do better in every instance and for every client we work with.

Service Level	Target	Comment	Method of Measure	Standard
Delivery of Plant	Delivery within 60 minutes of agreed delivery time	Punctuality of Delivery	Late Deliveries will be recorded by your Account Manager	95%
Collection of Plant	Collection within 72 hours of off hire only exemption to this will be in notifiable loads which can take up to 5 days	Time taken between off hire and collection	Late collections will be recorded by your Account Manager	95%
Breakdown/Exchange	Attend site within 2 hours of a reporting and effect repair within 4 hours	Any exchange will need to be completed by 1st delivery the following day	Breakdown times will be recorded by your Account Manager with repair completion times recorded	95%
Invoice Accuracy	Accuracy	Measurement of errors/invoice queries	Number of any credit notes raised in any month as a percentage of the total invoices raised	95%
Client Account Manager	Frequent visits to the sites aim is to have one visit per month	To understand performance and service delivery at contract level	Assessed by customer feed back	98%
Quality of equipment	Accepted by authorised contract signatory. Equipment to be delivered fit for purpose and to include all relevant documentation	Account Manager to be informed if equipment was not to standard	Complaints made to and logged by your Account Manager and presented at quarterly KPI meeting	95%



HITACHI KOMATSU VOLVO CAT  WACKER
NEUSON 

Blackwood
PLANT HIRE

blackwoodplanthire.co.uk

Blackwood
TRAINING
ACADEMY 
PLANT OPERATOR CERTIFICATION

blackwoodtraining.co.uk

Arrange a meeting with one
of our account managers today.

Call 01560 482136

AMMANN

TAKEUCHI



 **BOMAG**
FAYAT GROUP

KOBELCO