

beaufort[®] Range

Advanced Plus **Window Walling**

Window walling system provides a flexible and affordable alternative for low to medium-rise curtain walling.

www.blyweertbeaufort.com





Advanced Plus Window Walling

Window walling system provides a flexible and affordable alternative for low to medium-rise curtain walling. A wide variety of framing options, structural mullions, transoms and couplings make the system ideal for low to medium-rise applications. Incorporating both fixed light options and a range of openable vents. It allows this flexible system to be tailored to suit any project.

Design Features

- A range of coupling & mullion options to suit varying structural/wind load requirements
- Internally or externally glazed options
- Flat, chamfered or Ovolo details to achieve traditional or contemporary appearances
- 58mm or 70mm frame depth to accommodate varying types of applications
- Unique polyamide thermal break design to improve thermal performance
- Accommodates all standard hardware including Euro groove mounted locking systems



Sizing

Minimum Height	Maximum Height
350mm	Scope/Application
Minimum Width	Maximum Width
350mm	Scope/Application
Maximum Sash Weight	
Scope/Application	

Variations
Sash size and operation will depend on hardware used.
Sash heights, widths and weights are dependent on style and design.
**The sizes detailed above are for guidance only.
Please contact our Technical Office for further details

Options

- Accommodates 24mm - 44mm DGU's for thermal and acoustic performance
- Double beaded option allow for internal glazing without the use of dummy vents
- Dedicated fixing straps for ease of installation
- Full range of customisable hardware available
- Available in single and dual colour options including metallic finishes

Performance

Advanced Plus Window Walling provides you with the very highest in performance. This system boasts an array of accreditation and performance criteria.

- U Values as low as 1.4w/m² K (DG Unit)
- Window Energy Rating 'B' (DG Unit)
- Level 4 - Code for Sustainable Homes
- Secured By Design
- Kitemark to BS4873
- Kitemark to BS7950
- BBA Accredited

Applications

The Window Walling system is flexible and versatile and can be specified for a range of applications including:

- New build or refurbishment projects
- Light, Medium and heavy duty commercial
- Hotels, office blocks and industrial buildings
- Schools, colleges and universities
- Ribbons windows, stairwells and atriums
- Low to medium rise applications



Blyweert Beaufort Aluminium Limited
Imperial Park, Celtic Way, Newport, NP10 8BE

Tel: 01633 81 04 40

Fax: 01633 81 60 04

Email: info@blyweertbeaufort.com

www.blyweertbeaufort.com

