

Beaufort

The Beaufort seat has been designed to complement modern theatres and auditoria. Its clean lines, square shoulders and compact envelope ensures that it will enhance the look of most theatres. With wooden armrests as standard it has the option to be fitted with a wooden outer back and/or seat pan. The armrests may also be upholstered.

The closed depth envelope means it will fit in most existing theatres while the variable angle, slim backrest provide the most space for legroom.

The Beaufort seat is a sprung tip-up mechanism. The backrest is a generous 900mm high. The chair can be upholstered in a huge range of fabrics, giving the opportunity to match the aesthetic aspirations of the theatre owner.

Where wood is used, it can be varnished to work in harmony with any existing or proposed wooden finishes in the hall.



Features and Options


- Upholstered, PU or wooden arm rest
- Wooden seat back
- Wooden seat pan
- Wooden end panel
- Seat numbering and row lettering
- Riser Mounted
- Removable seats
- Free standing seats
- Customisable back pitch
- Removable zipped seat covers

Beaufort


DIMENSIONS

Centre to Centre : 485, 510, 535, 560
Seat Height: 450±10

DIMENSIONS		
P°	H	C
17°	900	410
20°	880	480



485 510 535 560



C

DESCRIPTION & SPECIFICATION

Structure

- Centre and end standards are of lateral pedestal design made of 38mm x 2.3mm square hollow section continuous welded to a 6 mm steel plate

Backrest and Seat.

- Fixed rectangular shape with curvature design for the back
- Fully upholstered in fabric of choice
- Inner panel shall be made of 13mm. plywood upholstered with CMHR foam, density 45 kg/m³ Rectangular shape with "concave" design for better sitting comfort
- Inner seat structure made of Ø21 tubular steel frame with metal strap attachment, integrated in CMHR foams, density 60kg/m³
- Fully upholstered with zipped removable cover
- Seat bases are fitted with counterweight, offering a gravity tip auto-return to the closed position.
- Fully enclosed pivot mechanism with no finger traps

Armrests

- Armrest top constructed with 30mm wood thickness
Decorative aisle panel made of MDF board upholstered with padded cover

Metal / Fabric Finishing

- All metal parts exposed shall be stripped and cleaned with iron phosphate, hot water rinsed and then chromic acid rinsed
- All metal parts are coated with an epoxy finish of at least 60 microns for indoor use and hot dipped GALVANIZED to BS 729 for outdoor use
- Conformity with BS-6496 hardness test.

Fire Safety

- Flammability compliance with BS 5852 : 2006 section 3 ignition source 5