

| | | |
|------------|--------|-----------|
| Uniclass | | EPIC |
| L325:P4142 | | F631:X442 |
| Cl/Sfb | (31.9) | Hh2 |
| June 2014 | | |

catnic[®]

A Tata Steel Enterprise

Lintels

Trade price list

Effective 1st June 2014



CATNIC LINTELS TRADE PRICE LIST

All prices shown in GBP.

For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please contact the Catnic Technical Services department.

To order or enquire about any Catnic product, please call Customer Services on **029 2033 7900** or fax **029 2086 7796**.

Lintel availability (all lintels):

Standard stocked products 3-5 working days. Non-stocked products 6 working days unless stated otherwise.

A small surcharge will be levied on all orders less than £850 net value.

All dimensions are in millimetres (mm).

www.catnic.com



**NEXT
DAY
DELIVERY**
available

Terms and conditions apply



**Contact Catnic
Technical Services on**

029 2033 7900



Follow us on Facebook
www.facebook.com/catnicuk



Find us on Twitter
www.twitter.com/catnicuk



CAVITY WALL LINTELS

100-115mm Inner Leaf

50-65mm Cavity Wall




| (mm) | CG50/100 | CH50/100 | CX50/100 |
|------|----------|----------|----------|
| 750 | - | - | - |
| 900 | 72.16 | 82.16 | 121.28 |
| 1050 | - | 94.64 | 142.19 |
| 1200 | 93.52 | 106.49 | 161.12 |
| 1350 | - | 121.73 | 182.53 |
| 1500 | 120.87 | 145.26 | 199.83 |
| 1650 | - | 176.22 | 221.12 |
| 1800 | 150.24 | 196.67 | 232.43 |
| 1950 | - | 226.08 | 260.75 |
| 2100 | 172.51 | 257.78 | 279.60 |
| 2250 | - | 271.37 | 315.13 |
| 2400 | 211.46 | 320.04 | 332.17 |
| 2550 | - | - | 345.27 |
| 2700 | 240.01 | - | 389.29 |
| 2850 | - | - | 426.40 |
| 3000 | 332.29 | - | 450.04 |
| 3300 | 370.93 | - | 518.40 |
| 3600 | 407.03 | - | 564.49 |
| 3900 | - | - | 649.87 |
| 4200 | - | - | 721.39 |
| 4575 | - | - | 808.97 |
| 4800 | - | - | 847.84 |

70-85mm Cavity Wall



| (mm) | CG70/100 | CH70/100 | CX70/100 |
|------|----------|----------|----------|
| 750 | 58.62 | - | - |
| 900 | 69.99 | 82.17 | 121.76 |
| 1050 | 81.71 | 96.28 | 149.60 |
| 1200 | 93.39 | 109.31 | 169.19 |
| 1350 | 105.01 | 124.18 | 184.69 |
| 1500 | 116.66 | 156.77 | 202.24 |
| 1650 | 131.35 | 190.30 | 223.91 |
| 1800 | 146.03 | 206.43 | 235.29 |
| 1950 | - | 230.66 | 265.91 |
| 2100 | 167.01 | 258.87 | 274.50 |
| 2250 | - | 279.05 | 320.98 |
| 2400 | 198.00 | 322.16 | 370.66 |
| 2550 | - | - | 394.79 |
| 2700 | 228.51 | - | 422.79 |
| 2850 | - | - | 445.19 |
| 3000 | 325.18 | - | 470.10 |
| 3300 | 360.85 | - | 548.07 |
| 3600 | 393.57 | - | 599.01 |
| 3900 | - | - | 666.06 |
| 4200 | - | - | 744.56 |
| 4575 | - | - | 812.73 |
| 4800 | - | - | 862.33 |

90-105mm Cavity Wall



| (mm) | CG90/100 | CH90/100 | CX90/100 |
|------|----------|----------|----------|
| 750 | 62.13 | - | - |
| 900 | 72.78 | 99.45 | 132.11 |
| 1050 | 83.22 | 116.63 | 152.91 |
| 1200 | 97.04 | 133.32 | 173.42 |
| 1350 | 109.22 | 149.91 | 194.06 |
| 1500 | 121.33 | 172.14 | 214.71 |
| 1650 | 133.71 | 194.26 | 232.33 |
| 1800 | 146.03 | 211.45 | 255.45 |
| 1950 | 164.30 | 234.25 | 287.65 |
| 2100 | 173.70 | 262.21 | 308.21 |
| 2250 | 197.29 | 305.51 | 331.34 |
| 2400 | 209.44 | 327.47 | 370.18 |
| 2550 | 230.10 | - | 429.39 |
| 2700 | 250.79 | - | 455.01 |
| 2850 | 300.62 | - | 479.43 |
| 3000 | 326.26 | - | 513.81 |
| 3300 | 369.81 | - | 588.85 |
| 3600 | 405.84 | - | 642.43 |
| 3900 | - | - | 716.47 |
| 4200 | - | - | 821.53 |
| 4575 | - | - | 921.76 |
| 4800 | - | - | 983.22 |

Please note: Prices shown in italics are non-stocked products and are available in 6 working days.

CAVITY WALL LINTELS

100-115mm Inner Leaf

110-125mm Cavity Wall




| (mm) | CG110/100 | CH110/100 | CX110/100 |
|------|-----------|-----------|-----------|
| 750 | 71.56 | - | - |
| 900 | 85.85 | 134.52 | 159.32 |
| 1050 | 100.16 | 156.93 | 185.87 |
| 1200 | 114.48 | 179.35 | 212.42 |
| 1350 | 128.78 | 201.77 | 238.72 |
| 1500 | 143.08 | 224.19 | 265.53 |
| 1650 | 196.74 | 246.59 | 292.08 |
| 1800 | 214.64 | 269.02 | 318.62 |
| 1950 | 244.85 | 348.30 | 345.17 |
| 2100 | 263.69 | 375.10 | 371.73 |
| 2250 | 398.85 | 401.87 | 398.28 |
| 2400 | 425.45 | 428.67 | 477.93 |
| 2550 | 452.03 | - | 507.80 |
| 2700 | 478.63 | - | 537.67 |
| 2850 | 505.21 | - | 567.55 |
| 3000 | 530.91 | - | 597.41 |
| 3300 | 584.99 | - | 711.73 |
| 3600 | 638.17 | - | 798.23 |
| 3900 | - | - | 911.21 |
| 4200 | - | - | 993.02 |
| 4575 | - | - | 1,083.16 |
| 4800 | - | - | 1,134.06 |

130-145mm Cavity Wall



| (mm) | CG130/100 | CH130/100 | CX130/100 |
|------|-----------|-----------|-----------|
| 750 | 93.39 | - | - |
| 900 | 112.07 | 137.79 | 163.92 |
| 1050 | 130.75 | 160.77 | 191.24 |
| 1200 | 149.42 | 183.72 | 218.56 |
| 1350 | 168.09 | 206.69 | 245.88 |
| 1500 | 186.78 | 229.65 | 273.20 |
| 1650 | 205.44 | 252.62 | 300.52 |
| 1800 | 224.12 | 275.57 | 327.84 |
| 1950 | 255.15 | 357.78 | 355.15 |
| 2100 | 274.77 | 385.29 | 382.47 |
| 2250 | 410.72 | 412.81 | 461.01 |
| 2400 | 438.11 | 440.33 | 491.74 |
| 2550 | 465.49 | - | 522.47 |
| 2700 | 492.87 | - | 553.23 |
| 2850 | 520.26 | - | 583.95 |
| 3000 | 547.63 | - | 614.68 |
| 3300 | 602.39 | - | 812.90 |
| 3600 | 657.16 | - | 886.79 |
| 3900 | - | - | 960.68 |
| 4200 | - | - | 1,034.58 |
| 4575 | - | - | 1,126.96 |
| 4800 | - | - | 1,182.38 |

150-165mm Cavity Wall



| (mm) | CG150/100 | CH150/100 | CX150/100 |
|------|-----------|-----------|-----------|
| 750 | 97.36 | - | - |
| 900 | 116.82 | 143.27 | 167.60 |
| 1050 | 136.29 | 167.13 | 195.54 |
| 1200 | 155.75 | 191.01 | 223.47 |
| 1350 | 175.22 | 214.89 | 251.41 |
| 1500 | 194.68 | 238.77 | 279.33 |
| 1650 | 214.15 | 262.63 | 307.27 |
| 1800 | 233.63 | 286.52 | 335.20 |
| 1950 | 261.31 | 369.62 | 363.14 |
| 2100 | 281.42 | 398.05 | 391.06 |
| 2250 | 420.23 | 426.48 | 471.37 |
| 2400 | 448.24 | 454.91 | 502.79 |
| 2550 | 476.25 | - | 534.22 |
| 2700 | 504.27 | - | 565.64 |
| 2850 | 532.27 | - | 597.06 |
| 3000 | 560.29 | - | 628.49 |
| 3300 | 616.31 | - | 831.89 |
| 3600 | 672.35 | - | 907.51 |
| 3900 | - | - | 983.13 |
| 4200 | - | - | 1,058.76 |
| 4575 | - | - | 1,153.29 |
| 4800 | - | - | 1,210.01 |

140-150mm Wide Outer Leaf

Cavity 50mm 75mm 100mm



| (mm) | CN42C | CN99/124C | CN99/1644C |
|------|--------|-----------|------------|
| 750 | 94.58 | 94.58 | 94.58 |
| 900 | 112.86 | 112.86 | 112.86 |
| 1050 | 132.37 | 132.37 | 132.37 |
| 1200 | 151.13 | 151.13 | 151.13 |
| 1350 | 169.58 | 169.58 | 169.58 |
| 1500 | 188.19 | 188.19 | 188.19 |
| 1650 | 207.86 | 207.86 | 207.86 |
| 1800 | 226.81 | 226.81 | 226.81 |
| 1950 | 249.65 | 249.65 | 249.65 |
| 2100 | 263.46 | 263.46 | 263.46 |
| 2250 | 349.74 | 349.74 | 349.74 |
| 2400 | 376.76 | 376.76 | 376.76 |
| 2550 | 400.35 | 400.35 | 400.35 |
| 2700 | 423.84 | 423.84 | 423.84 |
| 2850 | 447.49 | 447.49 | 447.49 |
| 3000 | 471.14 | 471.14 | 471.14 |
| 3300 | 518.07 | 518.07 | 518.07 |
| 3600 | 572.79 | 572.79 | 572.79 |
| 3900 | 749.57 | 749.57 | 749.57 |
| 4200 | 807.02 | 807.02 | 807.02 |
| 4575 | - | - | - |
| 4800 | - | - | - |

Closed Eaves

Cavity 50-85mm 90-125mm 50-75mm



| (mm) | CGE50/100 | CGE90/100 | CN55A | CN55C |
|------|-----------|-----------|--------|--------|
| 750 | - | 42.03 | - | - |
| 900 | 47.86 | 50.80 | 56.20 | 139.48 |
| 1050 | - | 61.38 | - | - |
| 1200 | 62.40 | 67.39 | 73.26 | 185.92 |
| 1350 | - | 75.85 | - | - |
| 1500 | 79.77 | 85.53 | 93.63 | 232.47 |
| 1650 | - | 95.12 | 106.39 | 255.66 |
| 1800 | 108.35 | 116.95 | 133.39 | 278.91 |
| 1950 | - | - | 146.79 | 302.13 |
| 2100 | 131.79 | 137.09 | 154.67 | 325.39 |
| 2250 | - | - | - | - |
| 2400 | 177.90 | 195.27 | 204.90 | 371.87 |
| 2550 | - | - | - | - |
| 2700 | 199.74 | 219.55 | 230.52 | 418.37 |
| 2850 | - | - | - | - |
| 3000 | - | - | - | - |
| 3300 | - | - | - | - |
| 3600 | - | - | - | - |
| 3900 | - | - | - | - |
| 4200 | - | - | - | - |
| 4575 | - | - | - | - |
| 4800 | - | - | - | - |


Extreme Loads

50mm 70mm



| CXL240 | CXL265 |
|--------|--------|
| 412.31 | 446.93 |

90mm 110mm



| CXL290 | CXL310 |
|--------|--------|
| 516.20 | 583.85 |

130mm 150mm



| CXL330 | CXL350 |
|--------|--------|
| 602.19 | 620.54 |

Price £/metre.
Product available in 6-10 working days.

CAVITY WALL LINTELS

125-140mm Wide Inner Leaf

50-65mm Cavity Wall



| (mm) | CG50/125 | CH50/125 | CX50/125 |
|------|----------|----------|----------|
| 750 | - | - | - |
| 900 | 69.99 | 94.40 | 131.19 |
| 1050 | - | 121.33 | 153.05 |
| 1200 | 93.39 | 132.55 | 176.16 |
| 1350 | - | 152.21 | 196.77 |
| 1500 | 120.01 | 175.86 | 218.63 |
| 1650 | - | 197.86 | 234.32 |
| 1800 | 149.05 | 218.26 | 252.39 |
| 1950 | - | 258.67 | 273.28 |
| 2100 | 172.07 | 278.95 | 304.83 |
| 2250 | - | 301.43 | 346.80 |
| 2400 | 209.78 | 321.59 | 382.06 |
| 2550 | - | - | 425.74 |
| 2700 | 240.01 | - | 475.98 |
| 2850 | - | - | 524.55 |
| 3000 | 331.53 | - | 580.96 |
| 3300 | - | - | 639.16 |
| 3600 | - | - | 697.25 |
| 3900 | - | - | 754.81 |
| 4200 | - | - | 838.48 |
| 4575 | - | - | 898.77 |
| 4800 | - | - | 958.41 |

70-85mm Cavity Wall



| (mm) | CG70/125 | CH70/125 | CX70/125 |
|------|----------|----------|----------|
| 750 | 74.62 | - | - |
| 900 | 89.11 | 122.68 | 134.20 |
| 1050 | 107.61 | 143.55 | 165.22 |
| 1200 | 117.11 | 168.31 | 180.31 |
| 1350 | 137.10 | 201.52 | 211.55 |
| 1500 | 147.38 | 224.10 | 228.43 |
| 1650 | 183.61 | 253.46 | 263.82 |
| 1800 | 202.27 | 276.70 | 282.78 |
| 1950 | - | 324.57 | 328.39 |
| 2100 | 238.18 | 348.49 | 359.70 |
| 2250 | - | 376.81 | 413.83 |
| 2400 | 328.84 | 416.61 | 448.30 |
| 2550 | - | - | 476.30 |
| 2700 | 386.10 | - | 504.31 |
| 2850 | - | - | 558.02 |
| 3000 | 537.60 | - | 601.51 |
| 3300 | - | - | 662.49 |
| 3600 | - | - | 744.06 |
| 3900 | - | - | 798.16 |
| 4200 | - | - | 875.37 |
| 4575 | - | - | 943.04 |
| 4800 | - | - | 996.61 |

90-105mm Cavity Wall



| (mm) | CG90/125 | CH90/125 | CX90/125 |
|------|----------|----------|----------|
| 750 | 82.99 | - | - |
| 900 | 99.59 | 143.55 | 147.98 |
| 1050 | 116.29 | 169.63 | 184.01 |
| 1200 | 130.77 | 187.03 | 204.14 |
| 1350 | 139.32 | 216.79 | 232.47 |
| 1500 | 163.07 | 237.19 | 283.35 |
| 1650 | 187.90 | 334.04 | 334.33 |
| 1800 | 206.32 | 360.26 | 364.75 |
| 1950 | - | 390.00 | 395.13 |
| 2100 | 244.51 | 424.11 | 433.37 |
| 2250 | - | 455.91 | 464.36 |
| 2400 | 345.39 | 486.31 | 495.28 |
| 2550 | - | - | 526.25 |
| 2700 | 399.66 | - | 564.87 |
| 2850 | - | - | 589.93 |
| 3000 | 574.82 | - | 641.86 |
| 3300 | - | - | 715.45 |
| 3600 | - | - | 796.86 |
| 3900 | - | - | 850.12 |
| 4200 | - | - | 911.27 |
| 4575 | - | - | 989.02 |
| 4800 | - | - | 1,036.66 |

125-140mm Wide Inner Leaf

110-125mm Cavity Wall



| (mm) | CG110/125 | CH110/125 | CX110/125 |
|------|-----------|-----------|-----------|
| 750 | 84.40 | - | - |
| 900 | 101.29 | 143.76 | 165.76 |
| 1050 | 118.17 | 167.72 | 193.38 |
| 1200 | 135.06 | 191.69 | 221.00 |
| 1350 | 151.94 | 215.64 | 248.63 |
| 1500 | 168.82 | 239.61 | 322.29 |
| 1650 | 191.90 | 341.86 | 354.52 |
| 1800 | 212.76 | 372.94 | 386.74 |
| 1950 | 247.68 | - | 418.98 |
| 2100 | 295.05 | 435.08 | 451.20 |
| 2250 | 384.40 | 466.17 | 483.43 |
| 2400 | 432.83 | 497.25 | 598.53 |
| 2550 | 459.90 | - | 635.93 |
| 2700 | 486.94 | - | 673.35 |
| 2850 | 514.00 | - | 710.76 |
| 3000 | 541.05 | - | 748.17 |
| 3300 | - | - | 848.38 |
| 3600 | - | - | 925.52 |
| 3900 | - | - | 1,002.64 |
| 4200 | - | - | 1,079.76 |
| 4575 | - | - | 1,176.17 |
| 4800 | - | - | 1,234.02 |

130-145mm Cavity Wall



| (mm) | CG130/125 | CH130/125 | CX130/125 |
|------|-----------|-----------|-----------|
| 750 | 123.78 | - | - |
| 900 | 126.60 | 169.59 | 230.35 |
| 1050 | 146.96 | 197.85 | 268.75 |
| 1200 | 167.32 | 226.11 | 307.13 |
| 1350 | 186.86 | 254.37 | 345.52 |
| 1500 | 206.39 | 282.64 | 383.90 |
| 1650 | 229.47 | 310.90 | 422.27 |
| 1800 | 252.54 | 339.17 | 460.68 |
| 1950 | 278.82 | 429.84 | 499.07 |
| 2100 | 330.25 | 462.92 | 537.47 |
| 2250 | 419.68 | 495.98 | 575.84 |
| 2400 | 447.72 | 529.04 | 614.24 |
| 2550 | 511.20 | - | 652.62 |
| 2700 | 541.27 | - | 691.02 |
| 2850 | 571.33 | - | 729.41 |
| 3000 | 601.36 | - | 767.80 |
| 3300 | - | - | 873.68 |
| 3600 | - | - | 953.13 |
| 3900 | - | - | 1,032.55 |
| 4200 | - | - | 1,111.98 |
| 4575 | - | - | 1,211.28 |
| 4800 | - | - | 1,270.84 |










150-165mm Cavity Wall



| (mm) | CG150/125 | CH150/125 | CX150/125 |
|------|-----------|-----------|-----------|
| 750 | 136.17 | - | - |
| 900 | 142.34 | 179.76 | 263.83 |
| 1050 | 166.05 | 209.71 | 307.80 |
| 1200 | 189.76 | 239.63 | 351.75 |
| 1350 | 213.48 | 269.61 | 395.72 |
| 1500 | 237.19 | 299.55 | 439.23 |
| 1650 | 260.91 | 329.56 | 483.66 |
| 1800 | 284.63 | 359.52 | 527.64 |
| 1950 | 313.37 | 414.88 | 571.59 |
| 2100 | 365.45 | 446.79 | 615.56 |
| 2250 | 454.88 | 478.70 | 659.48 |
| 2400 | 479.81 | 510.62 | 703.50 |
| 2550 | 542.64 | - | 747.48 |
| 2700 | 572.07 | - | 791.40 |
| 2850 | 597.95 | - | 832.82 |
| 3000 | 623.80 | - | 877.09 |
| 3300 | - | - | 1,000.64 |
| 3600 | - | - | 1,091.63 |
| 3900 | - | - | 1,182.60 |
| 4200 | - | - | 1,273.56 |
| 4575 | - | - | 1,387.29 |
| 4800 | - | - | 1,455.51 |







Please note: Prices shown in italics are non-stocked products and are available in 6 working days.




INTERNAL SOLID WALLS

| Cavity | 75mm | | | 100mm | | | 140mm | | |
|--------|---|---|---|---|--|---|---|---|---|
| |  |  |  |  |  |  |  |  |  |
| (mm) | CN92 | CN102 | CN100 | BSD100 | BHD100 | BXD100 | BSD140 | BHD140 | BXD140 |
| 750 | - | - | - | 58.09 | 67.27 | 103.35 | - | - | - |
| 900 | - | - | - | 63.75 | 73.82 | 124.03 | - | - | - |
| 1050 | 12.62 | 15.96 | 38.97 | 69.90 | 80.94 | 144.69 | 75.60 | 85.05 | 152.25 |
| 1200 | 14.27 | 17.62 | 48.42 | 71.71 | 83.03 | 168.54 | 86.40 | 97.20 | 174.00 |
| 1350 | - | - | - | 76.09 | 88.10 | 184.36 | 97.20 | 109.35 | 195.75 |
| 1500 | - | - | - | 80.56 | 95.25 | 201.29 | 108.00 | 121.50 | 217.50 |
| 1650 | - | - | - | 102.02 | 205.44 | 268.60 | 118.80 | 231.83 | 281.33 |
| 1800 | - | - | - | 111.61 | 220.34 | 293.02 | 129.60 | 252.90 | 306.90 |
| 1950 | - | - | - | 121.46 | 228.92 | 317.44 | 140.40 | 273.98 | 332.48 |
| 2100 | - | - | - | 127.56 | 246.53 | 341.86 | 151.20 | 295.05 | 358.05 |
| 2250 | - | - | - | 151.02 | 249.09 | 347.30 | 167.34 | 316.13 | 383.63 |
| 2400 | - | - | - | 161.15 | 265.65 | 375.22 | 178.62 | 337.20 | 409.20 |
| 2550 | - | - | - | 174.53 | 282.25 | 376.58 | 189.83 | 358.28 | 434.78 |
| 2700 | - | - | - | 184.61 | 298.86 | 381.39 | 201.24 | 379.35 | 460.35 |
| 2850 | - | - | - | 304.34 | 384.38 | - | 400.43 | 440.33 | - |
| 3000 | - | - | - | 320.45 | 398.28 | - | 421.50 | 463.50 | - |
| 3300 | - | - | - | 353.80 | 445.07 | - | 463.65 | 509.85 | - |
| 3600 | - | - | - | 387.02 | 485.53 | - | 505.80 | 556.20 | - |
| 3900 | - | - | - | 518.97 | 907.84 | - | 602.55 | 1,018.72 | - |
| 4200 | - | - | - | 558.89 | 977.67 | - | 648.90 | 1,097.07 | - |
| 4575 | - | - | - | 608.79 | 1,063.15 | - | 706.84 | 1,195.06 | - |
| 4800 | - | - | - | 626.73 | 1,117.33 | - | 741.60 | 1,253.83 | - |




EXTERNAL SOLID WALLS

SINGLE LEAF

| | Exterior Solid Wall: 200 and 215mm | | | Fairface brick: 215mm | | |
|------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| (mm) | CN71A | CN71C | CN81B | CN81C | CN50C | CN51C |
| 750 | 76.46 | - | - | - | 76.46 | - |
| 900 | 91.81 | 153.15 | - | - | 91.81 | - |
| 1050 | 106.94 | 178.67 | - | - | 106.94 | - |
| 1200 | 118.57 | 204.19 | - | - | 118.57 | - |
| 1350 | 137.17 | 229.69 | - | - | 137.17 | - |
| 1500 | 155.29 | 255.25 | - | - | 155.29 | - |
| 1650 | 171.37 | 280.75 | - | - | 171.37 | - |
| 1800 | 187.46 | 306.27 | - | - | 187.46 | - |
| 1950 | 193.10 | 331.80 | - | - | - | 193.10 |
| 2100 | 218.44 | - | 366.00 | 454.96 | - | 218.44 |
| 2250 | 255.80 | - | 371.76 | 487.42 | - | 255.80 |
| 2400 | 272.04 | - | 396.48 | 499.30 | - | 272.04 |
| 2550 | 281.19 | - | 421.29 | 516.54 | - | 281.19 |
| 2700 | 297.63 | - | 437.91 | 530.25 | - | 297.63 |
| 2850 | - | - | 446.65 | 573.18 | - | - |
| 3000 | - | - | 458.27 | 602.59 | - | - |
| 3300 | - | - | 478.79 | 623.62 | - | - |
| 3600 | - | - | 540.63 | 677.15 | - | - |
| 3900 | - | - | - | 730.88 | - | - |
| 4200 | - | - | - | 775.57 | - | - |
| 4575 | - | - | - | 812.98 | - | - |
| 4800 | - | - | - | 866.53 | - | - |

| | 102mm Exterior Wall | | |
|------|---|---|---|
| |  |  |  |
| (mm) | MBA | ANG | CCS |
| 750 | 26.13 | - | 41.70 |
| 900 | - | 41.83 | 49.70 |
| 1050 | - | 48.79 | 58.33 |
| 1200 | - | 55.66 | 66.43 |
| 1350 | 46.95 | 62.63 | 74.98 |
| 1500 | - | 69.64 | 83.21 |
| 1650 | - | 86.17 | 91.44 |
| 1800 | - | 93.97 | 99.82 |
| 1950 | - | 101.70 | 136.93 |
| 2100 | - | 110.82 | 147.45 |
| 2250 | - | 143.87 | 158.00 |
| 2400 | - | 153.23 | 168.52 |
| 2550 | - | 222.52 | 238.73 |
| 2700 | - | 235.65 | 252.78 |
| 2850 | - | 259.21 | 266.82 |
| 3000 | - | 285.14 | 280.86 |
| 3300 | - | 397.58 | 494.23 |
| 3600 | - | 433.73 | 539.17 |
| 3900 | - | - | 584.10 |
| 4200 | - | - | 629.02 |
| 4575 | - | - | 685.18 |
| 4800 | - | - | 718.89 |

TIMBER FRAME

| Cavity | 50-60mm | 70-80mm | 90-100mm |
|--------|---|---|---|
| |  |  |  |
| (mm) | CTF5 | CTF7 | CTF9 |
| 750 | 25.70 | 26.95 | 31.88 |
| 900 | 30.68 | 32.34 | 37.65 |
| 1050 | 35.99 | 37.70 | 44.20 |
| 1200 | 41.12 | 43.07 | 50.60 |
| 1350 | 48.37 | 61.10 | 57.35 |
| 1500 | 52.96 | 67.89 | 65.79 |
| 1650 | 65.55 | 80.98 | 80.14 |
| 1800 | 71.59 | 88.35 | 89.77 |
| 1950 | 80.63 | 95.71 | 101.56 |
| 2100 | 88.40 | 103.08 | 109.39 |
| 2250 | 108.08 | 110.45 | 124.42 |
| 2400 | 118.57 | 117.80 | 144.92 |
| 2550 | 128.81 | 180.97 | 166.67 |
| 2700 | 137.67 | 191.65 | 176.71 |
| 2850 | 181.59 | 202.27 | 222.25 |
| 3000 | 191.19 | 212.91 | 233.97 |
| 3300 | 212.63 | 252.36 | 335.84 |
| 3600 | 318.02 | 275.29 | 366.38 |
| 3900 | 344.62 | 326.41 | 452.08 |
| 4200 | 371.16 | 351.55 | 486.86 |
| 4575 | 397.59 | 382.90 | 530.32 |
| 4800 | 417.96 | 401.75 | 556.41 |

Heavy duty CTF's are available on request. All timber frame lintels must be fixed using restraint clips which are supplied free of charge.

ARCH LINTELS



Standard Semi-circular Arch Lintels

| | | | | |
|--------|--------|--------|--------|---------|
| CCA600 | CCA630 | CCA900 | CCA915 | CCA1200 |
| 271.85 | 281.71 | 370.95 | 376.07 | 471.70 |
| CCB600 | CCB630 | CCB900 | CCB915 | CCB1200 |
| 289.32 | 299.87 | 394.94 | 400.41 | 502.40 |

Product available in 5 working days.

Arch Centres

| Code | Lintel | Structural Opening (mm) | Rise £/each (mm) | £/each (mm) |
|---------|--------|-------------------------|------------------|-------------|
| ACA0475 | 475 | 450-500 | 75 | 60.76 |
| ACA0625 | 625 | 600-650 | 75 | 68.29 |
| ACA0675 | 675 | 650-700 | 75 | 74.23 |
| ACA0875 | 875 | 850-900 | 75 | 79.87 |
| ACA0925 | 925 | 900-950 | 75 | 82.48 |
| ACA1075 | 1075 | 1050-1100 | 75 | 88.81 |
| ACA1225 | 1225 | 1200-1250 | 75 | 95.40 |
| ACA1375 | 1375 | 1350-1400 | 75 | 103.36 |
| ACA1475 | 1475 | 1450-1500 | 75 | 111.85 |
| ACA1625 | 1625 | 1600-1650 | 75 | 120.75 |
| ACA1775 | 1775 | 1750-1800 | 75 | 130.21 |
| ACB2125 | 2125 | 2100-2150 | 150 | 201.12 |
| ACB2325 | 2325 | 2300-2350 | 150 | 221.67 |
| ACB2425 | 2425 | 2400-2450 | 150 | 221.68 |

ACA0875 is made to order and available in 10-15 working days.

Supplied in white. Made under licence. British Patent No. 2063953.

Note: ACA = 75mm rise, ACB = 150mm rise.

SPECIAL LINTELS

A range of exciting shapes for unique designs and feature brickwork to inspire today's architects and builders.

Prices available on application. All made to order lintels are available in 10 working days from receipt of order and approved drawing.

Examples



Parabolic Arch Lintel



Bull's Eye Lintel



Curved On Plan Lintel

STAINLESS STEEL LINTELS

All galvanised steel lintel products shown in the current lintel brochure are available in stainless steel. Special lintels are also available in stainless steel. Prices available on application.

STEELWORK

Universal Beams, Universal Channels and Parallel Flange Channels available for when loading conditions exceed our standard range of lintel. Prices available on application.

JULIET BALCONIES

A standard range of Juliet Balconies are available from Catnic. Juliet Balconies are commonly used to provide a safety barrier in front of French windows. Prices available on application.

ACCESSORIES


Weep Vents[†]: 50 per box

| Terracotta | Grey | Beige |
|------------|-------|-------|
| 40.01 | 40.01 | 40.01 |




PVC-U Soffit Cladding[†]: Price per metre

| FC White | FC Brown | RC White |
|----------|----------|----------|
| 9.96 | 9.96 | 10.16 |




Stop Ends[†]: 50 per box

| C90 | CL3 |
|-------|-------|
| 79.34 | 79.34 |



External Plaster Key

| |
|----------------------------|
| PKS87 |
| 79.92 per pack - 10 x 1.2m |



[†] These products are excluded from our BS ISO 9001 registration as they are not manufactured on Catnic premises.

www.catnic.com

Catnic Conditions of Sale can be downloaded from www.catnic.com

This price list supersedes all previous lists. All prices are for normal UK delivery, £ Sterling and exclusive of VAT. Catnic reserves the right to revise prices and product specifications described herein without prior notice.

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries do not accept responsibility or liability for errors or information that is found to be misleading.

© Copyright 2014 Tata Steel UK Limited

Design: www.curzoncreative.com

Catnic
Pontypandy Industrial Estate
Caerphilly
CF83 3GL
T: 029 2033 7900
F: 029 2086 7796
www.catnic.com

English version



CLPL:3000:UK:06/2014