



Rinne / Channel:

FCT tec NW100 V-E, C250  
BG code: siehe unten Tabelle/ see table:






| Rinne / channel - Maße / dimensions [mm] |           |          |                    |                    |                 |                               |
|--|-----------|----------|--------------------|--------------------|-----------------|-------------------------------|
| BG code V                                | BG code E | Typ      | Höhe A<br>height A | Höhe B<br>height B | Länge<br>length | Gewicht<br>weight V/E<br>[kg] |
| 10410200                                 | 10410300  | 0        | 135                | 135                | 1000            | 13                            |
| 10410250                                 | 10410350  | 0 (0,5m) | 135                | 135                | 500             | 6,6                           |
| 10410201                                 | 10410301  | 1        | 135                | 140                | 1000            | 13,4                          |
| 10410202                                 | 10410302  | 2        | 140                | 145                | 1000            | 14,1                          |
| 10410203                                 | 10410303  | 3        | 145                | 150                | 1000            | 14,8                          |
| 10410204                                 | 10410304  | 4        | 150                | 155                | 1000            | 15,4                          |
| 10410205                                 | 10410305  | 5        | 155                | 160                | 1000            | 15,9                          |
| 10410261                                 | 10410361  | 5-0      | 160                | 160                | 1000            | 16,1                          |
| 10410206                                 | 10410306  | 6        | 160                | 165                | 1000            | 16,4                          |
| 10410207                                 | 10410307  | 7        | 165                | 170                | 1000            | 16,8                          |
| 10410208                                 | 10410308  | 8        | 170                | 175                | 1000            | 17,4                          |
| 10410209                                 | 10410309  | 9        | 175                | 180                | 1000            | 18                            |
| 10410210                                 | 10410310  | 10       | 180                | 185                | 1000            | 18,5                          |
| 10410262                                 | 10410362  | 10-0     | 185                | 185                | 1000            | 18,7                          |




| Legende / explanation: |                                     |
|------------------------|-------------------------------------|
| FCT:                   | FILCOTEN HPC                        |
| V:                     | verzinkter Stahl / galvanized steel |
| E:                     | Edelstahl / stainless steel         |
| G:                     | Gußeisen / ductil iron              |
| H:                     | Holz / wood                         |

Roste, Abdeckungen / grates, covers:




Stegrost / Slotted grating: SW 8/80, A15/C250  
BG code: V 17010202 (17010203), E 17010302 (17010303); A15 1,5 kg (0,8 kg):  
BG code: V 17010206 (17010207), E 17010306 (17010307); C250 4,5 kg (2,2 kg):




Lochrost / Perforated grating: Ø 6 mm, A15/C250  
BG code: V 17010204 (17010205), E 17010304 (17010305); 1,9 kg (1 kg):  
BG code: V 17010228 (17010229), E 17010328 (17010329); 3,3 kg (1,7 kg):




Gitterrost / Mesh grating: MW30/10, B125/C250  
BG code: V 17010220 (17010221); 2,8 kg (1,4 kg):  
BG code: V 17010222 (17010223), E 17010322 (17010323); 3,3 kg (1,6 kg):




Kunststoffrost / Plastic grating "COMBee"; Ø7,3; B150/C250  
BG code: PA 17010401; 1,1 kg:  
BG code: PA 17010402; 0,9 kg:





Guß-Stegrost / Ductil iron slotted grating: SW 10/100, B125  
BG code: GJS 17010111; 2,6 kg:



Guss-Maschenrost / Ductile iron slotted grating MW29/6, C250  
BG code: GJS 17010106; 3,6kg:





Gußrost / Ductil iron grating: MW 29/13, C250  
BG code: GJS 17010101; 3,2kg:





Schlitzaufsatz / slot top:



Schlitzaufsatz SW 12,5 mm, SH 80, B125  
BG code: V 17110237 (17110238), E 17110337 (17110338); 4,4 kg (2,2 kg):





Revisionsschacht SW 12,5 mm, SH 80, B125  
BG code: V 17110297, E 17110397; 4,1 kg:





Schlitzaufsatz SW 12,5 mm, SH 110, C250  
BG code: V 17110243 (17110244), E 17110343 (17110344); 5,4 kg (2,7 kg):





Revisionsschacht SW 12,5 mm, SH 110, C250  
BG code: V 17110281, E 17110381; 5,0 kg:





Doppel-Schlitzaufsatz SW 2x6 mm, SH 110, C250  
BG code: V 17111204 (17111205), E 17111304 (17111305); 5,8 kg (3,0 kg):




Revisionsschacht SW 2x6 mm, SH 110, C250  
BG code: V 17111206, E 17111306; 5,3 kg:



Bauzeitabdeckung / construction time barrier  
BG code: H 37962; 0,1 kg:





Abhebegriff / opening tool  
BG code: V 13399; 0,1 kg:




Zubehör / accessories:


Sinkkasten / Sump unit:  
inkl. Schlammweimer / incl. silt bucket (22515; 0,2 kg)  
BG code: V 10410293, E 10410393; 24,2 kg




Stirn-/ Endplatte / End cap:  
BG code: V 19010230,  
E 19010330; 0,3kg



BG code: V 19010231,  
E 19010331; 0,4kg



Vandalismus Verriegelung /  
Anti-vandalism locking device  
BG code: E 32087; 0,1 kg:



Geruchsverschluss für Bodenablauf /  
Drain trap for bottom outlet:  
BG code: PVC 30019; 0,2 kg

