



Rinne / Channel:



FILCOTEN tec NW200 V-E: C250  
BG code V: 10220200 (10220250); 30,2 kg (15,1 kg):  
BG code E: 10220300 (10220350); 30,2 kg (15,1 kg):





Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Gußeisen / ductil iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:



Lochrost / Perforated grating: Dm 6; C250  
BG code: V 17020228 (17020229), E 17020328 (17020329); 13,5kg (6,7kg):




Gitterrost / Mesh grating: MW 30/10; B125  
BG code: V 17020220 (17020221), E17020320 (17020321); 6kg (3,1kg):





Gitterrost / Mesh grating: MW 30/10; C250  
BG code: V 17020222 (17020223), E 17020322 (17020323); 8,8kg (4,5kg):



A ( 1 : 2 )



Gußrost / Ductil iron grating: MW 29/13; C250  
BG code: GJS 17020101; 7,3kg:




B ( 1 : 2 )




Zubehör / accessories:


Sinkkasten / Sump unit:  
inkl. Schlammmeimer / incl. silt bucket (22512; 0,7 kg)  
BG code: V 10220392; 48,7 kg:



Endplatte / end cap  
BG code: V 19020230, E 19020330; 0,8 kg:



Endplatte mit Ablauf / end cap with outlet  
BG code: V 19020232, E 19020332; 0,5 kg



Vandalismus Verriegelung / Anti-vandalism locking device:  
BG code: E 32089; 0,1 kg

