





Rinnen/Channel:



FCT pro NW150 mini 100/120 V-E
BG code: siehe Tabelle/ see table:





FCT pro NW150 mini 100/120 G
BG code: siehe Tabelle/ see table:



FCT pro NW150 mini 170 V-E
BG code: siehe Tabelle/ see table:



FCT pro NW150 mini 170 G
BG code: siehe Tabelle/ see table:






Rinne / channel - Maße / dimensions [mm]								
BG code G	BG code V	BG code E	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht weight G [kg]	Gewicht weight V/E [kg]
10515102	10515202	10515302	mini 100	100	100	1000	18,8	17,7
10515100	10515200	10515300	mini 120	120	120	1000	18,9	19
10515101	10515201	10515301	mini 170	170	170	1000	23,2	22,3



Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Guß Eisen / ductil iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:


Gitterrost / Mesh grating: MW30/10, C250
BG code: V 17015222 (17015223), E 17015322 (17015323); 6,9 kg (3,6 kg):




Gitterrost / Mesh grating: MW25/10, D400
BG code: V 17015226 (17015227), E 17015326 (17015327); 10,4 kg (5,3 kg):




Gußrost / Ductil iron grating: MW29/13, C250
BG code: GJS 17015101; 4,9 kg:




Gußrost / Ductile iron grating: MW29/13, D400
BG code: GJS 17015104; 5,2 kg:




Gußrost / Ductile iron grating: KIARO
BG code: GJS 17015183; 6 kg:




Gußrost / Ductile iron grating: VIA
BG code: GJS 17015184; 5,6 kg:




Guß-Stegrost / Ductile iron slotted grating: SW14/150, E600
BG code: GJS 17015105; 7 kg:




Guß-Designrost / Ductile iron design grating: VILLE, E600
BG code: GJS 17015180; 8,6 kg:



Gußrost / Ductile iron grating: MW22/13, E600
BG code: GJS 17015103; 7,2 kg:
4-fach verschraubbar/4-times bolted





Gußrost / Ductile iron grating: SW14/150, F900
BG code: GJS 17015107; 7,3 kg:
4-fach verschraubbar/4-times bolted




Schlitzaufsatz / slot top:



Schlitzaufsatz SW 12,5 mm, SH 80, B125
BG code: V 17110237 (17110238), E 17110337 (17110338); 4,4 kg (2,2 kg):




Revisionsschacht SW 12,5 mm, SH 80, B125
BG code: V 17110297, E 17110397; 4,1 kg:





Schlitzaufsatz SW 12,5 mm, SH 110, C250
BG code: V 17110243 (17110244), E 17110343 (17110344); 5,4 kg (2,7 kg):




Revisionsschacht SW 12,5 mm, SH 110, C250
BG code: V 17110281, E 17110381; 5,0 kg:



Doppel-Schlitzaufsatz SW 2x6 mm, SH 110, C250
BG code: V 17111204 (17111205), E 17111304 (17111305); 5,8 kg (3,0 kg):




Revisionsschacht SW 2x6 mm, SH 110, C250
BG code: V 17111206, E 17111306; 5,3 kg:



Bauzeitabdeckung / construction time barrier
BG code: H 37962; 0,1 kg:




Abhebegriff / opening tool
BG code: V 13399; 0,1 kg:




Zubehör / accessories:


Sinkkasten / Sump unit:
inkl. Schlammemeimer / incl. silt bucket (22516; 0,3 kg)
BG code: V 10615292, E 10615392; 44,8 kg:




Stirn-/ Endplatte / End cap:
BG code: V 19015230, E 19015330; 0,5 kg:




Stirn-/ Endplatte / End cap:
BG code: V 19015231, E 19015331; 0,6 kg:




Sinkkasten / Sump unit:
inkl. Schlammemeimer / incl. silt bucket (22516; 0,3 kg)
BG code: G 10615192; 45,3 kg:



Stirn-/ Endplatte / End cap:
BG code: V 19015200, E 19015300; 0,3 kg:



Vandalismus Verriegelung / Anti-vandalism locking device
BG code: E 32088; 0,1 kg:



Verschraubungsmaterial / Bolting material:
BG code: V 32103: BG code: E 32109:

