





Rinne / Channel:



FCT pro NW200 mini 100/120 V-E
BG code: siehe Tabelle/ see table:





FCT pro NW200 mini 100/120 G
BG code: siehe Tabelle/ see table:



FCT pro NW200 mini 200 V-E
BG code: siehe Tabelle/ see table:



FCT pro NW200 mini 200 G
BG code: siehe Tabelle/ see table:





Rinne / channel - Maße / dimensions [mm]								
BG code G	BG code V	BG code E	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht weight G [kg]	Gewicht weight V/E [kg]
10520102	10520202	10520302	mini 100	100	100	1000	20,2	19,3
10520100	10520200	10520300	mini 120	120	120	1000	21,9	21
10520101	10520201	10520301	mini 200	200	200	1000	29,4	28,5



Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Gußeisen / ductil iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:



Gitterrost / Mesh grating: MW30/10, C250
BG code: V 17020222 (17020223), E 17020322 (17020323); 8,8 kg (4,5 kg):



Gitterrost / Mesh grating: MW25/10, D400
BG code: V 17020226 (17020227), E 17020326 (17020327); 15,7 kg (8 kg):




Lochrost / Perforated grating: Ø6, C250
BG code: V 17020228 (17020229), E 17020328 (17020329); 13,5 kg (6,7 kg):




Roste, Abdeckungen / grates, covers:


Gußrost / Ductil iron grating: MW29/13, C250
BG code: GJS 17020101; 7,3 kg:




Gußrost / Ductile iron grating: MW29/13, D400
BG code: GJS 17020104; 7,6 kg:




Gußrost / Ductile iron grating: KIARO
BG code: GJS 17020183; 7,9 kg:




Gußrost / Ductile iron grating: VIA
BG code: GJS 17020184; 8,2 kg:




Guß-Stegrost / Ductile iron slotted grating: SW14/150, E600
BG code: GJS 17020105; 8,9 kg:




Guß-Designrost / Ductile iron design grating: VILLE, E600
BG code: GJS 17020180; 10,8 kg:




Guß-Stegrost / Ductile iron slotted grating: SW14/200, D400
BG code: GJS 17020108; 7,9 kg:
4-fach verschraubbar/4-times bolted



Gußrost / Ductile iron grating: MW22/13, E600
BG code: GJS 17020103; 8,8 kg:
4-fach verschraubbar/4-times bolted




Gußrost / Ductile iron grating: SW2x14/95, F900
BG code: GJS 17020107; 12,3 kg:
4-fach verschraubbar/4-times bolted




Zubehör / accessories:


Sinkkasten / Sump unit:
inkl. Schlammemeier / incl. silt bucket (22512; 0,7 kg)
BG code: V 10620292, E 10620392; 48,7 kg:




Stirn-/ Endplatte / End cap:
BG code: V 19020230, E 19020330; 0,7 kg:




Stirn-/ Endplatte / End cap:
BG code: V 19020231, E 19020331; 1 kg:




Sinkkasten / Sump unit:
inkl. Schlammemeier / incl. silt bucket (22512; 0,7 kg)
BG code: G 10620190; 49,1 kg:



Stirn-/ Endplatte / End cap:
BG code: V 19015200, E 19015300; 0,3 kg:



Vandalismus Verriegelung / Anti-vandalism locking device
BG code: 32089; 0,1 kg:



Verschraubungsmaterial / Bolting material:
BG code: V 32103; BG code: E 32109:

