



Rinne / channel:



FILCOTEN tec NW150 V-E: C250  
BG code: V 10415200 (10415250); 22,2 kg (11,2 kg):  
BG code: E 10415300 (10415350); 22,2 kg (11,2 kg):






Legende / explanation:	
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Gußeisen / ductil iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:




Gitterrost / Mesh grating: MW 30/10, B125  
BG code: V 17015220 (17015221); 4,6 kg (2,4 kg):





Gitterrost/ Mesh grating: MW: 30/10, C250  
BG code: V 17015222 (17015223), E 17015322 (17015323); 6,9 kg (3,6 kg):



Gußrost / Ductil iron grating: MW 29/13, C250  
BG code: GJS 17015101; 4,9 kg:





Gußrost / Ductil iron grating: SW 10/150, B125  
BG code: GJS 17015111; 4,5 kg:





Schlitzaufsatz / slot top:



Schlitzaufsatz SW 12,5mm, SH 110, Kl. C250  
BG code: V 17115243 (17115244), E 17115343 (17115344); 6,6 kg (3,3 kg):





Revisionsschacht SW 12,5mm, SH 110, Kl. C250  
BG code: V 17115281, E 17115381; 5,9 kg:





Schlitzaufsatz SW 2x6mm, SH 110, Kl. C250  
BG code: V 17116204 (17116205), E 17116304 (17116305); 7,2 kg (3,6 kg):




Revisionsschacht SW 2x6mm, SH 110, Kl. C250  
BG code: V 17116206, E 17116306; 6,8 kg:



Bauzeitabdeckung / construction time barrier  
BG code: H 37962; 0,1 kg:





Abhebegriff / opening tool  
BG code: V 13399; 0,1 kg:




Legende / explanation:	
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
H:	Holz / wood

Zubehör / accessories:


Sinkkasten / Sump unit:  
inkl. Schlammmeimer / incl. silt bucket (22516; 0,3 kg)  
BG code: V 10415292, E 10415392; 40,3 kg:



Stirn-/ Endplatte / End cap:  
BG code: V 19015230, E 19015330; 0,5 kg



SEndplatte mit Ablauf / end cap with outlet  
BG code: V 19015231, E 19015331; 0,6 kg:



Vandalismus Verriegelung / Anti-vandalism locking device:  
BG code: E 32088; 0,1 kg

