




Rinne / Channel:

BGZ-S SV G
BG code: siehe Tabelle/see table:




Rinne / channel - Maße / dimensions					
BG code G	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht [kg] weight [kg]
16800	0	395	395	1000	169
16830	H615	615	615	2500	640
16831	H615	615	615	1000	256


Legende / explanation:	
V:	verzinkter Stahl / galvanized steel
G:	Gußeisen-Zarge / cast iron edge
GJS:	Gußeisen / ductil iron

Roste, Abdeckungen / grates, covers:


Gitterrost / Mesh grating: MW 30/10, C250
BG code: V 22184 (22185); 23,6 kg (12,2 kg)




Guß-Stegrost / Ductile iron slotted grating: SW 18/150, D400
BG code: GJS 23180; 15,2 kg



Guß-Längsstabrost / Ductile iron longitudinal bar grating: MW 27/13, E600
BG code: GJS 22784; 16,5 kg
BG code Verschraubungsmaterial / bolting material: GJS 22785; 16,9 kg





Guß-Stegrost / Ductile iron slotted grating: SW 16/148 F900
BG code: GJS 22083; 26,1 kg



Zubehör / accessories:




Sinkkasten / Sump unit:
optional: Schlammmeimer / Silt bucket (22213; 3,2 kg)
BG code: 22198; 214 kg



Stirnplatte / Front cap:
BG code: V 22250; 1,3 kg

Endplatte m. A. / End cap w. o.:
BG code: V 22251; 1,2 kg

Forsheda-Dichtung /
forsheda sealing DN200:
BG code: 31312; 0,6 kg



Verschraubungsmaterial / Bolting material:

Gitterrost / Mesh grating:
BG code: V 22280

Gußrost / Ductil iron grating:
BG code: V 22281

