



## Understated Elegance. Add a new dimension to your environment

Soundtect proudly introduces Class Circles to the range of acoustic panels. Offering understated elegance for ceiling applications, Class Circles adds a new dimension to Soundtect's existing range of acoustic panels.

Soundtect acoustic panels offer design options that are unusual and stand out, giving designers more choice and flexibility for acoustic applications.

The panels can be used to create floating ceilings that absorb sound and enhance sound quality.

Reverberation is reduced by offering Class A absorption to increase speech intelligibility in a specific area while reducing background sound noise levels. A better way to transform open, sound-challenged spaces into more comfortable environments.


- Endless installation and design possibilities
- Soundtect's clever suspension system allow easy installation
- Cost effective solution for large installations
- Sustainable design for environmentally conscious projects
- · Recyclable

Soundtect®



# circles

# Standard Colour range



A selection of colours are available in our Special Range. Prices and lead times will vary depending on quantity.

# **Product Specifications**

## TYPICAL APPLICATIONS

- · Ceilings
- · Composition: 100% Polyester
- Low VOC
- · Colourfastness Properties
  - Colourfastness to Light, AATCC16(3), Class 4.5
- BS EN ISO 354:L2003.
- · Certified 100% Recyclable
- · Composition: 100% polyester fibre (PET) 70% recycled

## FIRE RATING

- BS1 D0
- · Suitable for use in Class1 and Class 0

#### SIZE

- · 800mm diameter
- 1200mm diameter

#### **ACOUSTIC PROPERTIES**

- NRC: 0.80
- EN ISO 11654:1997

#### **INSTALLATION**

Easy installation for ceilings

- · Install the ceiling anchor.
- · Insert CLASS ring into pre-formed hole on the rear of the panel.
- · Attached suspension cable and adjust depth.
- · Hang panel.

## Moisture Absorption

Polyester fibre when exposed to an atmosphere of 50°C at 90% relative humidity for four days showed moisture absorption of less than 0.03% by weight. Polyester is not affected by moisture.

Does not contain any Red List chemicals\*.

