

COLONIA™



LUXURY VINYL TILE COLLECTION

INTRODUCING THE...

COLONIA™

LUXURY VINYL TILE COLLECTION

Front Cover: 4642 Bloomfield Oak Small Parquet

Feel at home with the Colonia Luxury Vinyl Tile (LVT) collection. Carefully designed to offer a range of beautiful, desirable, and practical floor coverings.

The stunning Colonia range features four small and four large parquet designs, as well as a balanced palette of wood planks and stone tiles. Guiding you through the process of selecting your new floor, this brochure will provide you with all the inspiration you need to design your ideal interior. Browse through inspirational photography of every room in the home, with a variety of styles and creative flooring layouts. Colonia is available in a range of authentic tile and plank sizes and supported by a versatile, collection of inlay accessories.

Colonia has been constructed to withstand the demands of busy lifestyles. Each plank and tile features a polyurethane reinforcement treatment to help protect your floor from every day life.



PICTURE IT INSTANTLY IN YOUR HOME

polyflor.com/visualiser

Small Parquet

Small parquet flooring brings an elegant and timeless appeal to any interior scheme. Beautifully versatile, this traditionally sized, petite plank, is available in a variety of colours from blond to cool tones.



Wood

Inspired by natural wood, these stunning plank designs effortlessly replicate detailed timber variation, creating a warm and inviting space in your home. Each design features a carefully selected surface texture to further enhance its appearance.



Large Parquet


Large parquet flooring introduces a modern approach to this increasingly popular flooring trend. The slightly longer plank sizes make rooms feel bigger, bringing a light and airy aesthetic for a clean and calm space.



Stone

A balanced collection of contemporary and classic stone designs replicating natural tone and textures found in raw and man-made materials. Each design provides a perfect neutral backdrop for a wide range of interiors





Small Parquet



4644 Village Oak Small Parquet

Bloomfield Oak Small Parquet	8
Midsummer Oak Small Parquet	10
Village Oak Small Parquet	12
Wisteria Oak Small Parquet	14

COLONIA™
LUXURY VINYL TILE COLLECTION



Bloomfield Oak Small Parquet 4642

Plank Size: 76.2 x 228.6mm

micro bevel high shade variation

Herringbone



Herringbone



Midsummer Oak Small Parquet 4643

Plank Size: 76.2 x 228.6mm

micro bevel high shade variation

^ Herringbone



^ Herringbone



Village Oak Small Parquet 4644

Plank Size: 76.2 x 228.6mm

micro bevel high shade variation

Herringbone



Woodblock Parquet




Wisteria Oak Small Parquet 4641

Plank Size: 76.2 x 228.6mm

micro bevel high shade variation Herringbone with double small parquet plank border



^ Herringbone




Large Parquet



4646 Delamere Oak Large Parquet

<u>Bridgewater Oak Large Parquet</u>	<u>18</u>
<u>Delamere Oak Large Parquet</u>	<u>20</u>
<u>Hamilton Oak Large Parquet</u>	<u>22</u>
<u>Fairmont Oak Large Parquet</u>	<u>24</u>

COLONIATM
LUXURY VINYL TILE COLLECTION



Bridgewater Oak Large Parquet 4645

Plank Size: 76.2 x 457.2mm

micro bevel high shade variation

^ Herringbone



^ Herringbone with single large parquet plank border



Delamere Oak Large Parquet 4646

Plank Size: 76.2 x 457.2mm


micro bevel

high shade variation

^ Herringbone with double large parquet plank border



^ Tramline



Hamilton Oak Large Parquet 4647

Plank Size: 76.2 x 457.2mm

 micro bevel  high shade variation

^ Herringbone



^ Herringbone



Fairmont Oak Large Parquet 4648


Plank Size: 76.2 x 457.2mm

micro bevel high shade variation

^ Herringbone, with straight laid parquet focal point and gold feature strip



^ Herringbone



Wood



4383 Natural Bare Oak

Fair Blond Oak	28
Natural Bare Oak	30
Freshfield Oak	32
Marlow Oak	34
Brookland Oak	36
Country Park Oak	38
English Oak	40
Schoolhouse Oak	42
Story Oak	44
Riverview Oak	46
Cliff Top Oak	48
Bowland Oak	50
Winchester Oak	52
Coastal Driftwood	54
Fired Oak	56

COLONIATM
LUXURY VINYL TILE COLLECTION



Fair Blond Oak 4382


Plank Size: 184.2 x 1219.2mm

high shade variation

^ Straight laid




^ Straight laid



Natural Bare Oak 4383

Plank Size: 184.2 x 1219.2mm

 high shade variation

^ Straight laid in living room, full plank herringbone in adjoining room



^ Straight laid



Freshfield Oak 4384

Plank Size: 184.2 x 1219.2mm

^ Straight laid



^ Straight laid



Marlow Oak 4386

Plank Size: 184.2 x 1219.2mm

high shade variation

^ Straight laid



^ Straight laid



Brookland Oak 4387

Plank Size: 184.2 x 1219.2mm

high shade variation

^ Straight laid



^ Straight laid





English Oak 4435

Plank Size: 152.4 x 1219.2mm

^ Herringbone pattern in third length planks



^ Straight laid with a single plank border and classic oak cross grain marquetry strip



Schoolhouse Oak 4434

Plank Size: 152.4 x 1219.2mm

^ Herringbone pattern in third length planks




^ Straight laid with double plank border



Story Oak 4389

Plank Size: 184.2 x 1219.2mm

 high shade variation

^ Straight laid



^ Straight laid



Riverview Oak 4381

Plank Size: 184.2 x 1219.2mm

high shade variation

^ Straight laid



^ Straight laid



Cliff Top Oak 4438


Plank Size: 184.2 x 1219.2mm

high shade variation

^ Straight laid



^ Straight laid



Bowland Oak 4391

Plank Size: 184.2 x 1219.2mm

^ Straight laid



^ Straight laid



Winchester Oak 4452

Plank Size: 184.2 x 1219.2mm

^ Straight laid



^ Straight laid



Coastal Driftwood 4453

Plank Size: 184.2 x 1219.2mm

^ Double plank tramline



^ Straight laid with a single plank border



Fired Oak 4454


Plank Size: 184.2 x 1219.2mm

high shade variation

^ Straight laid ships decking effect with classic oak marquetry strip



^ Straight laid



Stone



4528 Refined Concrete

Silvered Concrete	60
Fossil Limestone	62
Refined Concrete	64
Balmoral Grey Slate	66
Welsh Raven Slate	68

COLONIA™
LUXURY VINYL TILE COLLECTION



Silvered Concrete 4527

Tile Size: 457.2 x 457.2mm

^ Straight laid



^ Straight laid



Fossil Limestone 4537

Tile Size: 457.2 x 457.2mm

^ Straight laid



^ Straight laid



Refined Concrete 4528

Tile Size: 457.2 x 457.2mm

^ Straight laid



^ Straight laid



Balmoral Grey Slate 4534

Tile Size: 304.8 x 609.6mm

^ Off-set keysquare with ice grouting strip



^ Brickwork with Ice grouting strip



Welsh Raven Slate 4535

Tile Size: 304.8 x 609.6mm

^ Brickwork with grey grouting strip



^ Chequerboard effect featuring Balmoral Grey Slate, with grey grouting strip



Collection Summary



4643 Midsummer Oak Small Parquet

Small Parquet

Plank Size: 76.2 x 228.6mm



4642 Bloomfield Oak Small Parquet



4643 Midsummer Oak Small Parquet



4644 Village Oak Small Parquet



4641 Wisteria Oak Small Parquet

Large Parquet

Plank Size: 76.2 x 457.2mm



4645 Bridgewater Oak Large Parquet



4646 Delamere Oak Large Parquet



4647 Hamilton Oak Large Parquet



4648 Fairmont Oak Large Parquet

Wood

Plank Size: 152.4 x 1219.2mm



4435 English Oak



4434 Schoolhouse Oak

Wood

Plank Size: 184.2 x 1219.2mm



4382 Fair Blond Oak



4383 Natural Bare Oak



4384 Freshfield Oak



4386 Marlow Oak



4387 Brookland Oak



4388 Country Park Oak



4389 Story Oak

Wood

Plank Size: 184.2 x 1219.2mm



> P.46



4381 Riverview Oak



> P.48



4438 Cliff Top Oak



> P.50

4391 Bowland Oak



> P.52

4452 Winchester Oak



> P.54

4453 Coastal Driftwood



> P.56



4454 Fired Oak

 high shade variation

Stone

Tile Size: 457.2 x 457.2mm



> P.60

4527 Silvered Concrete



> P.62

4537 Fossil Limestone



> P.64

4528 Refined Concrete


Stone

Tile Size: 304.8 x 609.6mm



> P.66

4534 Balmoral Grey Slate



> P.68

4535 Welsh Raven Slate

With regard to colour printing, it is only possible to give a provisional representation of the product colour. For colour selection an original sample should be used, which we shall be pleased to supply free of charge. To replicate the natural material, the stone effect tiles may include variation in markings as part of their design.

We offer an exclusive selection
of inlay accessories that have been
purposefully designed to enhance each
shade within the Colonia collection.

Inlay Accessories



4534 Balmoral Grey Slate

Grouting Strips

Strip size: 3 x 914mm

Typically laid between stone tiles, grouting strips can be used as a subtle close-to-tile colour addition to your floor, or you can select a lighter or darker shade to create a contrasting effect.



Marquetry Strips

Strip size: 3 x 914mm

These strips are ideal for laying between planks to create designs such as ships decking, perimeter borders or highlighting room features like fireplaces and island units.



Design Tip: It is worth noting that although the Grouting Strips are ideal for the stone tiles and the Marquetry Strips suit the wood planks, they can be mixed and matched between tiles and planks to further create a unique look.

Note: As the Grouting, Marquetry & Cross Grain Marquetry Strips are cut from natural wood and stone designs, there will be variation in markings and decoration.

Feature Strips

Strip size: 5 x 1000mm

Feature strips bring a bold statement look to both planks and tiles. Create a focal point or use as a metallic highlight for a striking luxurious finish.



Cross Grain Marquetry Strips

Strip sizes: 10 x 914mm & 25 x 914mm

Running across the natural wood grain, these eye catching strips create a distinct effect when used individually or in varied combinations.



Your Colonia Floor

We are here to help, the following pages contain all the information you need to finalise your Colonia flooring selection. We also offer advice and further resources for keeping your floor looking as good as new after it's installed.



4644 Village Oak Small Parquet

Designing Your Interior	82
Laying Patterns	84
Floorcare	86
Technical Specification	88
Guarantee	89
Sustainability	90
Visualiser	91

5 Step Guide TO YOUR PERFECT FLOOR



1
↓

BE INSPIRED

The first stage of designing an interior is refining your ideas and planning your finished look. You can find further information and resources on our website polyflor.com.

2
↓

SELECT YOUR FLOOR

Browse our brochure, shadecard and retail presenter at your leisure and make a shortlist of your favourite designs.

Our room visualiser is also available to help you picture any design instantly, in every room of your home polyflor.com/visualiser, see page 91 for more information..

3
↓

ORDER FREE SAMPLES

Free samples of every shade are available to order through our website polyflor.com or call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.

4
↓

DISCUSS YOUR PROJECT

It is always useful to be prepared when visiting your local flooring retailer.

Start by providing a rough guide of the room shape and measurements. Be sure to bring your shortlist of chosen designs, including shade name and number.

5
↓

ENJOY YOUR NEW FLOOR

We want you to enjoy your floor for years to come, so we have prepared a list of top tips to help you keep your floor looking as good as new. See page 86 for details.

Laying Patterns

SMALL PARQUETS

Herringbone



Bloomfield Oak Small Parquet

Woodblock



Village Oak Small Parquet

Double Plank Tramline



Wisteria Oak Small Parquet

LARGE PARQUETS

Tramline



Delamere Oak Large Parquet

Parquet Straight Laid Offset Parallel



Bridgewater Oak Large Parquet

Parquet Laid with Parquet Perimeter & Inlay Strip



Fairmont Oak Large Parquet with Gold Feature Strip

WOOD PLANKS

Straight Laid




English Oak

Ships Decking



Fired Oak with Classic Oak Marquetry Strip


Mix & Match



Fair Blond Oak, Marlow Oak & Country Park Oak


STONES

Brickwork



Welsh Raven Slate

Straight Laid



Refined Concrete

Herringbone



Balmoral Grey Slate with Ice Grouting Strip



ALL PARQUET DESIGN LAYING PATTERNS CAN BE REPLICATED USING FULL LENGTH WOOD PLANKS

BESPOKE CUTTING: You choose your design

Polyflor have a highly experienced and creative design floor service team. There is virtually no limit to the designs that can be achieved using precision waterjet cutting, so if you have a bespoke design in mind which is not covered here, discuss it with your flooring provider.

Floorcare

Initial cleaning after your new floor has been installed:

- Avoid walking on the floor for at least 24 hours following completion of installation
- Sweep or vacuum to prevent loose dirt or grit from scratching the floor
- Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection

Day to day cleaning:

- Sweep or vacuum the floor to remove loose dirt, grit or dust
- Use clean mops and neutral cleaning solutions to regularly clean your floor. Contact Polyflor for details of approved maintenance products
- Dilute the floor cleanser to the manufacturer's instructions
- Mop the floor evenly
- Collect any excess liquid in a mop bucket
- Rinse the floor with clean water and allow to dry

Regular cleaning is more beneficial to the floor covering and is more cost effective than occasional heavy cleaning.

- DO:**
- ✓ Install barrier mats at entrances to pick up grit and moisture
(Please note, some rubber-backed mats may discolour the floor)
 - ✓ Ensure your furniture is fitted with protective pads where necessary to prevent scratches
 - ✓ Use protective cups under heavy furniture to prevent indentation
 - ✓ Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards
 - ✓ Always use clean equipment when maintaining your floor
 - ✓ Regularly trim pets claws as these can cause fine scratches
- DON'T:**
- ✗ Use abrasive liquids or metal scouring pads as these can damage the floor
 - ✗ Clean the floor with solvents, caustic detergents, washing up liquids, soap powders, bleach, furniture polishes, petroleum based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage
 - ✗ Drag furniture with unprotected feet across the floor



WE HIGHLY RECOMMEND YOU USE THE POLYFLOR FLOOR CARE KIT TO MAINTAIN YOUR COLONIA FLOOR.
You can find out more information and order your floor care kit from your Colonia retailer.



Technical Specification

PLANK & TILE SIZES

Format	Size	Shades	Quantity per Box	Coverage per Box
Plank	76.2 x 228.6mm	4	192	3.34m ²
	76.2 x 457.2mm	4	96	3.34m ²
	152.4 x 1219.2mm	2	18	3.34m ²
	184.2 x 1219.2mm	13	15	3.37m ²
Tile	457.2 x 457.2mm	3	16	3.34m ²
	304.8 x 609.6mm	2	18	3.34m ²

PRODUCT FORMAT

Gauge	ISO 24346 (EN 428)	2.0mm
Wear Layer	ISO 24340 (EN 429)	0.20mm
Total Weight	ISO 23997 (EN 430)	3680g/m ²
Finish	PUR	

PERFORMANCE REQUIREMENTS

General Performance	ISO 10582 (EN 649)	Conforms
Use Area	ISO 10874 (EN 685)	22
Slip Resistance	EN 13893	Class DS
	DIN 51130/DIN EN 16165 Ann. B	R10
	AS 4586 Appendix D	R10
Binder Content	ISO 10582	Type I
Abrasion Resistance	EN 649	Group T
Reaction to Fire	EN 13501-1	Class Bfl-S1
	ASTM E662	<450 Pass
	ASTM E648	Class 1
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'
Residual Indentation	ISO 24343-1	<0.05mm*
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable
Dimensional Stability	ISO 23999 (EN 434)	≤0.10%
Underfloor Heating		Suitable, max 27°C
Light Fastness	ISO 105-B02 (Method 3)	≥6

*Average test value from current production.

SUSTAINABILITY

BRE Green Guide	A ENP 429
Generic EN 15804 EPD	Available
Recyclable	100%
Recycled Content	Up to 40%
REACH	Compliant
Indoor Air Comfort Gold	Eurofins certified product
FloorScore	Certified
Finnish M1 Classification	Certified

AgBB/ABG		Pass
Responsible Sourcing	BES 6001 SA 8000	Very Good Approved factory

ACOUSTIC PERFORMANCE

Impact Sound Reduction	ISO 10140-3	2dB
------------------------	-------------	-----

MAINTENANCE PERFORMANCE

Resistance to Chemicals	ISO 26987 (EN 423)	Good resistance
Regular light maintenance is more cost-effective than periodic heavy maintenance and more beneficial to the floor covering.		

For general information on your specific project, speak with your local Colonia provider. If you require specific detailed technical data, contact Polyflor Customer Technical Services on +44 (0) 161 767 1912 or email tech@polyflor.com

Guarantee

The Colonia collection of luxury vinyl tiles has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. Compared with many alternative flooring options, Colonia will under normal conditions resist household stains, will not crack, chip or splinter.

The manufacturers of Colonia are confident that the high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 7 years against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or Polyflor Ltd.

7
YEAR
GUARANTEE

Free Samples

We highly recommend you view a sample of your favourite designs, which is why we offer a complimentary sampling service. Visit the Polyflor website, call the dedicated Polyflor Samples Hotline on +44 (0) 161 767 2551 or speak with your local Polyflor provider.

FREE
Sample Service 
+44 (0)161 767 2551


Sustainability

The increased awareness of sustainable development is a key aspect of manufacturing and as such, Colonia is 100% recyclable, contains up to 40% recycled content and can be recycled through Polyflor's recycling scheme, Recofloor.

Polyflor floor coverings contain a combination of materials which are clean, natural and recycled for a more sustainable end product. These materials are responsibly sourced in accordance with our third party verified BES 6001 certification. Colonia luxury vinyl flooring contributes positively to indoor air comfort and quality, it is certified by Indoor Air Comfort Gold and FloorScore® as extremely low VOC.

Polyflor is certified to ISO 14001 and ISO 9001 ensuring the best environmental and quality management systems. What's more, Polyflor has achieved SA 8000 approved factory status, providing social accountability throughout our manufacturing processes. Not only do we look to minimise our carbon footprint, but yours too. Choose Polyflor for zero compromise on style, function and the environment.

For further details on Polyflor's achievements in areas such as recycling, energy reduction and waste avoidance visit polyflor.com



polyflor.com/visualiser



PICTURE IT INSTANTLY
IN YOUR HOME

COLONIA™

POLYFLOR™ INTERNATIONAL

Australia

Polyflor Australia
Tel: 1800 777 425
Email: sales@polyflor.com.au

Canada

Polyflor Canada Inc.
Tel: +1 905 364 3000
Email: sales@polyflor.ca

China

Polyflor Hong Kong O/B Polyflor Ltd.
Tel: +(852) 2865 0101
Email: info@polyflor.com.hk

Colombia

Polyflor Ltd. (LATAM Office)
Tel: +57 3142859005
Email: info@polyflor.com

France

James Halstead France SAS
Tel: +33 (0)8 20 20 32 11
Email: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH
Tel: +49 (0) 2236 966 330
Email: info@objectflor.de

India

Polyflor India Pvt Ltd.
Tel: +91 22 4023 2485
Tel: +91 22 4023 2486
Email: info@polyflor.co.in

Ireland

Polyflor Ireland
Tel: +353 (1) 864 9304
Email: salesireland@polyflor.com

Malaysia

Polyflor Martex
Tel: 1300 80 7788
Email: sales@polyflor.com.my

Middle East

Polyflor Ltd.
Tel: +971 50 406 8114
Email: info@polyflor.com

New Zealand

Polyflor New Zealand Ltd.
Tel: 0800 765 935
Tel: +64 9 269 1111
Email: sales@polyflor.co.nz

Norway

Polyflor Nordic
Tel: +47 23 00 84 00
Email: firmapost@polyflor.no

Spain

Polyflor Ltd.
Tel: +34 619 949 054
Email: info@polyflor.com

Sweden

Polyflor Nordic Sweden AB
Tel: +46 (0) 300 15820
Email: info@polyflor.se



POLYFLOR™ UK

Polyflor Ltd. PO Box 3, Radcliffe New Road,
Whitefield, Manchester, M45 7NR

Tel: +44 (0) 161 767 1111
Email: info@polyflor.com

www.polyflor.com

LIT445 04/24

James Halstead™
FLOORING