



COLONIA™  
LUXURY VINYL TILE COLLECTION

# you're at home


Colonia has been carefully designed to ensure you feel at home. We have carried out extensive design, trend and performance research to ensure we offer a range of beautiful, desirable and practical floor coverings. Ideally styled for a wide range of home interiors, this brochure contains lots of ideas and creative photography to inspire an array of styles and tastes. Even more inspiration can be found online at [polyflor.com](https://polyflor.com).

Colonia has been constructed to withstand the demands of busy lifestyles. Each plank and tile features a protective polyurethane reinforcement treatment to ensure any inevitable spills and crumbs can be easily wiped or swept away. What's more, free product samples of the Colonia shades are available, see page 76 for further details.


## YOUR FLOORING GUIDE

To make choosing your new floor as straightforward as possible, every Colonia image has been given a design reference code for easy identification and a 1-3 star rating. These ratings have been developed to give you an indication of the complexity of each design, and the level of pre-cutting required.


Whether you are looking to add details and highlights, mix and match multiple shades, or push boundaries with a bespoke design floor, Colonia Luxury Vinyl Tiles are ideal! The flooring designs shown throughout the brochure are only a snapshot of what you can achieve. If you have your own unique concept in mind, your flooring provider will be able to offer further advice.



**STANDARD**  
(no cutting)



**STRAIGHT**  
(basic cutting)



**BESPOKE**  
(complex cutting)





## WOOD

06

Presenting a carefully balanced palette of classic and contemporary timber designs.



## STONE

38


Combining beauty and practicality with a choice of stunning man-made and natural designs.



## CREATE YOUR LOOK

62

Choose your favourite Colonia shades, select any additional inlay accessories and start planning your flooring layout.



## YOUR COLONIA FLOOR

76

Here we guide you through the final selection process. Order samples, find your local Colonia retailer and learn how to care for your floor after installation.



# WOOD

Each design in the Colonia wood collection has been hand-selected to offer a stunning mix of classic to contemporary flooring options.



Plank size: 184.2 x 1219.2mm

Cliff Top Oak 4438



★  
Straight laid (Design ref: 103)


WOOD




★  
Straight laid (Design ref: 103)

WOOD

This design intentionally features a strong pattern and/or colour variation to accurately replicate natural timber



Hampton Oak 4439



WOOD



WOOD

This design intentionally features a strong pattern and/or colour variation to accurately replicate natural timber



Nordic White Oak 4436



★  
Straight laid (Design ref: 103)

WOOD




★  
Straight laid (Design ref: 103)

WOOD




Winchester Oak 4452



★  
Straight laid (Design ref: 103)

WOOD



★  
Straight laid (Design ref: 103)

WOOD



New England Elm 4433



★  
Straight laid (Design ref: 102)




★  
Straight laid (Design ref: 102)



★  
Straight laid (Design ref: 102)



Coastal Driftwood 4453



★  
Double plank tramline (Design ref: 215)

WOOD



★  
Straight laid with a single plank perimeter (Design ref: 520)

WOOD




Plank size: 152.4 x 914.4mm

Oxford Maple 4431



★  
Straight laid (Design ref: 103)

WOOD



★  
Straight laid (Design ref: 103)

WOOD




Mountain Alder 4401





Plank size: 101.6 x 914.4mm

Golden Koa 4403



Double plank tramline (Design ref: 215)

WOOD



Double plank tramline (Design ref: 215)

WOOD



English Oak 4435



★  
Straight laid with a single plank perimeter, with Classic Oak Cross Grain Marquetry Strip (Design ref: 501)

WOOD



★ ★  
Herringbone pattern in third length planks (Design ref: 208)

WOOD



Plank size: 152.4 x 1219.2mm

## Schoolhouse Oak 4434



Herringbone pattern in third length planks (Design ref: 208)

WOOD




Straight laid with a double plank perimeter (Design ref: 503)

WOOD



Woodland Oak 4411



Full plank herringbone (Design ref: 207)

WOOD



Straight laid (Design ref: 103)

WOOD



Virginia Walnut 4432



★  
Straight laid ships decking effect, with Walnut Marquetry Strip (Design ref: 201)  
Silvered Concrete is featured in the adjoining room.



★  
Straight laid (Design ref: 103)



Fired Oak 4454



★  
Straight laid ships decking effect, with Classic Oak Marquetry Strip (Design ref: 201)

WOOD



★  
Straight laid (Design ref: 103)


WOOD

This design intentionally features a strong pattern and/or colour variation to accurately replicate natural timber 




Plank size: 184.2 x 1219.2mm

## Kings Oak 4437



★  
Straight laid, ships decking effect, with Natural Oak & Walnut Marquetry Strip in a triple strip design (Design ref: 202)

WOOD



★  
Straight laid with a double plank perimeter (Design ref: 503)

WOOD



# STONE


Beauty and practicality are the central focus of the Colonia stone collection, fusing the characteristics of natural and man-made materials with the performance and functionality of a hardwearing tile.



★  
Straight laid (Design ref: 301)

STONE

40



★  
Straight laid (Design ref: 301)

Stencilled Concrete 4526



★  
Tile size: 304.8 x 304.8mm

STONE

41

This design features a strong pattern and/or colour variation 



★  
Straight laid (Design ref: 301)

STONE



★  
Straight laid (Design ref: 301)

Silvered Concrete 4527



Tile size: 457.2 x 457.2mm

STONE



★  
 Straight laid, with Ice Grouting Strip (Design ref: 401)  
 Central section features Virginia Walnut

STONE



★  
 Three tiles laid together, with Graphite Grouting Strip (Design ref: 406)

Natural Limestone 4536



Tile size: 457.2 x 457.2mm

STONE



Brickwork with Ice Grouting Strip (Design ref: 404)

STONE



Off-set keysquare with Ice Grouting Strip (Design ref: 426)



Off-set keysquare with Ice Grouting Strip (Design ref: 426)

## Balmoral Grey Slate 4534



Tile size: 304.8 x 609.6mm

STONE



STONE



Cottage Yorkstone 4531




STONE



★  
Straight laid (Design ref: 301)

STONE

50



★ ★  
Random width tile design featuring full, two third & third cut tiles, with Grey Grouting Strip (Design ref: 423)

Fossil Limestone 4537



Tile size: 457.2 x 457.2mm

STONE

51



Brickwork (Design ref: 305)  
Siluered Concrete is featured in the adjoining rooms.

STONE



Brickwork with Ice Grouting Strip (Design ref: 305)

Glazed Metalstone 4533



Tile size: 304.8 x 609.6mm

STONE



★ ★  
Straight laid with bespoke perimeter, with Walnut Marquetry Strip (Design ref: 528)

STONE



★ ★  
Random stone design, with Maple Marquetry Strip (Design ref: 427)

Quarried Millstone 4532



Tile size: 304.8 x 304.8mm

STONE



★  
Straight laid (Design ref: 301)

STONE



★  
Straight laid (Design ref: 301)

Refined Concrete 4528



Tile size: 457.2 x 457.2mm

STONE



★  
Brickwork, with Grey Grouting Strip (Design ref: 404)

STONE



★ ★  
Chequerboard effect featuring Balmoral Grey Slate, with Grey Grouting Strip (Design ref: 417)

Welsh Raven Slate 4535



Tile size: 304.8 x 609.6mm

STONE



★ ★  
Half Cut tiles in brickwork, with Ice Grouting Strip (Design ref: 419)

STONE



★ ★  
Half Cut tiles in brickwork, with Ice Grouting Strip (Design ref: 419)

Imperial Black Marble 4515




Tile size: 304.8 x 304.8mm

STONE



# CREATE YOUR LOOK

The following section is designed to guide you through the selection process of your new Colonia floor. Choose your favourite shades, select any additional inlay accessories and plan your layout. We have also included pointers to our websites, which contain even more interior design inspiration and information.



## WOOD

Accurate authenticity is at the heart of the Colonia wood collection, representing the allure, distinction and unpredictability of natural timber. To replicate these materials, the products may contain knots and variation in markings as part of their design.

Although we endeavour to ensure our brochure print process represents the true colour of the products, we recommend you view an original sample of your selected designs which we shall be pleased to supply, free of charge. Either visit [polyflor.com](http://polyflor.com) and follow the samples link or call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.

101.6 x 914.4mm

R10



Mountain Alder 4401

p22



Golden Koa 4403

p24



Woodland Oak 4411

p30

152.4 x 914.4mm

R10



Oxford Maple 4431

p20



Virginia Walnut 4432

p32

152.4 x 1219.2mm

R10



New England Elm 4433

p16

CREATE YOUR LOOK

The R values shown denote a ramp test result, which is an ex-factory measure of slip resistance. For safety flooring with sustainable wet slip resistance, refer to the Polysafe and Expona Control ranges.

152.4 x 1219.2mm (Continued)



Schoolhouse Oak 4434

p28



English Oak 4435

p26

184.2 x 1219.2mm

R10




Nordic White Oak 4436

p12



Coastal Driftwood 4453

p18



Kings Oak 4437

p36



Cliff Top Oak 4438

p08




Winchester Oak 4452

p14



Hampton Oak 4439

p10




Fired Oak 4454

p34

CREATE YOUR LOOK

This design intentionally features a strong pattern and/or colour variation to accurately replicate natural timber





## STONE

Colonia reflects the undoubted beauty of stone, slate and man-made materials with a sophisticated and tailored collection of tiles. The detailing and natural intricacies are sympathetically represented to ensure authenticity, therefore the products may contain variation in markings as part of their design.


304.8 x 609.6mm

R10



304.8 x 304.8mm


R10



CREATE YOUR LOOK

The R values shown denote a ramp test result, which is an ex-factory measure of slip resistance. For safety flooring with sustainable wet slip resistance, refer to the Polysafe and Expona Control ranges.

304.8 x 304.8mm (continued)



457.2 x 457.2mm

R10



Although we endeavour to ensure our brochure print process represents the true colour of the products, we recommend you view an original sample of your selected designs which we shall be pleased to supply, free of charge. Either visit [polyflor.com](http://polyflor.com) and follow the samples link or call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.

CREATE YOUR LOOK

This design features a strong pattern and/or colour variation 



# INLAY ACCESSORIES

We offer an exclusive selection of inlay accessories that have been purposefully designed to enhance each shade within the Colonia collection.



Golden Koa with Brown **Feature Strip**



Kings Oak with Natural Oak & Walnut **Marquetry Strip**



Welsh Raven Slate with Grey **Grouting Strip**



English Oak with Classic Oak **Cross Grain Marquetry Strip**



Balmoral Grey Slate with Ice **Grouting Strip**



Glazed Metalstone with Ice **Grouting Strip**

CREATE YOUR LOOK

CREATE YOUR LOOK

### Grouting Strips

Typically laid between stone tiles, grouting strips can be used as a subtle close-to-tile colour addition to your floor, or you can select a lighter or darker shade to create a contrasting effect.

Strip size: 3mm x 914mm



**2031** Ice

**2033** Pearl

**2035** Grey

**2037** Coffee

**2039** Graphite

### Marquetry Strips

These strips are ideal for laying between planks to create designs such as ships decking, perimeter borders or highlighting room features like fireplaces and island units.

Strip size: 3mm x 914mm



**2056** Maple

**2057** Natural Oak

**2058** Classic Oak

**2059** Walnut

**Design Tip:** It is worth noting that although the Grouting Strips are ideal for the stone tiles and the Marquetry Strips suit the wood planks, they can be mixed and matched between tiles and planks to further create a unique look.

**Note:** As the Grouting, Marquetry & Cross Grain Marquetry Strips are cut from natural wood and stone designs, there will be variation in markings and decoration.

CREATE YOUR LOOK

### Cross Grain Marquetry Strips

Running across the natural wood grain, these eye catching strips create a distinct effect when used individually or in varied combinations.

Strip size: 10mm x 914mm



**1011** Classic Oak

**1012** Walnut

Strip size: 25mm x 914mm




**2511** Classic Oak

**2512** Walnut

### Feature Strips

Feature strips bring a bold statement look to both planks and tiles. Create a focal point or use as a metallic highlight for a striking luxurious finish.

Strip size: 5mm x 1000mm



**0026** Gold

**0025** Silver

**0028** Black

**0032** Cream

**0031** Brown


CREATE YOUR LOOK

# DESIGN FLOOR LAYOUTS


Key: — No Gap — Inlay Strip

## WOOD DESIGN FLOORS


These linear drawings show a selection of creative designs to help inspire you when choosing your new Colonia floor. From straight laid designs to bespoke flooring patterns, you can put your ideas into practice down to the last detail.




Straight laid plank with strip between each length ('ships decking' effect)  
Laid either formal or staggered




Double plank tramlines




Straight laid



Third length plank herringbone




Full plank perimeter with inlay strip




Basket weave design

## STONE DESIGN FLOORS


As with the wood design floors, the Colonia stone designs provide the ultimate in versatility, offering exciting format, colour and texture combinations. The below illustrations provide you with a wide creative scope to help you achieve a beautiful floor installation.




Half cut tiles in brickwork, with inlay strip




Off-set keysquare design with inlay strip




Brickwork pattern with inlay strip



Random stone design with inlay strip



Straight laid



Three tiles installed together, with an inlay strip surround

## 5 STEP GUIDE TO YOUR PERFECT FLOOR

### 1 BE INSPIRED

The first stage of designing an interior is refining your ideas and planning your finished look.

### 2 SELECT YOUR FLOOR

Browse our brochure, shadecards and retail presenters at your leisure and make a shortlist of your favourite designs. Our room visualiser is also available to help you picture any design instantly, in every room of your home.

### 3 ORDER FREE SAMPLES

Free samples of each shade are available to order through our website [polyflor.com](http://polyflor.com) or call the dedicated Polyflor Samples Hotline on **+44 (0)161 767 2551**.

### 4 DISCUSS YOUR PROJECT

It is always useful to be prepared when visiting your local flooring retailer. Start by providing a rough guide of the room shape and measurements. Be sure to bring your shortlist of chosen designs, including shade name and number.

### 5 ENJOY YOUR NEW FLOOR

We want you to enjoy your floor for years, so we have prepared a list of top tips to help you keep your floor looking as good as new, see full brochure for more details.

CREATE YOUR LOOK

## ONLINE SUPPORT



View even more Colonia interiors along with other inspiring Polyflor flooring ranges for the home on our website [www.polyflor.com](http://www.polyflor.com). You can browse through several pages of inspirational photography in our downloadable brochures, as well as order samples on the go!

More detailed product and technical information on all collections within the Polyflor portfolio is also available.

## PICTURE IT INSTANTLY



### SEE OUR FLOORS IN YOUR SPACE

Simply take a photo of the area you are renovating and select your new floor at the touch of a button. Visualise any of the Colonia range now.

Visit [polyflor.com/visualiser](http://polyflor.com/visualiser)




CREATE YOUR LOOK

## ORDERING SAMPLES

Although we endeavour to ensure the highest quality in our brochure print process, it is only possible to give a provisional representation of the true product colour. For final shade selection we highly recommend you view an original sample of your favourite designs, which is why we offer a complimentary sample service.

Sampling your choice of flooring before you buy and trying it out in your home also ensures you find the exact product you are looking for. To order a free sample of any Colonia colour, visit either of our websites or call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551.

[www.polyflor.com](http://www.polyflor.com)



## ORDERING YOUR COLONIA FLOOR

Polyflor products are readily available worldwide through our wide network of supporting agents and wholesale partners. Your flooring retailer or supplier should be able to source your selected Colonia product through their existing supply chain. Should you have any issues finding a local stockist feel free to email us at [pahteam@polyflor.com](mailto:pahteam@polyflor.com) and we will be happy to help.



Tip: It's always useful to be prepared when you visit your Colonia retailer, so why not draw up an outline of your project providing a rough guide to room shape and measurements. Be sure to bring along a short list of your favourite Colonia designs, including both the shade names, numbers and any design floors that have caught your eye.

### General enquiries

For general information on your specific project, speak with your local Colonia provider. If you require detailed technical data, contact Polyflor Customer Technical Services on +44 (0)161 767 1912 or email [tech@polyflor.com](mailto:tech@polyflor.com)

## FLOORCARE

Each product in the Colonia collection features a polyurethane reinforcement (PUR), providing protection against everyday wear ensuring long-term performance of your floor. We want your new Colonia floor to be a design and functional feature for many years to come, so below we have laid out the following guidelines:

### Do:

- ✓ Install barrier mats at entrances to pick up grit and moisture. (Note, some rubber-backed mats may discolour the floor)
- ✓ Ensure your furniture is fitted with protective pads where necessary to prevent scratches.
- ✓ Use protective cups under heavy furniture to prevent indentation.
- ✓ Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards.
- ✓ Always use clean equipment when maintaining your floor.
- ✓ Regularly trim pets claws as these can cause fine scratches.

### Don't:

- ✗ Use abrasive liquids or metal scouring pads as these can damage the floor.
- ✗ Clean the floor with solvents, caustic detergents, washing up liquids, soap powders, bleach, furniture polishes, petroleum based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage.
- ✗ Drag furniture with unprotected feet across the floor.

### Initial cleaning after your new floor has been installed:

- Avoid walking on the floor for at least 24 hours following completion of installation.
- Sweep or vacuum to prevent loose dirt or grit from scratching the floor.
- Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection.

### Day to day cleaning:

- Sweep or vacuum the floor to remove loose dirt, grit or dust.
- Use clean mops and neutral cleaning solutions to regularly clean your floor.
- Mop the floor evenly.
- Collect any excess liquid in a mop bucket.
- Rinse the floor with clean water and allow to dry.



Colonia is resistant to everyday dirt, dust and soil.



Crumbs can be simply swept away.




Colonia is resistant to accidental splashes and temporary surface water.



Polyflor at Home Floor Care Kits are available to order through your retailer.

## GUARANTEE



### 7 Year Product Guarantee

The Colonia collection of luxury vinyl tiles has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. Compared with many alternative flooring options, Colonia will under normal conditions resist household stains, will not crack, chip or splinter. The manufacturers of Colonia are confident that the high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 7 years against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or Polyflor Ltd.

# BEAUTIFULLY SUSTAINABLE

Beautiful, stylish and sustainable; Colonia ticks all the boxes, achieving small footprint design. From the sustainable materials used, which are safe, non-toxic and responsibly sourced, through to its low maintenance regime (using less water, energy and chemicals) which is better for the environment and your pocket. Colonia is completely recyclable: Offcuts can be recycled back into new Polyflor flooring, whilst used uplifted flooring can be repurposed into traffic cones.



## Good to Know

Polyflor is ISO 14001, ISO 9001 and SA 8000 certified, ensuring the best environmental, quality and ethical performance. Furthermore, Polyflor is the only floor covering manufacturer to achieve BES 6001 certification for Responsible Sourcing.

Colonia is environmentally accredited and achieves a BRE (Building Research Establishment) A rating for its performance and minimal effect on the environment.

Colonia luxury vinyl tiles include 40% recycled content, 76% natural content and are phthalate-free.


Our packaging also contains recycled content and can be recycled.

The whole collection is certified very low for VOC emissions, for healthier indoor air quality and comfort.



For more information on our pledge to sustainability and our ongoing performance, visit [www.polyflor.com/sustainability](http://www.polyflor.com/sustainability)

# TECHNICAL DETAILS



## Product construction

- 1 The Polyurethane Reinforcement (PUR)**  
Thanks to a factory-applied polyurethane reinforcement (PUR), there is less work for you to do to care for your floor.
- 2 The Wear Layer**  
This transparent, extremely dense layer is hard-wearing and protects the decoration of the product. This allows the surface embossing to create a highly authentic effect.
- 3 The Decoration Layer**  
Each design has been specifically developed for Colonia by means of extensive trend research and the commissioning of experienced product designers.
- 4 The Stabilisation Layer**  
Improved dimensional stability is achieved by minimising the effect of surrounding physical properties (e.g. temperature fluctuations).
- 5 The Load-Bearing Layer**  
The basis for the long service life and high performance of Colonia.

Colonia is a top quality vinyl flooring in tile and plank formats. Each layer has been thermally pressed by means of innovative technologies for ultimate performance.

The following table features technical details, if you require any further information contact Polyflor Customer Technical Services on +44 (0)161 767 1912, or email [tech@polyflor.com](mailto:tech@polyflor.com)

**FREE Sample Service**  
+44 (0)161 767 2551

CHARACTERISTICS	COLONIA	CHARACTERISTICS	COLONIA
General performance ISO 10582 (EN 649)	Conforms	Light fastness* ISO 105-B02 (Method 3)	≥6
Finish	PUR	Reaction to fire EN 13501-1	Class Bfl-S1
Total weight ISO 23997 (EN 430)	3680 g/m <sup>2</sup>	Static Electrical Propensity EN1815	≤2.0kV Classified as 'antistatic'
Use area ISO 10874 (EN 685)	22	Slip resistance** EN 13893 DIN 51130 / DIN EN 16165 Ann. B AS 4586	Class DS R10 R10
Gauge ISO 24346 (EN 428)	2.0mm	For safety flooring with sustainable wet slip resistance, refer to Expona Control or the Polysafe ranges	
Wear layer thickness ISO 24340 (EN 429)	0.2mm	VOC emissions	Indoor Air Comfort Gold - Eurofins Certified product AgBB - Pass FloorScore - Certified Finnish M1 - Certified
Plank size ISO 24342 (EN 427) and packaging details	36 @ 101.6 x 914.4mm = 3.34m <sup>2</sup> 24 @ 152.4 x 914.4mm = 3.34m <sup>2</sup> 18 @ 152.4 x 1219.2mm = 3.34m <sup>2</sup> 15 @ 184.2 x 1219.2mm = 3.37m <sup>2</sup>	Responsible Sourcing BES 6001 SA 8000	Very good Approved factory
Tile size ISO 24342 (EN 427) and packaging details	36 @ 304.8 x 304.8mm = 3.34m <sup>2</sup> 18 @ 304.8 x 609.6mm = 3.34m <sup>2</sup> 16 @ 457.2 x 457.2mm = 3.34m <sup>2</sup>	Resistance to chemicals ISO 26987 (EN 423)	Good***
Residual indentation ISO 24343-1 (EN 433)	≤0.05mm	Castor chair (continuous use) ISO 4918 (EN 425)	Suitable
Abrasion resistance EN 649	Group T	Underfloor heating	Suitable, max. 27°C
Dimensional stability ISO 23999 (EN 434)	<0.10% max		

\* We recommend that adequate UV protection be taken against products being installed in direct sunlight as fading may occur.

\*\* For clarification regarding slip resistance, consult Polyflor.

\*\*\* Resistant depending on concentration and time of exposure. In case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals, please contact us.



# COLONIA™

LUXURY VINYL TILE COLLECTION

## POLYFLOR™ INTERNATIONAL

### Australia

Polyflor Australia  
Tel: 1800 777 425  
E-mail: sales@polyflor.com.au

### Canada

Polyflor Canada Inc.  
Tel: +1 905 364 3000  
E-mail: sales@polyflor.ca

### China

Polyflor Hong Kong O/B Polyflor Ltd.  
Tel: +8521 2865 0101  
E-mail: info@polyflor.com.hk

### Colombia

Polyflor Ltd. (LATAM Office)  
Tel: +57 (601) 7431965  
E-mail: info@polyflor.com

### France

James Halstead France SAS  
Tel: +33 (0)8 20 20 32 11  
E-mail: info@jhf.france.fr

### Germany

objectflor Art und Design Belags GmbH  
Tel: +49 (0) 2236 966 330  
E-mail: info@objectflor.de

### India

Polyflor India Pvt Ltd.  
Tel: +91 22 4023 2485  
E-mail: info@polyflor.co.in

### Ireland

Polyflor Ireland  
Tel: +353 (1) 864 9304  
E-mail: salesireland@polyflor.com

### Malaysia

Polyflor Martex  
Tel: 1300 80 7788  
E-mail: sales@polyflor.com.my

### Middle East

Polyflor FZE  
Tel: +971 50 406 8114  
E-mail: aelwakil@polyflorfze.ae

### New Zealand

Polyflor New Zealand Ltd.  
Tel: 0800 765 935  
Tel: +64 9 269 1111  
E-mail: sales@polyflor.co.nz

### Norway

Polyflor Nordic  
Tel: +47 23 00 84 00  
E-mail: firmapost@polyflor.no

### Poland

Polflor Sp. Z.o.o  
Tel: +48 (0) 61 820 3155  
E-mail: polyflor@polflor.com.pl

### South Africa

Poly Sales Africa (Pty.) Ltd.  
Tel: +27 (0) 11 609 3500  
E-mail: info@polyflor.co.za

### Spain

Polyflor Ltd.  
Tel: +34 619 949 054  
E-mail: info@polyflor.com

### Sweden

FalckDesign AB  
Tel: +46 (0) 300 15820  
E-mail: info@falckdesign.com

[www.polyflor.com](http://www.polyflor.com)



## POLYFLOR™ HEAD OFFICE

POLYFLOR LTD. PO BOX 3 RADCLIFFE NEW ROAD WHITEFIELD MANCHESTER M45 7NR UK

UK SALES DIRECT: +44 (0)161 767 1122

UK SAMPLE REQUESTS: +44 (0)161 767 2551

EXPORT SALES DIRECT: +44 (0)161 767 1913

TECHNICAL SUPPORT: +44 (0)161 767 1912

RECEPTION: +44 (0)161 767 1111

E-MAIL: [INFO@POLYFLOR.COM](mailto:INFO@POLYFLOR.COM)

**POLYFLOR™**  
COVERING THE WORLD

*James Halstead™*  
FLOORING