



The Brighter Choice



DALLAS PRO

Adaptive. Modular. Dynamic.



UGR<19
Less glare, more focus

Functional & Stylish

Optimised lighting for productivity and efficiency.

DALLAS PRO is designed to boost productivity, efficiency, and focus with its advanced UGR<19 glare-reducing lens. By minimising glare, it creates a comfortable and effective environment for studying and working. Its sleek, modern, and modular design seamlessly integrates into any workspace, offering both style and performance.

Ideal for:



Education



Office



Commercial



Standard in white and black
with custom colour options



Enhanced productivity

UGR<19 minimises glare, reducing eye strain and enhancing comfort, focus, and performance, within the working and learning environments.



Enhanced efficiency and sustainability

Featuring selectable wattage with up to 151 l.lm/c.W efficacy and EPD verification.



Compliance

Easily meet compliance requirements with comprehensive documentation on performance, efficiency, environmental impact, and construction.



7-Year warranty

Industry-leading, hassle-free warranty, covering unlimited hours from installation.



Creative Freedom

Elevate your space with DALLAS PRO, expertly crafted to create striking lighting designs that seamlessly align with your style, layout, and brand identity.

Coupling kits

Design without limits


Craft unique, bespoke designs by seamlessly combining modular units to create custom shapes and angles tailored to your project needs.

Effortless installation


Experience flexible mounting options designed for any space. Select between suspended or surface mounting to seamlessly fit your environment.

Endless possibilities


Available in X, L, T and straight configurations, offering flexibility for creative and functional lighting solutions.




"L" COUPLING KIT



"T" COUPLING KIT



"X" COUPLING KIT



STRAIGHT COUPLING KIT



Standard in white and black
with optional colours and patterns

Custom Finishes

The DALLAS PRO comes in sleek black and white, with custom RAL colour matching and unique finishes, including patterns, for seamless integration into any project.



RAL matching

Bespoke powder coated body. Choose from over 2,500 colours to perfectly match your vision.



Custom patterns

Distinctive textures and designs tailored to elevate your vision with style and character.



Quick delivery

Fast, efficient, and tailored: Bespoke colour matching to meet your needs.




UK based

Locally completed powder coating: Saving time and cutting CO₂ emissions.

Contact sales@nvcuk.com for further information

Terms and conditions apply to custom finishes. See full warranty at <http://nvcuk.com/warranty>

Why DALLAS PRO?




Multi-wattage selectable

Offering flexibility to adjust the light's brightness to suit different needs, from energy-efficiency to customised illumination for various spaces. Simplifies installation and future proof the environment.

UGR<19

A balanced, neutral white light that closely mimics natural daylight. Combining with a UGR<19 lens allows for less glare, reducing eye strain and generating a more comfort, focused and productive environment.




"Down only" or Bi-directional

Providing balanced illumination in both directions, enhancing light distribution and creating a more uniform lighting effect. Or direct illumination for more focused light.

Control

Effortless wireless lighting control. Seamlessly manage individual or grouped luminaires without the hassle of physical connections.



Easy to Install

Mounting plate with piano-key terminal block for loop-in / out and through wiring

Male / female electrical connectors allow the main body to be detached from the mounting plate

Die-cast aluminium end caps (removable)

Snap-fit connectors to secure main body to mounting plate

Stainless steel safety wire

Main body. Extruded aluminium, powder coated RAL9016

BLANK IN-FILL SPACERS
AVAILABLE IN VARIOUS LENGTHS

WIRE SUSPENSION KIT - 1.5M
COMES AS STANDARD WITH
BI-DIRECTIONAL VERSIONS

Down-only with manual test emergency (M3L)


ORDER CODE	DIMENSIONS LENGTH FT	BODY COLOUR	POWER (W)	LUMENS (lm)	EFFICACY (l.lm/c.w)	OPTICAL DIRECTION	EMERGENCY	CRI	CCT (K)
WHITE									
NDL/4/16-28/WH/DO/840	4'	White	16 / 20 / 23 / 27	2381 / 2933 / 3502 / 3999	151 / 150 / 150 / 148	Down Only		>80	4000
NDL/4/16-28/WH/DO/M3L/840	4'	White	16 / 20 / 23 / 27	2381 / 2933 / 3502 / 3999	151 / 150 / 150 / 148	Down Only	M3 Lithium	>80	4000
NDL/5/27-42/WH/DO/840	5'	White	26 / 32 / 34 / 40	3814 / 4669 / 4906 / 5687	147 / 145 / 144 / 142	Down Only		>80	4000
NDL/5/27-42/WH/DO/M3L/840	5'	White	26 / 32 / 34 / 40	3814 / 4669 / 4906 / 5687	149 / 145 / 144 / 142	Down Only	M3 Lithium	>80	4000
BLACK									
NDL/4/16-28/BK/DO/840	4'	Black	16 / 20 / 23 / 27	2381 / 2933 / 3502 / 3999	151 / 150 / 150 / 148	Down Only		>80	4000
NDL/4/16-28/BK/DO/M3L/840	4'	Black	16 / 20 / 23 / 27	2381 / 2933 / 3502 / 3999	151 / 150 / 150 / 148	Down Only	M3 Lithium	>80	4000
NDL/5/27-42/BK/DO/840	5'	Black	26 / 32 / 34 / 40	3814 / 4669 / 4906 / 5687	147 / 145 / 144 / 142	Down Only		>80	4000
NDL/5/27-42/BK/DO/M3L/840	5'	Black	26 / 32 / 34 / 40	3814 / 4669 / 4906 / 5687	149 / 145 / 144 / 142	Down Only	M3 Lithium	>80	4000

Bi-directional with manual test emergency (M3L)

ORDER CODE	DIMENSIONS LENGTH FT	BODY COLOUR	POWER (W)	LUMENS (lm)	EFFICACY (l.lm/c.w)	OPTICAL DIRECTION	EMERGENCY	CRI	CCT (K)
WHITE									
NDL/4/26-40/WH/BD/840	4'	White	26 / 32 / 34 / 40	3725 / 4509 / 4763 / 5499	144 / 141 / 141 / 139	Up & Down		>80	4000
NDL/4/26-40/WH/BD/M3L/840	4'	White	26 / 32 / 34 / 40	3725 / 4509 / 4763 / 5499	144 / 141 / 141 / 139	Up & Down	M3 Lithium	>80	4000
NDL/5/43-55/WH/BD/840	5'	White	43 / 47 / 51 / 55	5959 / 6779 / 7009 / 7529	140 / 145 / 138 / 137	Up & Down		>80	4000
NDL/5/43-55/WH/BD/M3L/840	5'	White	43 / 47 / 51 / 55	5959 / 6779 / 7009 / 7529	142 / 145 / 138 / 137	Up & Down	M3 Lithium	>80	4000
BLACK									
NDL/4/26-40/BK/BD/840	4'	Black	26 / 32 / 34 / 40	3725 / 4509 / 4763 / 5499	144 / 141 / 141 / 139	Up & Down		>80	4000
NDL/4/26-40/BK/BD/M3L/840	4'	Black	26 / 32 / 34 / 40	3725 / 4509 / 4763 / 5499	144 / 141 / 141 / 139	Up & Down	M3 Lithium	>80	4000
NDL/5/43-55/BK/BD/840	5'	Black	43 / 47 / 51 / 55	5959 / 6779 / 7009 / 7529	141 / 145 / 138 / 137	Up & Down		>80	4000
NDL/5/43-55/BK/BD/M3L/840	5'	Black	43 / 47 / 51 / 55	5959 / 6779 / 7009 / 7529	143 / 145 / 138 / 137	Up & Down	M3 Lithium	>80	4000

Accessories

ORDER CODE	DESCRIPTION
NDL/STRAIGHT/WH	Dallas Pro Straight Joiner White
NDL/STRAIGHT/BK	Dallas Pro Straight Joiner Black
NDL/LWH	Dallas Pro L Coupling Kit White
NDL/LBK	Dallas Pro L Coupling Kit Black
NDL/TWH	Dallas Pro T Coupling Kit White
NDL/TBK	Dallas Pro T Coupling Kit Black
NDL/XWH	Dallas Pro X Coupling Kit White
NDL/XBK	Dallas Pro X Coupling Kit Black
NDL/4/WH/BLANK/SPACER	Dallas Pro WH 4Ft Blank Spacer c/w Straight Coupling Kits
NDL/5/WH/BLANK/SPACER	Dallas Pro WH 5Ft Blank Spacer c/w Straight Coupling Kits
NDL/4/BK/BLANK/SPACER	Dallas Pro BK 4Ft Blank Spacer c/w Straight Coupling Kits
NDL/5/BK/BLANK/SPACER	Dallas Pro BK 5Ft Blank Spacer c/w Straight Coupling Kits
NDL/WSK	Dallas Pro 1.5M Wire Suspension Kit
NDL/3M/WSK	Dallas Pro 3M Wire Suspension Kit





The Brighter Choice



NVC LIGHTING LTD

NVC Park 201, Hollymoor Way, Rubery, Birmingham, B31 5HE UK

+44 (0)121 457 6340 | sales@nvcuk.com | www.nvcuk.com



ISO 14001 Environmental Management Certified

ISO 22301 Business Continuity Management Certified

ISO 45001 Occupational Health and Safety Management Certified

ISO 50001 Energy Management Certified

