

































Product Portfolio


Applied systems



		Refrigerant	Inverter 	Free cooling 	Compressor			Efficiency version				Sound version			
					Swing 	Scroll 	Screw 	Standard	High	Premium	High ambient	Standard	Low	Reduced	Extra low
Cooling only															
EWAQ~ADVP		R-410A	AC		✓			✓				✓			
EWAQ~ACV3/ACW1		R-410A	AC			✓		✓				✓			
EUWA*~KBZW1		R-407C				✓		✓				✓			
EWAQ~BA*		R-410A	AC			✓		✓				✓			
EWAQ~DAYN		R-410A				✓		✓				✓			
EWAQ~E-		R-410A				✓		✓				✓	✓	✓	
EWAQ~F-		R-410A				✓		✓	✓			✓	✓	✓	
EWAQ~GZ NEW	 preliminary	R-410A	DC			✓		✓				✓	✓	✓	
EWAD~E-		R-134a						✓	✓			✓	✓		
EWAD~D-		R-134a						✓	✓		✓	✓	✓	✓	
EWAD~BZ		R-134a	AC					✓	✓			✓	✓	✓	
EWAD~TZ NEW	 preliminary	R-134a	AC					✓	✓			✓	✓	✓	
EWAD~C-		R-134a						✓	✓	✓		✓	✓	✓	
EWAD~CZ		R-134a	AC					✓	✓			✓	✓	✓	
EWAD~DZ NEW	 preliminary	R-134a	DC					✓	✓			✓	✓	✓	
EWAD~CF		R-134a		✓				✓	✓			✓	✓	✓	
Heat pump															
EWYQ~ADVP		R-410A	AC		✓			✓				✓			
EWYQ~ACV3/ACW1		R-410A	AC			✓		✓				✓			
EUWY*~KBZW1		R-407C				✓		✓				✓			
EWYQ~BA*		R-410A	AC			✓		✓				✓			
EWYQ~DAYN		R-410A				✓		✓				✓			
EWYQ~F NEW		R-410A				✓		✓				✓	✓	✓	
EWYQ~GZ NEW	 preliminary	R-410A	DC			✓		✓				✓	✓	✓	
EWYD~BZ		R-134a	AC					✓	✓			✓	✓		

Product portfolio air cooled

Capacity classes (kW)




Product portfolio














water cooled

	Refrigerant	Inverter 	Compressor			Efficiency version		Sound version
			Scroll 	Screw 	Centrifugal 	Standard	High	Standard
Water cooled chillers (Cooling only & Heating only)								
EWWP~KBW1N 	R-407C		✓			✓		✓
EWWD~J- 	R-134a			✓		✓		✓
EWWD~G- 	R-134a			✓		✓	✓	✓
EWWD~I- 	R-134a			✓		✓	✓	✓
EWWD~H- 	R-134a			✓			✓	✓
Water cooled chillers (Cooling only)								
EWVQ~B- 	R-410A			✓		✓	✓	✓
Water cooled centrifugal chillers								
EWWD~FZ 	R-134a	✓			✓		✓	✓



Capacity classes (kW)



FAN COIL UNITS PRODUCT PORTFOLIO

Reference				1	2	3	4	5	6	7	8	9	10	11	12	16	18	20	22kW			
900x900 cassette	FWC-BT/BF	2-pipe	cooling																			
		2-pipe	heating																			
	4-pipe	cooling																				
		4-pipe	heating																			
600x600 cassette	FWF-BT/BF	2-pipe	cooling																			
		2-pipe	heating																			
	4-pipe	cooling																				
		4-pipe	heating																			
Wall mounted	FWT-CT	2-pipe	cooling																			
		2-pipe	heating																			
Flexi with cabinet	FML-DAT/DAF	2-pipe	cooling																			
		2-pipe	heating																			
		4-pipe	cooling																			
			4-pipe		heating																	
	FWR-AT/AF	2-pipe	cooling		NEW																	
		2-pipe	heating																			
		4-pipe	cooling																			
			4-pipe		heating																	
Flexi without cabinet	FWM-DAT/DAF	2-pipe	cooling																			
		2-pipe	heating																			
		4-pipe	cooling																			
			4-pipe		heating																	
	FWS-AT/AF	2-pipe	cooling		NEW																	
		2-pipe	heating																			
		4-pipe	cooling																			
			4-pipe		heating																	
Ducted Low ESP	FWE-CT	2-pipe	cooling		NEW																	
		2-pipe	heating																			
	4-pipe	cooling																				
		4-pipe	heating																			
Ducted Medium ESP	FWB-BT	2-pipe	cooling																			
		2-pipe	heating																			
	FWP-AT	2-pipe	cooling			NEW																
		2-pipe	heating																			
Ducted High ESP	FWD-AT/AF	2-pipe	cooling																			
		2-pipe	heating																			
	4-pipe	cooling																				
		4-pipe	heating																			
Floor standing	FW-DAT/DAF	2-pipe	cooling																			
		2-pipe	heating																			
		4-pipe	cooling																			
			4-pipe		heating																	
	FWZ-AT/AF	2-pipe	cooling		NEW																	
		2-pipe	heating																			
		4-pipe	cooling																			
			4-pipe		heating																	





Visit www.eca.gov.uk/etl and type 'Daikin' in the quick search box for details of the latest ECA qualifying Daikin units



Daikin units comply with the European regulations that guarantee the safety of the product.



Daikin Europe N.V. participates in the Eurovent Certification programme for Air conditioners (AC), Liquid Chilling Packages (LCP), Air handling units (AHU) and Fan coil units (FCU). Check ongoing validity of certificate online: www.eurovent-certification.com or using: www.certiflash.com

Daikin products are distributed by:

The present catalogue is drawn up by way of information only and does not constitute an offer binding upon Daikin UK. Daikin UK has compiled the content of this catalogue to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin UK explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this catalogue. All content is copyrighted by Daikin UK.

Daikin Airconditioning UK Limited The Heights Brooklands Weybridge Surrey KT13 0NY Tel 0845 6419000 Fax 0845 6419009 daikin.co.uk

Scotland Region 0845 641 9330	Northern Region 0845 641 9340	Midlands Region 0845 641 9370	Western Region 0845 641 9320	North London 0845 641 9360	South London 0845 641 9355
---	---	---	--	--------------------------------------	--------------------------------------