

Hamilton® EuroFix Plates and Modules



Hamilton® – *making connections beautifully*

Hartland EuroFix Plates

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Antique Brass	Satin Chrome	Bright Chrome	Black Nickel	Pearl Oyster
1 Module Front Plate	88 x 88 mm	50 x 25 mm	73 EURO1	74 EURO1	71 EURO1	72 EURO1	79 EURO1	76 EURO1	77 EURO1	78 EURO1	7P EURO1
2 Module Front Plate	88 x 88 mm	50 x 50 mm	73 EURO2	74 EURO2	71 EURO2	72 EURO2	79 EURO2	76 EURO2	77 EURO2	78 EURO2	7P EURO2
3 Module Front Plate	144 x 85 mm	50 x 75 mm	73 EURO3	74 EURO3	71 EURO3	72 EURO3	79 EURO3	76 EURO3	77 EURO3	78 EURO3	7P EURO3
4 Module Front Plate	144 x 85 mm	50 x 100 mm	73 EURO4	74 EURO4	71 EURO4	72 EURO4	79 EURO4	76 EURO4	77 EURO4	78 EURO4	7P EURO4



77 EURO1+MOD-R45-C6 WH



78 EURO4+MOD-DGTVF BL+MOD-R45-C5 BL+MOD-DGTVF BL+MOD-R45-C5 BL




71 EURO2+MOD-C11 PBBL

Hartland Media 1 Plates

Consisting of EURO4 Aperture with Fixing Grid and 2 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 1 Black Inserts	146 x 146 mm	50 x 100 mm	73 MEDIA1 BL	74 MEDIA1 BL	71 MEDIA1 BL	72 MEDIA1 BL	76 MEDIA1 BL	77 MEDIA1 BL
MEDIA 1 White Inserts	146 x 146 mm	50 x 100 mm	73 MEDIA1 WH	74 MEDIA1 WH	71 MEDIA1 WH	72 MEDIA1 WH	76 MEDIA1 WH	77 MEDIA1 WH



71 MEDIA 2 BL+MOD-DGTRID BL+MOD-DGTVF BL+MOD-TCS BL

Hartland Media 2 Plates

Consisting of EURO4 Aperture with Fixing Grid and 4 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 2 Black Inserts	146 x 210mm	50 x 100 mm	73 MEDIA2 BL	74 MEDIA2 BL	71 MEDIA2 BL	72 MEDIA2 BL	76 MEDIA2 BL	77 MEDIA2 BL
MEDIA 2 White Inserts	146 x 210mm	50 x 100 mm	73 MEDIA2 WH	74 MEDIA2 WH	71 MEDIA2 WH	72 MEDIA2 WH	76 MEDIA2 WH	77 MEDIA2 WH



Sheer EuroFix Plates

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Antique Brass	Satin Chrome	Bright Chrome	Black Nickel	Pearl Oyster
1 Module Front Plate	86 x 86 mm	50 x 25 mm	83 EURO1	84 EURO1	81 EURO1	82 EURO1	89 EURO1	86 EURO1	87 EURO1	88 EURO1	8P EURO1
2 Module Front Plate	86 x 86 mm	50 x 50 mm	83 EURO2	84 EURO2	81 EURO2	82 EURO2	89 EURO2	86 EURO2	87 EURO2	88 EURO2	8P EURO2
3 Module Front Plate	146 x 86 mm	50 x 75 mm	83 EURO3	84 EURO3	81 EURO3	82 EURO3	89 EURO3	86 EURO3	87 EURO3	88 EURO3	8P EURO3
4 Module Front Plate	146 x 86 mm	50 x 100 mm	83 EURO4	84 EURO4	81 EURO4	82 EURO4	89 EURO4	86 EURO4	87 EURO4	88 EURO4	8P EURO4



8P EURO1+MOD-R112 WH



82 EURO4+MOD-DGTRID BL+MOD-TVF BL+MOD-TCS BL



84 EURO2+MOD-TVF BL+MOD-TCM BL

Sheer Media 1 Plates

Consisting of EURO4 Aperture with Fixing Grid and 2 gang 13A Unswitched Sockets

	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 1 Black Inserts	146 x 146 mm	50 x 100 mm	83 MEDIA1 BL	84 MEDIA1 BL	81 MEDIA1 BL	82 MEDIA1 BL	86 MEDIA1 BL	87 MEDIA1 BL
MEDIA 1 White Inserts	146 x 146 mm	50 x 100 mm	83 MEDIA1 WH	84 MEDIA1 WH	81 MEDIA1 WH	82 MEDIA1 WH	86 MEDIA1 WH	87 MEDIA1 WH

Sheer Media 2 Plates

Consisting of EURO4 Aperture with Fixing Grid and 4 gang 13A Unswitched Sockets


	Nominal Plate Size	Module Cut Out Size	Bright Stainless	Satin Stainless	Polished Brass	Satin Brass	Satin Chrome	Bright Chrome
MEDIA 2 Black Inserts	146 x 210mm	50 x 100 mm	83 MEDIA2 BL	84 MEDIA2 BL	81 MEDIA2 BL	82 MEDIA2 BL	86 MEDIA2 BL	87 MEDIA2 BL
MEDIA 2 White Inserts	146 x 210mm	50 x 100 mm	83 MEDIA2 WH	84 MEDIA2 WH	81 MEDIA2 WH	82 MEDIA2 WH	86 MEDIA2 WH	87 MEDIA2 WH



84 MEDIA 1 BL+MOD-DGTRID BL+MOD-DGTVF BL+MOD-TCS BL

Cheriton EuroFix Plates

	Nominal Plate Size	Module Cut Out Size	Georgian Polished Brass	Georgian Antique Brass	Victorian Polished Brass	Victorian Satin Brass	Victorian Antique Brass	Victorian Bright Chrome	Victorian Satin Chrome	Victorian Black Nickel
1 Module Front Plate	88 x 88 mm	50 x 25 mm	90 EURO1	91 EURO1	92 EURO1	94 EURO1	93 EURO1	95 EURO1	96 EURO1	98 EURO1
2 Module Front Plate	88 x 88 mm	50 x 50 mm	90 EURO2	91 EURO2	92 EURO2	94 EURO2	93 EURO2	95 EURO2	96 EURO2	98 EURO2
3 Module Front Plate	146 x 86 mm	50 x 75 mm	90 EURO3	91 EURO3	92 EURO3	94 EURO3	93 EURO3	95 EURO3	96 EURO3	98 EURO3
4 Module Front Plate	146 x 86 mm	50 x 100 mm	90 EURO4	91 EURO4	92 EURO4	94 EURO4	93 EURO4	95 EURO4	96 EURO4	98 EURO4



Georgian Polished Brass

Georgian Antique Brass

Victorian Polished Brass

Victorian Satin Brass

Victorian Antique Brass

Victorian Bright Chrome

Victorian Satin Chrome


Victorian Black Nickel



90 EURO2+MOD-TV WH+MOD-R112 WH



96 EURO4 +MOD-DGTRID BL+MOD-TVF BL+MOD-TCS BL



92 EURO4+MOD-TVF BL+MOD-R112 BL

White EuroFix Polycarbonate Plates Complete with screw covers

	Nominal Plate Size	Module Cut Out Size	White Polycarbonate
2 Module Front Plate	86 x 86 mm	50 x 50 mm	MOD-P2M WH
4 Module Front Plate	146 x 86 mm	50 x 100 mm	MOD-P4M WH



MOD-P2M WH+MOD-R145-C5 WH+MOD-R112 WH



MOD-P2M WH



MOD-P4M WH

Holds one 50 x 50 mm module or two 50 x 25 mm modules or two 50 x 50mm modules or four 50 x 25 mm modules

Hartland CFX® EuroFix Plates

	Nominal Plate Size	Module Cut Out Size	Polished Brass	Satin Brass	Antique Brass	Satin Stainless Finish	Bright Chrome	Black Nickel
1 Module Front Plate	86 x 86 mm	50 x 25 mm	71C EURO1	72C EURO1	79C EURO1	74C EURO1	77C EURO1	78C EURO1
2 Module Front Plate	86 x 86 mm	50 x 50 mm	71C EURO2	72C EURO2	79C EURO2	74C EURO2	77C EURO2	78C EURO2
3 Module Front Plate	145 x 86 mm	50 x 75 mm	71C EURO3	72C EURO3	79C EURO3	74C EURO3	77C EURO3	78C EURO3
4 Module Front Plate	145 x 86 mm	50 x 100 mm	71C EURO4	72C EURO4	79C EURO4	74C EURO4	77C EURO4	78C EURO4



Polished Brass

Satin Brass

Antique Brass

Satin Stainless Finish

Bright Chrome

Black Nickel



77C EURO1+MOD-DGTVF BL

79C EURO2+MOD-TVFM BL

Sheer CFX® EuroFix Plates

	Nominal Plate Size	Module Cut Out Size	Polished Brass	Satin Brass	Satin Stainless Finish	Bright Chrome	Black Nickel	Antique Brass
1 Module Front Plate	86 x 86 mm	50 x 25 mm	81C EURO1	82C EURO1	84C EURO1	87C EURO1	88C EURO1	89C EURO1
2 Module Front Plate	86 x 86 mm	50 x 50 mm	81C EURO2	82C EURO2	84C EURO2	87C EURO2	88C EURO2	89C EURO2
2 Module Front Plate	145 x 86 mm	50 x 75 mm	81C EURO3	82C EURO3	84C EURO3	87C EURO3	88C EURO3	89C EURO3
4 Module Front Plate	145 x 86 mm	50 x 100 mm	81C EURO4	82C EURO4	84C EURO4	87C EURO4	88C EURO4	89C EURO4



Polished Brass

Satin Brass

Antique Brass

Satin Stainless Finish

Bright Chrome


Black Nickel



84C EURO4+MOD-DGTRID WH+MOD-TV WH+MOD-TCS WH

1 and 2 Aperture Nominal Plate Sizes

Design	Plate Depth	Single
Linea-Rondo CFX®	4.2 mm	91.4 x 91.4 mm
When ordering substitute * with prefix LRX e.g. LRX EURO1 (or EURO2) PB/PB		
Linea-Scala CFX®	4.2 mm	91.4 x 91.4 mm
When ordering substitute * with prefix LSX e.g. LSX EURO1 (or EURO2) PB/PB		
Linea-Duo CFX®	4.2 mm	86 x 86 mm
When ordering substitute * with prefix LD e.g. LD EURO1 (or EURO2) PB/PB		



LD EURO1 BC/SS +MOD-BAN2 WH



LRX EURO2 BC/N+MOD-C11KNX BC/BL

1 Module EuroFix Plates

Cut out size 50 x 25 mm

Frame Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano* Black
Polished Brass							
	*EURO1 PB/PB	*EURO1 PB/SB	*EURO1 PB/AB	*EURO1 PB/BS	*EURO1 PB/SS		
Satin Brass							
		*EURO1 SB/SB			*EURO1 SB/SS		
Antique Brass							
		*EURO1 AB/SB	*EURO1 AB/AB				
Bright Chrome							
	*EURO1 BC/PB			*EURO1 BC/BS	*EURO1 BC/SS	*EURO1 BC/BK	*EURO1 BC/N
Satin Nickel							
				*EURO1 SN/BS	*EURO1 SN/SS		
Black Nickel							
	*EURO1 BK/PB			*EURO1 BK/BS		*EURO1 BK/BK	

2 Module EuroFix Plates

Cut out size 50 x 50 mm

Frame Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano* Black
Polished Brass							
	*EURO2 PB/PB	*EURO2 PB/SB	*EURO2 PB/AB	*EURO2 PB/BS	*EURO2 PB/SS		
Satin Brass							
		*EURO2 SB/SB			*EURO2 SB/SS		
Antique Brass							
		*EURO2 AB/SB	*EURO2 AB/AB				
Bright Chrome							
	*EURO2 BC/PB			*EURO2 BC/BS	*EURO2 BC/SS	*EURO2 BC/BK	*EURO2 BC/N
Satin Nickel							
				*EURO2 SN/BS	*EURO2 SN/SS		
Black Nickel							
	*EURO2 BK/PB			*EURO2 BK/BS		*EURO2 BK/BK	

*Only available in Linea-Rondo CFX

Nominal Plate Sizes

Design	Plate Depth	Single
Linea-Perlina CFX®	4.2 mm	91.4 x 91.4 mm
When ordering substitute * with prefix LPX e.g. LPX EURO1 (or EURO2) PB/PB		
Linea-Georgian CFX®	4.2 mm	95.5 x 95.5 mm
When ordering substitute * with prefix LGX e.g. LGX EURO1 (or EURO2) PB/PB		

Nominal Plate Sizes

Design	Plate Depth	Double
Linea-Perlina CFX®	4.2 mm	150.4 x 91.4 mm
When ordering substitute * with prefix LPX e.g. LRX EURO3 (or EURO4) PB/PB		
Linea-Georgian CFX®	4.2 mm	154.5 x 95.5 mm
When ordering substitute * with prefix LGX e.g. LRX EURO3 (or EURO4) PB/PB		

1 Module EuroFix Plates

Cut out size 50 x 25 mm

Frame Finish	Front Plate Finish		
	Polished Brass	Satin Brass	Antique Brass
Polished Brass			
	*EURO1 PB/PB	*EURO1 PB/SB	*EURO1 PB/AB
Antique Brass			
	*EURO1 AB/PB	*EURO1 AB/SB	*EURO1 AB/AB

2 Module EuroFix Plates

Cut out size 50 x 50 mm

Frame Finish	Front Plate Finish		
	Polished Brass	Satin Brass	Antique Brass
Polished Brass			
	*EURO2 PB/PB	*EURO2 PB/SB	*EURO2 PB/AB
Antique Brass			
	*EURO2 AB/PB	*EURO2 AB/SB	*EURO2 AB/AB

3 Module EuroFix Plates

Cut out size 50 x 75 mm

Frame Finish	Front Plate Finish		
	Polished Brass	Satin Brass	Antique Brass
Polished Brass			
	*EURO3 PB/PB	*EURO3 PB/SB	*EURO3 PB/AB
Antique Brass			
	*EURO3 AB/PB	*EURO3 AB/SB	*EURO3 AB/AB

4 Module EuroFix Plates

Cut out size 100 x 50 mm

Frame Finish	Front Plate Finish		
	Polished Brass	Satin Brass	Antique Brass
Polished Brass			
	*EURO4 PB/PB	*EURO4 PB/SB	*EURO4 PB/AB
Antique Brass			
	*EURO4 AB/PB	*EURO4 AB/SB	*EURO4 AB/AB



LPX EURO2 AB/PB+MOD-DGENT BL



LGX EURO2 PB/AB+MOD-C11 PB/BL

3 and 4 Aperture Nominal Plate Sizes

Design	Plate Depth	Double
Linea-Rondo CFX®	4.2 mm	150.4 x 91.4 mm
When ordering substitute * with prefix LRX e.g. LRX EURO3 (or EURO4) PB/PB		
Linea-Scala CFX®	4.2 mm	150.4 x 91.4 mm
When ordering substitute * with prefix LSX e.g. LSX EURO3 (or EURO4) PB/PB		
Linea-Duo CFX®	4.2 mm	145 x 86 mm
When ordering substitute * with prefix LD e.g. LD EURO3 (or EURO4) PB/PB		



LD EURO4 BC/SS+MOD-DGTRID BL+MOD-TVF BL+MOD-RJ12 BL

3 Module EuroFix Plates

Cut out size 50 x 75 mm

Frame Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black *
Polished Brass	*EURO3 PB/PB	*EURO3 PB/SB	*EURO3 PB/AB	*EURO3 PB/BS	*EURO3 PB/SS		
Satin Brass		*EURO3 SB/SB			*EURO3 SB/SS		
Antique Brass		*EURO3 AB/SB	*EURO3 AB/AB				
Bright Chrome	*EURO3 BC/PB			*EURO3 BC/BS	*EURO3 BC/SS	*EURO3 BC/BK	*EURO3 BC/N
Satin Nickel				*EURO3 SN/BS	*EURO3 SN/SS		
Black Nickel	*EURO3 BK/PB			*EURO3 BK/BS		*EURO3 BK/BK	

4 Module EuroFix Plates

Cut out size 50 x 100 mm

Frame Finish	Front Plate Finish						
	Polished Brass	Satin Brass	Antique Brass	Bright Steel	Satin Steel	Black Nickel	Piano Black *
Polished Brass	*EURO4 PB/PB	*EURO4 PB/SB	*EURO4 PB/AB	*EURO4 PB/BS	*EURO4 PB/SS		
Satin Brass		*EURO4 SB/SB			*EURO4 SB/SS		
Antique Brass		*EURO4 AB/SB	*EURO4 AB/AB				
Bright Chrome	*EURO4 BC/PB			*EURO4 BC/BS	*EURO4 BC/SS	*EURO4 BC/BK	*EURO4 BC/N
Satin Nickel				*EURO4 SN/BS	*EURO4 SN/SS		
Black Nickel	*EURO4 BK/PB			*EURO4 BK/BS		*EURO4 BK/BK	

* Only available in Linea-Rondo CFX

Polycarbonate Modules

Blanking Plates

	Module Size	Box Qty.	White Modules Order Code	Black Modules Order Code
Half Module Plate	50 x 12.5 mm	40	MOD-1/2BLANK WH	MOD-1/2BLANK BL
One Module Plate	50 x 25 mm	20	MOD-1BLANK WH	MOD-1BLANK BL



Data Outlets


	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information
1 gang RJ45 Cat 5e (unshielded)	50 x 25 mm	35 mm	20	MOD-RJ45-C5 WH	MOD-RJ45-C5 BL	Enhanced Cat 5e performance (unshielded) - Can be used in both EIA 568A and EIA 568B wiring schedules.
1 gang RJ45 Cat 6e (unshielded)	50 x 25 mm	35 mm	20	MOD-RJ45-C6 WH	MOD-RJ45-C6 BL	Enhanced Cat 6e performance (unshielded) - Can be used in both EIA 568A and EIA 568B wiring schedules.
1 gang RJ45 Cat 6e (shielded)	50 x 25 mm	35 mm	20	MOD-RJ45-C6S WH	MOD-RJ45-C6S BL	Enhanced Cat 6e performance (shielded) - Can be used in both EIA 568A and EIA 568B wiring schedules.
1 gang RJ12	50 x 25 mm	35 mm	20	MOD-RJ12 WH	MOD-RJ12 BL	Can be used as either an RJ11 (4 wires) or RJ12 (6 wires).

Telephone Outlets Conform to BS6312 Part 2

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information
1 gang Telephone Master	50 x 25 mm	25 mm	20	MOD-TCM WH	MOD-TCM BL	Used as the first socket outlet on the installation.
1 gang Telephone Slave	50 x 25 mm	25 mm	20	MOD-TCS WH	MOD-TCS BL	Used as the extension socket outlets of the installation.


Television/Satellite Outlets

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information
1 gang TV Non Isolated	50 x 25 mm	35 mm	20	MOD-TV WH	MOD-TV BL	Non-isolated co-ax outlet (IEC 169 Female Socket).
1 gang TV Isolated	50 x 25 mm	35 mm	20	MOD-TVI WH	MOD-TVI BL	Isolated co-ax outlet (IEC 169 Female Socket).
1 gang Isolated TV + 1 Gang Isolated FM	50 x 50 mm	35 mm	10	MOD-TVFM WH	MOD-TVFM BL	Isolated diplexer co-ax outlets for use with combined TV and FM signal.
1 gang Satellite Non Isolated	50 x 25 mm	35 mm	20	MOD-SAT WH	MOD-SAT BL	Non-isolated F-type outlet for Satellite or Cable TV installations.
1 gang Satellite Isolated	50 x 25 mm	35 mm	20	MOD-SATI WH	MOD-SATI BL	Isolated F-type outlet for Satellite or Cable TV installations where a DC signal back to the LNB unit is NOT required.



Digital Television/Satellite Outlets Fully Screened Non Isolated

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code	Technical Information	Frequencies
1 gang Non Isolated TV + 1 gang Non Isolated FM + 1 gang Non Isolated Satellite 1 + 1 gang Non Isolated Satellite 2	50 x 50 mm	35 mm	10	MOD-DGENT WH	MOD-DGENT BL	For use with Digital Broadcasting/TV Systems and Interactive TV Services	TV = 5-68 MHz, 125-860 MHz FM = 88-108 MHz SAT DC = 950-2200 MHz
1 gang Non Isolated TV + 1 gang Non Isolated FM + 1 gang Non Isolated Satellite	50 x 50 mm	35 mm	10	MOD-DGTRID WH	MOD-DGTRID BL	Triplexer for use with combined TV, FM and Satellite Signal. (DAB Compatible)	TV = 5-68 MHz, 125-860 MHz FM = 88-108 MHz SAT DC = 950-2200 MHz
1 gang Non Isolated TV	50 x 25 mm	35 mm	20	MOD-DGTVF WH	MOD-DGTVF BL	TV outlet (IEC 169 Female Socket).	TV DC = 5-2200 MHz
1 gang Non Isolated FM	50 x 25 mm	35 mm	20	MOD-DGTVM WH	MOD-DGTVM BL	TV outlet (IEC 169 Male Socket). Usually used for FM (DAB) outlet or as a Return socket to a distribution system.	FM DC = 5-2200 MHz
1 gang Non Isolated Satellite	50 x 25 mm	35 mm	20	MOD-DGSAT WH	MOD-DGSAT BL	'F' type Satellite outlet.	SAT DC = 5-2200 MHz



Hotel Key Card Modules Adjustable Time Delay 10 secs - 5 mins with Blue LED Locator. Suitable for 44 mm and 54 mm width Hotel Key Cards.

	Module Size	Wall Box Depth	Box Qty.	Polished Brass/Black Order Code	Polished Brass/White Order Code	Satin Brass/Black Order Code	Satin Brass/White Order Code
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 PB/BL	MOD-C11 PB/WH	MOD-C11 SB/BL	MOD-C11 SB/WH
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX PB/BL	MOD-C11KNX PB/WH	MOD-C11KNX SB/BL	MOD-C11KNX SB/WH
	Module Size	Wall Box Depth	Box Qty.	Bright Chrome/Black Order Code	Bright Chrome/White Order Code	Satin Chrome/Black Order Code	Satin Chrome/White Order Code
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 BC/BL	MOD-C11 BC/WH	MOD-C11 SC/BL	MOD-C11 SC/WH
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX BC/BL	MOD-C11KNX BC/WH	MOD-C11KNX SC/BL	MOD-C11KNX SC/WH
	Module Size	Wall Box Depth	Box Qty.	Satin Steel/Black Order Code	Satin Steel/White Order Code		
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 SS/BL	MOD-C11 SS/WH		
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX SS/BL	MOD-C11KNX SS/WH		
	Module Size	Wall Box Depth	Box Qty.	Antique Brass/Black Order Code	Black Nickel/Black Order Code	Pearl Oyster/White Order Code	
1 gang On/Off 10AX (6AX)	50 x 50 mm	35 mm	10	MOD-C11 AB/BL	MOD-C11 BK/BL	MOD-C11 PO/WH	
1 gang On/Off 12-24V AC/DC ±10% - Suitable for KNX BUS System	50 x 50 mm	35 mm	10	MOD-C11KNX AB/BL	MOD-C11KNX BK/BL	MOD-C11KNX PO/WH	



AV/Audio/HDMI Outlet Modules

	Module Size	Wall Box Depth	Box Qty.	White Modules Order Code	Black Modules Order Code
Latching Audio Connector 3 Pin XLR Socket Current Rating: 15A at 120VAC. Contact Resistance: 5mW Max	50 x 25 mm	35 mm	10	MOD-XLR WH	MOD-XLR BL
3.5 mm Stereo Socket (MP3) Screened	50 x 25 mm	35 mm	10	MOD-MP3 WH	MOD-MP3 BL
D-Range PC Socket 9 Pin	50 x 25 mm	35 mm	10	MOD-DIN9 WH	MOD-DIN9 BL
D-Range SVGA Socket 15 Pin	50 x 25 mm	35 mm	10	MOD-SVGA WH	MOD-SVGA BL
D-Range PC Socket 25 Pin	50 x 25 mm	35 mm	10	MOD-DIN25 WH	MOD-DIN25 BL
Current Rating: 7.5A per contact Voltage Rating: 300V rms Contact Resistance: 3mW Insulation Resistance: >106mW					



1 way Gold Phono/Audio Socket Colour Coded: Black	50 x 25 mm	35 mm	10	MOD-RCA1 WH	MOD-RCA1 BL
2 way Gold Phono/Audio Socket Colour Coded: Red/Black	50 x 25 mm	35 mm	10	MOD-RCA2 WH	MOD-RCA2 BL
3 way Gold Composite Video/Audio Socket Colour Coded: Red/White/Yellow	50 x 25 mm	35 mm	10	MOD-RCA3 WH	MOD-RCA3 BL
Current Rating: Mating Connector Dependant Contact Resistance: Mating Connector Dependant Insulation Resistance: >1GW Dielectric Strength: 500V DC Life Cycles: 5000 Cable OD: 4-9 mm Solder Compatibility: IEC68-2-20 Operating Temperature: -25°C to +70°C					
2 way Gold Binding Post Socket Colour Coded: Red/Black Ring Top Socket: 4 mm Suitable for 'Banana' Plugs	50 x 25 mm	35 mm	10	MOD-BAN2 WH	MOD-BAN2 BL



HDMI Chassis Mounted Socket Type A Cable Connections: Female-Female Cable Length: 155 mm	50 x 25 mm	35 mm	10	MOD-HDMI WH	MOD-HDMI BL
USB2 Panel Mounted Socket Type A Cable Connections: Female Mounted/Male Free Cable Length: 500 mm	50 x 25 mm	35 mm	10	MOD-USBAFM WH	MOD-USBAFM BL
USB2 Panel Mounted Socket Type A Cable Connections: Female Mounted/Female Cable Length: 155 mm	50 x 25 mm	35 mm	10	MOD-USBAFF WH	MOD-USBAFF BL



USB Charger/Power Socket

- Dual purpose - incorporates a Type A USB Socket and a Standard 13A Unswitched Socket
- Type A USB Socket for charging/powering most mobile devices such as : Mobile Phones, iPods, iPhones, MP3 players, Hand Held Game Consoles, PDAs and Digital Cameras.
- LED indicates when charging is in progress and when complete
- Safety Shutter on USB socket - power is OFF until a USB device is connected
- Fits Standard 35mm deep UK Wall Box ■ Patents Pending

Leading edge technology..

Using one of the most advanced IC control systems in the world, the USB socket provides truly multi-level protection by detecting and protecting against short-circuiting, overloading and overheating. Manufactured from high quality polycarbonate material - all components have CE approval. This product is suitable for indoor use only and must be installed by a qualified electrician.

Safety built-in...

There is a safety shutter on the USB socket. The power to the USB socket is only ON when a USB plug is inserted. Otherwise the power disconnected. When a USB device is plugged in a Green LED will illuminate to indicate that it is connected. The LED will change to Red while charging is in progress and start flashing when charging is almost complete. The LED will change back to Green when the charging process is completed.

Installation could not be simpler...

Just install in a convenient position where there is access to mains power. Measuring 86 x 86 mm it is the same size as a standard wall socket, so the installation process is just same as installing a standard single socket. To charge a USB-powered device, plug the USB cable into the wall socket and then to the device to be charged.



Technical Specifications	Plate Colour	Plate Size	Wall Box Depth	Order Code
Mains Wall Socket: 13A 200-240VAC Conforms to BS5733 Input: AC 200-240V 50-60Hz 100mA USB Output: 5VDC 600mA(Max), 3W Operating Temperature: -15°C to 45°C Relative Humidity: =<95% Air Pressure: 86KPa 105KPa	White Polycarbonate	86 x 86 mm	35 mm	WPUSB13

Hamilton® EuroFix Plates and Modules



Other products available from the Hamilton Group

- Sheer Range (Box Fix)
- Hartland Range (Box Fix)
- Cheriton Range (Box Fix)
- Linea-CFX (Concealed Fixing)
- Grid-It Grid Fix Accessories
- Sheer CFX (Concealed Fixing)
- Hartland CFX (Concealed Fixing)
- Digital Mercury Lighting Controls
- Woods & Bloomsbury Range
- IP Weatherproof Switches and Sockets
- Sheer Floor Sockets
- Hotel Card Switch
- Luxury Door Handles
- USB Charger/Power Socket

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

All accessories are manufactured under an accredited BS EN ISO 9001: 2000 Quality System.

It is the policy of the company to continually improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.

Illustrations and diagrams are reproduced within the limitations of reproduction and printing processes and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.

Hamilton®

listed in
LUCKINS
DATABASE

For further information please contact:

R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK
Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032
email: info@hamilton-litestat.com www.hamilton-litestat.com

