

SPORTS AND LEISURE WASHROOM SOLUTIONS



FRANKE WATER SYSTEMS

World leader in supplying
stadia and leisure solutions

“Franke’s brand promise is to ‘Make It Wonderful’, whether you are a business partner or an end user”

Over 230 years of experience

Franke has specialised in products for commercial washrooms for over 230 years. Dart Valley Systems is a market leader in water-saving products and automatic washroom solutions, supplying products into the healthcare market for more than 35 years.

Together Franke and DVS provide one wonderful solution to specialist applications.

Our extensive knowledge enables us to understand the key considerations required in sport and leisure washrooms, and we have designed suitable products for sports stadiums, leisure facilities and event venues. This stadia and leisure package covers everything from public areas and player dressing rooms right through to luxurious restrooms in VIP and banqueting areas. Many of these products are also suitable for pubs, restaurants and other leisure facilities.



Contents

Accreditations	4
Planox washtroughs	6
Miranit washtroughs without splashback	8
Miranit washtroughs with splashback	10
Showers	12
Touch-free taps	14
Manual and self-closing taps	16
Stainless steel accessories	18
Soap and sanitiser dispensers	20
Drinking fountains	26
WCs	28
Urinals	30
WC and urinal flushing	32
Cleaning and janitorial	34
Catering	36
Accessible	38



BREEAM Franke can assist specifiers in achieving BREEAM points for projects with a range of water and energy efficient products.

UNIFIED WATER LABEL Part of the BMA, the water efficient product label focuses on specific water saving products that are particularly water efficient.



NSF TMV3

TMV3 scheme ensures that products are suitable for healthcare environments and provide a safe water supply.



WRAS promote, encourage and enforce the prevention of waste, undue consumption, misuse, or contamination of water.

HOLDERS OF ISO9001 globally recognised rigorous set of standards for quality management.

HOLDERS OF ISO14001 globally recognised rigorous set of standards for environmental management

ACCREDITED CONTRACTOR CHAS The Contractors Health and Safety Assessment Scheme improves health and safety standards across the UK.


SAFE CONTRACTOR APPROVED SafeContractor delivers a tailored health and safety accreditation.

CONSTRUCTIONONLINE Help buyers to simplify and speed up their search, improving resource and cost efficiency through the validation of purchasing decisions. Based on suppliers completion of multiple document working to the PAS 91 criteria.

RIBA CPD We offer a choice of RIBA approved CPD interactive seminars – a must for anyone specifying washrooms for commercial projects.

BMA The Bathroom Manufacturers association acts as an information highway between Industry Government and the consumer on all issues that affect the bathroom business in the UK.

WELS Australian Standards relating to product quality, including health and safety efficiency.



CE MARKING is applied to products to indicate conformity to the current regulations. Certifications can be found on our websites.



NBS PLUS & NATIONAL BIM LIBRARY A library of building products, with over 200 products listed and a number of corresponding BIM models for both Franke and Dart Valley branded ranges.



WATER TECHNOLOGY LIST (WTL) WTL provides details of products that qualify for the enhanced capital allowance scheme, both Franke and Dart Valley branded ranges are listed in the database.

PLANOX WASHTROUGHS

Seamlessly welded stainless steel washtroughs

Stainless steel washtroughs

The Planox range of washtroughs offers a functional, easy-to-clean and user-friendly solution whilst ensuring optimum hygiene. Manufactured from 1.2mm thick grade 1.4301 (304) stainless steel with a satin polished finish, these troughs can withstand high usage and busy areas such as stadiums, sports halls and leisure centres. The troughs are seamlessly welded using an innovative robotic laser, making them highly resistant to dirt and bacteria. The 1cm lowered tap ledge stops water from spilling onto the floor, preventing hazards and maintaining excellent levels of hygiene.

Planox washtroughs for deck mounted taps

PL6T-UK	203.0564.759	600mm trough with tap ledge
PL8T-UK	203.0564.760	800mm trough with tap ledge
PL12T-UK	203.0563.654	1200mm trough with tap ledges
PL16T-UK	203.0564.761	1600mm trough with tap ledge
PL18T-UK	203.0564.762	1800mm trough with tap ledge
PL24T-UK	203.0564.763	2400mm trough with tap ledge
PL30T-UK	203.0564.767	3000mm trough with tap ledge

Planox washtroughs for bib taps

PL6-UK	203.0564.719	600mm trough without tap ledge
PL8-UK	203.0564.751	800mm trough without tap ledge
PL12-UK	203.0564.752	1200mm trough without tap ledge
PL16-UK	203.0564.754	1600mm trough without tap ledge
PL18-UK	203.0564.755	1800mm trough without tap ledge
PL24-UK	203.0564.757	2400mm trough without tap ledge
PL30-UK	203.0564.758	3000mm trough without tap ledge

Optional shrouds

Conceal plumbing by adding a shroud (available in two sizes).

PL-SHROUD LRG	203.0563.655	For troughs with tap ledge
PL-SHROUD SML	203.0564.788	For troughs without tap ledge



All troughs are available with deck mounted and bib taps (see brassware on pages 12-15)



Bespoke lengths between 600mm and 3000mm, with/without splashback or tap ledge are also available. Please call us on 01246 458900 to discuss your requirements.

PL24-UKMF3



Stratos touch-free soap dispenser

Infrared touch-free sensor activation and 800ml tank.

STRX625 201.0000.026



Stratos touch-free paper towel dispenser

Infrared sensor and integrated tear-off edge.

STRX630 201.0000.006

MIRANIT WASHTROUGHS

Robust composite washtroughs that leave a long lasting impression

Miranit composite washtroughs

Franke's SOLX washtroughs are manufactured from a unique, robust material, making them ideal for any sports or entertainment establishment. Miranit is cast in a single mould without any seams or joints and has excellent material properties; it is temperature resistant up to 80°C and is shatterproof, unlike most ceramics on the market. Finished with a gel coat surface, Miranit is easy to clean and maintain and boasts excellent hygiene standards for busy environments such as sports stadiums.

2 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 1200 x 170 x 480mm (W x H x D)

SOLX1200	203.0000.217	Without tap holes
SOLX1200T	203.0000.226	With tap holes
SOLX1200E	203.0000.218	With electronic taps
SOLX1200MF3	203.0547.761	With self-closing taps

3 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 1800 x 170 x 480mm (W x H x D)


SOLX1800	203.0000.229	Without tap holes
SOLX1800T	203.0000.238	With tap holes
SOLX1800E	203.0000.230	With electronic taps
SOLX1800MF3	203.0547.762	With self-closing taps

4 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 2400 x 170 x 480mm (W x H x D)

SOLX2400	203.0000.241	Without tap holes
SOLX2400T	203.0000.249	With tap holes
SOLX2400E	203.0000.242	With electronic taps
SOLX2400MF3	203.0547.763	With self-closing taps

				
Composite material	Hygienic finish	Easy to clean	Resistant up to 80°C	Impact resistant



SOLX2400MF3



Other options available



Troughs with splashback
Miranit troughs are also available without a splashback in two, three or four person lengths.



Electronic bib taps
Add Dart Valley branded electronic touch-free taps for a full solution with splashback.

MIRANIT WASHTROUGHS

Robust composite washtroughs that leave a long lasting impression

Miranit composite washtroughs with splashback

The Miranit composite washtroughs with splashback allows bib taps to be fitted directly to the unit. The splashback conceals the pipework allowing for wall-mounted taps in spaces without a void behind the wall.

Franke's SOLX washtroughs are manufactured from a unique, robust material, making them ideal for any sports or entertainment establishment. Miranit is cast in a single mould without any seams or joints and has excellent material properties; it is temperature resistant up to 80°C and is shatterproof, unlike most ceramics on the market. Finished with a gel coat surface, Miranit is easy to clean and maintain and boasts excellent hygiene standards for busy environments such as sports stadiums.

2 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 1200 x 360 x 480mm (W x H x D)

SOLX1200SB	203.0000.220	With splash-back
SOLX1200SBE	203.0000.221	With splash-back & electronic taps
SOLX1200SBM	203.0000.222	With splash-back & self-closing taps

3 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 1800 x 360 x 480mm (W x H x D)

SOLX1800SB	203.0000.232	With splash-back
SOLX1800SBE	203.0000.233	With splash-back & electronic taps
SOLX1800SBM	203.0000.234	With splash-back & self-closing taps

4 PERSON MIRANIT COMPOSITE WASHTROUGH

Trough dimensions: 2400 x 360 x 480mm (W x H x D)

SOLX2400SB	203.0000.244	With splash-back
SOLX2400SBE	203.0000.245	With splash-back & electronic taps
SOLX2400SBM	203.0000.246	With splash-back & self-closing taps

				
Composite material	Hygienic finish	Easy to clean	Resistant up to 80°C	Impact resistant



CASE STUDY
 These troughs were installed at the prestigious Kia Oval cricket ground, Kennington.
[Read more online](#)

Other options available

	<p>Troughs without splashback Miranit troughs are also available without a splashback in two, three or four person lengths.</p>		<p>Self-closing taps Add Franke branded self-closing taps from the F3 or F5 range for a full solution. Deck mounted and wall mounted versions available.</p>
---	---	---	--

FROM PLAYERS DRESSING ROOMS TO GYM TOILETS

Water saving showers

Showers for changing rooms

It is essential to consider showers as a critical component in athletic facilities, such as Olympic training camps, athletic centres and football academies. All users must have somewhere to shower before and after training, whether track and field, football, or swimming. In players changing rooms, public swimming pools or gym toilets, showers leave a lasting impression and are a significant factor when choosing a fitness or activity centre. These products are designed to be robust and withstand high footfall and continuous use whilst offering high energy efficiency and sustainability credentials.



304 stainless steel

Composite material

Touch free options

Easy to install

Water saving showerheads

Hygiene purge



F5E THERM SHOWER PANEL

Electronically controlled Miranit composite shower panel for wall mounting with thermostatic mixer.

- Shower head required*
- Battery or power supply required
- Extension cable required

F5ET2026 210.0596.038



F5E THERM SHOWER PANEL

Electronically controlled stainless steel shower panel for wall mounting with thermostatic mixer.

- Shower head required*
- Battery or power supply required
- Extension cable required

F5ET2020 210.0629.651



PROGRAMMABLE SENSOR AND SHOWER HEAD

Programmable shower sensor and Franke shower head offer compact solution in busy stadium shower rooms.

AC02-021 210.0665.775 Programmable sensor
SHAC0013 210.0588.387 Comfort shower head



CEILING HEIGHT SHOWER TOWER

Ceiling height shower tower with high security shower head and tactile switch. With Concealed pipework, ligature resistant design and in-built TMV3.

SH01-005 210.0611.633



Did you know we have over 40 different types of showers to suit a wide range of applications. Take a look at our wonderful shower solutions brochure for more options:
[View brochure](#)

F5ET2020 & SHAC0011



*AQUAJET-COMFORT

Shower head with plastic jet face continuously adjustable between 13-23°.

SHAC0011 210.0588.384



*AQUAJET-SLIMLINE

Shower head with plastic jet face with anti-lime scale system and low aerosol formation.

SHAS0011 210.0588.383

COMPLETE THE WASHROOM

Water saving taps

Touch-free taps

The touch-free range of taps provides ultimate flexibility for sports and leisure environments, with three different ranges; Aquarius pillar spouts, Aquarius straight spouts and the classic range. The range of taps are all electronically controlled and provide a hygienic hand washing solution even in the busiest of environments. These WRAS approved faucets come in a range of finishes, from satin and high polish grade 316 stainless steel to high polished chrome-plated brass. The Aquarius range of taps is fully programmable with additional functions such as hygiene purge, lockouts and anti-vandal features. DVS and Franke handheld programmable remotes are sold separately.



*Aquarius taps only



AQUARIUS 45° SPOUT

Touch-free spout with a satin finish and PEX hoses. Nominal 5 litre per minute flow rate.*

AT03-011 208.0000.080 140mm project.



AQUARIUS STRAIGHT SPOUT

Touch-free spout with a satin finish and PEX hoses. Nominal 5 litre per minute flow rate.*

AT02-001 208.0000.077 120mm project.
AT02-011 208.0606.402 170mm project.



F5E-MIX ELECTRONIC PILLAR MIXERS

For connecting to hot and cold water via connecting hoses, with an integrated backflow preventer. Nominal 5 litres per minute flow rate.

F5EM1001 208.0563.548 battery
F5EM1003 208.0563.549 mains



CLASSIC SWAN TAP

Touch-free Classic Swan taps with PEX hoses and nominal 5 litre per minute flow rate. Manufactured from chrome plated brass.*

AT01-011 208.0617.515 145mm project.
AT01-001 208.0481.307 145mm project.



AT03-011



Mains and battery kits

*Mains or battery kits are required for Aquarius and Classic touch-free taps.

AT00-220 208.0659.897 Single station battery kit with anti-microbial valve
AT00-221 208.0628.714 Single station mains kit with anti-microbial valve
AT00-222 208.0628.716 Two station mains kit with anti-microbial valve
AT00-223 208.0628.717 Three station mains kit with anti-microbial valve

COMPLETE THE WASHROOM

Self-closing and lever taps

Self-closing and lever taps

In highly frequented washrooms in various sports and leisure establishments, choosing taps that reduce water wastage and vandalism is essential while ensuring efficient hygiene.

The F5 range of taps excel in functionality and style and come in three ranges; electronic, self-closing and lever taps. The self-closing range is designed with the patented Franke Modular Innovation Cartridge (FRAMIC) that ensures stagnation-free, hydraulic control of the water flow and sets the highest hygiene standards. The F3 range is designed with a classic look in mind and is ideal for various sports and leisure facilities.



*F5S taps only



F5S SELF-CLOSING PILLAR MIXER*

F5S-Mix self-closing pillar mixer with adjustable, turn-proof temperature stop. Designed with the FRAMIC self-closing cartridge. Nominal 5 litres per minute flow rate.

F5SM1001 208.0563.593



F5S SELF-CLOSING PILLAR TAP*

F5S self-closing pillar tap (pre-mixed) with adjustable flow duration. Designed with the FRAMIC self-closing cartridge. Nominal 5 litres per minute flow rate.

F5SV1001 208.0563.594



F5L-MIX PILLAR LEVER TAP

Designed with a mixing cartridge with ceramic disc technology and thermostatic protection from scalding. Nominal 5 litres per minute flow rate.

F5LM1001 208.0563.591 100mm project.

F5LM1002 208.0563.592 125mm project.



F3S SELF-CLOSING PILLAR TAPS

Hydraulically controlled self-closing function which prevents water from flowing back through the system. Nominal 3 litres per minute flow rate.

F3SM1001 208.0563.601 mixer tap

F3SV1001 208.0519.518 pre-mixed



*The Franke Modular Innovation Cartridge (FRAMIC)

The ceramic self-closing cartridge is the first of its kind in tap disc technology and enables a stagnation-free, hydraulic control of water flow ensuring perfect water hygiene. The operation of the cartridge is flow pressure-independent meaning drinking water is kept completely separate to the functional elements of the tap.

ACCESSORISE

Three different ranges to suit all styles and specifications



DRYX500N hands in dryer

High speed ABS hands-in hand dryer with integrated HEPPA filter and drip tray
Power output: 1250-1650W
Sound level: 65-69 dB

DRYX500N 201.0552.888

High quality stainless steel accessories

Breaking away from mismatching sanitaryware and accessories can separate your washroom from the rest. Adding coordinating accessories such as matching soap dispensers, hand dryers and waste bins can bring the room to life and add value to the whole washroom. Accessories available in all three ranges Exos. (EXOS***), Stratos (STRX***) and Rodan (RODX***).



JUMBO TOILET ROLL HOLDER

EXOS670X	201.0479.701
STRX670	201.0000.060
CHRX670	201.0000.059



DOUBLE TOILET ROLL HOLDER

EXOS676X	201.0479.684
EXOS676B	201.0479.685
EXOS676W	201.0479.687
STRX672	201.0515.181
RODX672	201.0000.056



LIQUID SOAP DISPENSER

EXOS618X	201.0000.041
EXOS618B	201.0000.039
EXOS618W	201.0000.040
STRX619	201.0000.024
RODX619	201.0000.017



HAND TOWEL DISPENSER

EXOS637X	201.0000.047
EXOS637B	201.0000.045
EXOS637W	201.0000.046
STRX600	201.0515.168
RODX600	201.0000.000



HAND DRYER

EXOS220X	201.0479.675
EXOS220B	201.0479.676
EXOS220W	201.0479.677
STRX220	201.0473.301
RODX310	201.0000.132



WASTE BIN

EXOS605X	201.0000.035
EXOS605B	201.0000.033
EXOS605W	201.0000.034
STRX607	201.0000.078
RODX607	201.0000.089

SOAP AND SANITISER DISPENSERS

Robust washroom accessories



WALL MOUNTED SOAP DISPENSER

Minimalistic easy to clean design. Mains PSU or battery operated.

SD01-005 201.0557.733 Nickel brush finish

SD01-001 201.0611.320 Chrome finish



DECK MOUNTED TOUCH-FREE SOAP AND SANITISER DISPENSER †

Touch-free operation with clean design. 2 litre soap tank. Comes complete with mains and battery kit.

SD01-003 201.0624.810

Recommended

AC00-008 201.0631.912 Alcohol-free sanitiser (5L)



DECK MOUNTED PUSH BUTTON SOAP DISPENSER*

With a robust push button top and long spout with 140mm projection. 1 litre liquid soap tank


SD80 201.0000.022

Recommended

SO10L 220.0000.000 Liquid soap (10L)

DECK MOUNTED SOAP DISPENSERS

The range of soap dispensers includes both touch-free and push-button versions. With deck and wall mounted options and various soap and sanitiser extras, this range provides a solution to suit any style of washroom.



*SD80 only



Rodan sanitiser dispenser

Touch-free dispenser, suitable for lotions and disinfectants. 800ml soap tank.

RODX627H 201.0615.053



A45 soap dispenser

Touch-free operated soap dispenser with 1.8 litre capacity. Mains PSU or battery operated.

SD01-013 201.0644.095

SD01-003

SOAP AND SANITISER DISPENSERS

Robust touch-free washroom accessories



VANDAL RESISTANT TOUCH-FREE SOAP AND SANITISER DISPENSER

Stainless steel touch-free dispenser suitable for liquid soaps and lotions. 800 ml soap tank. Suitable with 70% alcohol sanitiser (AC00-052).

AC00-030 201.0615.051



EXOS. TOUCH-FREE SOAP DISPENSER

Stainless steel touch-free dispenser suitable for liquid soaps and lotions. 800 ml soap tank.

EXOS625X 201.0000.044 Stainless steel front

EXOS625B 201.0000.042 Black front

EXOS625W 201.0000.043 White front



STRATOS TOUCH-FREE SOAP DISPENSER

Stainless steel touch-free dispenser suitable for liquid soaps and lotions. 800 ml soap tank.

STRX625 201.0000.042



RODAN SANITISER/SOAP DISPENSERS

Stainless steel touch-free dispenser suitable for lotions and disinfectants. 800 ml soap tank.

RODX627H 201.0615.053 touch-free sanitiser dispenser

RODX625H 201.0622.783 touch-free soap dispenser

WALL MOUNTED SOAP DISPENSERS

Manufactured from high-quality stainless steel, this durable range of soap dispensers is perfect for high use areas such as stadiums, leisure centres, and sports camps. The touch-free range releases a predefined amount of soap when triggered. The four different styles, Rodan, Stratos, Exos and vandal resistant, allow you to choose the perfect fit for the situation.



Touch free operation



304 stainless steel



Hygienic material



Easy to clean



SANITISER DISINFECTANT

SO10L	220.0000.000	Replacement liquid soap (10L)
AC00-052	201.0624.809	Replacement hand sanitiser 70% alcohol
EACCS055	230.0601.308	Sanitiser conversion kit for Exos. & Rodan soap dispensers
EACCS057	230.0598.604	Sanitiser conversion kit for Stratos soap dispenser

RODX625H

SOAP AND SANITISER DISPENSERS

Flexible free-standing solutions for all establishments

Liquid soap and hand sanitiser dispensers

Manufactured from high quality stainless steel, the free-standing dispensers are ideal for the entrance of various environments, including busy stadiums from cricket to football and rugby; these robust dispensers can withstand a high number of daily uses. The maintenance team can easily refill each unit through the key-lock fronts or access panel, and the free-standing design and battery-powered options add ultimate flexibility when positioning.



Touch free operation Liquid soap & sanitiser Hygienic material Easy to clean 304 stainless steel



DVS TOUCH-FREE HAND SANITISER DISPENSER WITH STAND

High quality stand with a small footprint which includes a DVS branded bib sanitiser dispenser and concealed 1.6 -2 litre refillable bottle.* Please note the DVS branded dispenser is only suitable for alcohol-free sanitiser.

AC00-050	201.0624.808	
AC00-008	201.0631.912	Alcohol-free 5 litre gel refill



TOUCH-FREE SANITISER/SOAP DISPENSER WITH SLIMLINE STAND

Slimline stand with a small footprint and anti-spill tray. All touch-free dispensers have inspection window and key lock.*

RODX627H-STD37	201.0624.739	Rodan sanitiser dispenser
RODX625H-STD37	201.0624.735	Rodan soap dispenser
STRX627-STD37	201.0631.094	Stratos sanitiser dispenser
STRX625-STD37	201.0624.801	Stratos soap dispenser
EXOS625X-STD37	201.0624.803	Exos. soap dispenser
EXOS627X-STD37	201.0631.096	Exos. sanitiser



TOUCH-FREE SOAP/HAND SANITISER DISPENSERS WITH PREMIUM STAND

Premium stand with a small footprint and anti-spill tray. All touch-free dispensers have inspection window and key lock.*

RODX627H-STD36	201.0624.740	Rodan sanitiser dispenser
RODX625H-STD36	201.0624.737	Rodan soap dispenser
STRX627-STD36	201.0631.097	Stratos sanitiser dispenser
STRX625X-STD36	201.0624.802	Stratos soap dispenser
EXOS625X-STD36	201.0624.804	Exos. soap dispenser
EXOS627X-STD36	201.0631.098	Exos. sanitiser

*Junior heights and manual dispensers are also available.



Completely touch-free hand washing places for optimum hand hygiene

RODX627H-STD36



Touch-free sanitiser dispenser station

Touch-free sanitiser dispenser station with built in sensors, manufactured from quality stainless steel. A clean shot of liquid soap is dispensed automatically without any need to touch the unit, reducing cross contamination and substantially improving hygiene in the washroom.

AC00-053	201.0657.799	
-----------------	--------------	--

KEEP VISITORS HYDRATED

Drinking fountains for all types of facilities



BREEAM fixing kit

Breeam fixing kit for floor standing chilled drinking fountains. The fixing kit allows the drinking fountain to be placed against the wall and floor, concealing any pipe work or wires, adhering to BREEAM criteria. Dimensions: 354 x 924 x 100 mm (W x H x D)

ANMX315 213.0000.000



STAINLESS STEEL CENTINEL DRINKING FOUNTAIN

Manufactured from 1.2mm thick grade 304 stainless steel. Supplied complete with 19mm waste.

G20100N 213.0000.011 Bubblers only

G20109N 213.0000.013 Bubblers & bottle filler



STAINLESS STEEL DRINKING FOUNTAIN

Manufactured from 1.2mm thick grade 304 stainless steel. Designed with a flat pressed rectangular top with rounded edges.

ANMX300 213.0000.024 Bubblers only

ANMX306 213.0000.002 Bubblers & bottle filler



STAINLESS STEEL DRINKING FOUNTAIN WITH PEDESTAL

Manufactured from 1.2mm thick grade 304 stainless steel. Designed with a flat pressed rectangular top.

ANMX301 213.0000.025 Bubblers only

ANMX307 213.0000.003 Bubblers & bottle filler



FLOOR STANDING CHILLED DRINKING FOUNTAIN WITH WATER FILTER

The fountain is for connection direct to the water mains to supply an unlimited amount of fresh chilled water.

ANMX308 213.0000.004 Bubblers only

ANMX309 213.0000.005 Bubblers & bottle filler

FRANKE DRINKING FOUNTAINS

The free-standing or wall-mounted drinking fountains, made of stainless steel, are the perfect addition to ensure outstanding customer satisfaction. Combined with bubblers and bottle fillers, they can quench the thirst of any visitor, from sports enthusiasts to music-loving concertgoers and everyone in between.



304 stainless steel



Chilled options



Easy to install



Breeam fixing kit available



ANMX309

SANITARYWARE

High end alternative washrooms



CAMPUS FLOOR STANDING PUSH FIT WC PAN

Manufactured from grade 304 steel. Flushing certified to EN 997, concealed flushing rim with min. 4 litre flushing capacity.

CMPX597B 205.0000.012 Black seat and lid

CMPX597G 205.0000.013 Grey seat and lid

CMPX597W 205.0000.015 White seat and lid



CAMPUS WALL MOUNTED PUSH FIT WC PAN

Manufactured from grade 304 steel. Flushing certified to EN 997, concealed flushing rim with min. 4 litre flushing capacity.

CMPX592B 205.0000.002 Black seat and lid

CMPX592G 205.0000.003 Grey seat and lid

CMPX592W 205.0000.005 White seat and lid



GRP BACK TO WALL WC


High-security WC pan, manufactured from high performance glass reinforced polyester (GRP) material. Dimensions: 400 x 420 x 510mm (w x h x d)

VR01-010 205.0630.320

SANITARYWARE

Modern washrooms need to be functional, stylish and long-lasting. Franke has designed a range of robust sanitaryware for various facilities, whether a simple renovation or complete washroom revamp.

Franke's stainless steel and GRP WCs are perfect for busy entertainment and sports venues as the range is manufactured from highly robust and hard-wearing materials. The Dart Valley branded flush valves and cisterns can complete any busy washroom and provide a water-saving solution.



Flush valve kits available

We have flush kits available for use with all our WCs, see pages 32-33 for more details.



Concealed plastic cistern kit

Includes WRAS approved side entry valve, back to pan connector & concealed vertical cistern.


WC02-013 209.0583.507 1 1/2"

WC02-014 209.0610.923 2"

CMPX592B

PUBLIC WASHROOMS

Save water with standard and waterless urinals



URINAL POD

Stainless steel urinal pod with punched waste. Designed to be wall mounted with a single concealed urinal.

CMPX539P 205.0664.928 342 x 647 x 313 mm



WATERLESS URINAL SLAB

Stainless steel waterless urinal slabs, easy to maintain with unique key system, available with left and right hand wastes.

G20125L 205.0560.088 1200mm left hand

G20125R 205.0000.066 1200mm right hand

G20126L 205.0553.762 1800mm left hand

G20126R 205.0553.763 1800mm right hand



CENTINEL SLAB URINAL

Stainless steel urinal with concealed sparge pipe. Bespoke lengths and exposed sparge pipe options are also available.

CEN120C 205.0651.539 1200 x 300 x 555mm (9l)

CEN150C 205.0651.635 1500 x 300 x 555mm (9l)

CEN180C 205.0651.540 1800 x 300 x 555mm (13.5l)

CEN240C 205.0651.631 2400 x 300 x 555mm (13.5l)

STAINLESS STEEL URINALS

Over half of 'domestic' water used in commercial premises can be due to urinals operating without flush controls; therefore, adding the proper flush controls or installing waterless products can vastly reduce water bills with minimal initial outlay.

All Franke branded urinals are manufactured from robust 1.2mm thick grade 1.4301 (304) stainless steel with a satin finish. The urinals have been specifically designed for easy installation and maintenance.



Programmable urinal sensor

Wall mounted brushed stainless steel urinal sensor complete with 3m extension cable.

AC02-023 209.0628.712



Urinal flush controls

Flushmatic surface mount kit (battery) complete with solenoid valve, for cistern fed flushing.

UC01-005 205.0611.714

CEN 150C



Water saving



Efficient design



304 stainless steel



Easy maintenance



Robust material

WC AND URINAL FLUSHING

Water saving flush valves kits and programmable sensors

Flush valves

The DVS branded flush valves are ideal for all high usage washrooms such as football stadiums and training grounds as they provide reliable water-saving benefits. The flush valve can be set to flush automatically or by wave operation, reducing the risk of cross-contamination. Both auto and wave options have dual flush capability, although a single 4-litre flush is recommended. The flush valve has been designed to be compatible with most WC cisterns on the market. Therefore, there is no need to change the existing plumbing as it can be retrofit to existing installations.



Non-touch sensor* Fully programmable* Adjustable settings Dual flush options Water cost saving up to 30%



WC FLUSHVALVE KIT WITH PROGRAMMABLE SENSOR

Low voltage WC flushvalve kit with programmable sensor.

WC03-013 209.0610.660 1 1/2" base

WC03-014 209.0611.269 2" base



WC FLUSHVALVE KIT WITH WAVE-ON SENSOR

Standard WC flushvalve kit with vandal resistant wave-on sensor and 3m cable.

WC03-022 209.0606.400 1 1/2" base

WC03-023 209.0643.162 2" base



PROGRAMMABLE URINAL SENSOR

Wall mounted brushed stainless steel urinal sensor complete with 3m extension cable.

AC02-023 209.0628.712

Required

AT00-221 208.0628.714

Single station mains kit with anti-microbial valve (other station kits available)



FLUSHMATIC DOWNLIGHTER KIT

Flushmatic downlighter kit designed for suspended ceilings, mains operated. Ideal for urinal troughs when individual sensors can't be used.

UC01-024 205.0611.785



CASE STUDY
 These flush valves were installed at the Tottenham Hotspur Football Stadium, London.
[Read more online](#)

WRAS Approval for flushvalve only



Water conservation

DVS branded flush controls typically save 30% of water usage and costs. The range has been designed with adjustable settings for optimum flush, purge, lock-outs and more. The DVS flush controls exceed the BREEAM 6 litre base level for water efficiency. The WRAS approved kits are optimised for water conservation operating as low as 4 litres per flush.

CLEANING SOLUTIONS

Janitorial, cleaning and general purpose sinks



Crosshead bib taps

Complete the bucket sink with bib taps. Conforms to BS5412 standard. F1072N extension piece available (two required).

F1071/3N 208.0574.188



Monobloc mixer

The monobloc mixer tap is ideal for canteen or staff room sinks. Conforms to BS5412 standard.

F1059N 208.0574.216

G20050N



FLOOR STANDING STAINLESS STEEL JANITORIAL UNIT

Manufactured from grade 1.4301 (304) stainless steel (lower bowl 0.9mm thick) complete with monobloc mixer.

G20050N 207.0000.058



FLOOR STANDING STAINLESS STEEL BUCKET SINK

Manufactured from grade 1.4301 (304) stainless steel, material thickness 1.2mm, with splash back, hinged grating, 38mm BSP waste fitting.

G21663N 207.0000.060



REVERSIBLE SINKS

Manufactured from grade 304 stainless steel these multi-purpose sinks are ideal for canteens or staff room sinks.

F0306NP 203.0529.988 Single bowl sink

F0309NP 203.0529.985 Bowl 1/2 sink

MAINTENANCE

Cleaning and janitorial can often be an afterthought when designing and specifying products for large establishments such as sports stadiums and event venues. However, maintaining a building to a high standard is one of the most critical factors for facilities with a high footfall.

Franke's cleaning and janitorial range includes general kitchen sinks, bucket and cleaners sinks, janitorial units, and various utility sinks. All manufactured from grade 304 stainless steel guarantee the best quality to maintain large establishments to a high standard.



Quality stainless steel



Easy to clean



Low maintenance



Robust materials

CATERING SOLUTIONS

Stainless steel solutions for all recreational environments

Catering and hand washing

Franke Water Systems has a range of solutions for football stadiums, bowling alleys, sports centres and more. The range includes catering sinks, preparation tables and a variety of wall shelves. Manufactured from grade 304 stainless steel, this material is highly durable, resistant to corrosion and long-lasting. Stainless steel is the perfect material for any large catering environment, from stadium canteens to stadium courts and restaurants. A range of optional supports, stands and shelves (sold separately) and complementary parts including taps and waste kits provide a complete solution.



304 stainless steel Robust construction Easy to clean Easy installation



SINGLE BOWL SINGLE DRAINER MINI CATERING SINK

Manufactured from 1.2mm thick austenitic grade stainless steel polished to a satin finish. Dimensions: 1000 x 900 x 600mm (W x H x D)*

E20601L	214.0000.000	Left hand drainer
E20601R	214.0000.004	Right hand drainer



SINGLE BOWL MIDI CATERING SINK

Manufactured from 1.2mm thick austenitic grade stainless steel polished to a satin finish. Dimensions: 750 x 900 x 650mm (W x H x D)*

E20608N	214.0493.164
----------------	--------------



MINI WALL TABLES

Mini wall tables are manufactured from 1.2 thick austenitic grade stainless steel polished to a satin finish.*

F20601Z	214.0000.121	1200 x 900mm
F20600Z	214.0000.119	900 x 600mm




WALL SHELVES

Manufactured from 1.2mm thick grade 1.4016 (430) stainless steel polished to a satin finish.

F10512N	214.0000.168	900 x 300mm
F10515N	214.0000.171	1800 x 300mm

Additional variants and sizes are available, please get in touch to request more information.

*Stand pack sold separately.



ACCESSIBLE FOR EVERYBODY

Doc M sanitaryware

Doc M sanitaryware support packs

At least one accessible toilet must be available in public buildings to comply with the building regulations. Franke has designed several products with various considerations, including aesthetics, durability and the user's specific needs. The range is suitable for many education establishments. It includes stainless steel and epoxy coated coloured grab rails to make the washroom experience as easy as possible for whoever the user may be.

The Contina grab rails made of non-slip stainless steel will allow you to grip the rail even if wet. The Doc M compliant range includes various support rail packs and full Doc M sanitary and support rail packs. A bespoke range of grab rails is available to create a unique washroom style or suit specific needs; any colour and length are possible.

WC packs include:

- 4 x stainless steel grab rails 600mm
- 1 x Stainless steel drop down rail 760mm (blue), 850mm (stainless)
- Stainless steel back rests and cushion 24mm (blue), 150mm (stainless)

Accessories, taps and basins sold separately

Features

- Slip resistant high quality stainless steel
- Accessible tap with ergonomic lever
- Raised height WC
- Comfortable PU foam back rest cushion
- Matching stainless steel accessories available as extras

CNTX106S	202.0574.570	Contina stainless steel WC pack
GRBX206BNP	202.0572.501	Grabex blue coated steel WC pack
ANMX150L	203.0611.023	Stainless steel hand rinse basin, left hand tap hole
ANMX150R	203.0611.022	Stainless steel hand rinse basin, right hand tap hole
F5LM1010	208.0511.861	F5 single-lever pillar mixer tap



304 stainless steel



Doc M compliant



LABC and LBSS approved layouts



High quality materials



NORTHERN OFFICE

Franke Water Systems
14 Napier Court
Gander Lane
Barlborough
S43 4PZ
Phone +44 (0)1246 458900
ws-info.uk@franke.com
www.franke.co.uk

SOUTHERN OFFICE

Dart Valley Systems
Kemings Close
Long Road
Paignton, Devon
TQ4 7TW
Phone +44 (0) 1803 529021
sales@dartvalley.co.uk
www.dartvalley.co.uk

