




JAMES
latham
THE NATURAL CHOICE



FLEXIBLE PANELS



PRODUCT GUIDE





FLEXIBLE MDF

James Latham stock a range of Flexible MDF to compliment Flexible plywood.

Flexible MDF has precision machined slots across the length or width of the panel to give different flexing options. The slots provide a smooth, curved surface when flexed, making it ideal for painting. Flexible MDF provides a good surface to bond laminate or flexible veneer to.

James Latham only uses branded, quality EN636 MDF.

All flexible MDF panels are FSC® certified.



Stock Range of Flexible MDF

Thickness: 6mm and 9mm

Board Size: 2440mm x 1220mm Long Grain
1220mm x 2440mm Cross Grain

Also available to order:

- Larger sheet sizes
- Primed ready for painting
- Other thicknesses
- Melamine and Veneer faces
- Moisture resistant and Exterior
- Medite® Tricoya®



The mark of responsible forestry

FSC® CERTIFIED FLEXIBLE PLYWOOD

James Latham stocks a range of FSC® certified flexible plywood for chain of custody contracts.

Stock Range of FSC® Certified Flexible Plywood

Thickness: 5mm and 8mm

Board Size: 2440mm x 1220mm Long Grain
1220mm x 2440mm Cross Grain



SUPERFORM VENEERED FLEXIBLE PLYWOOD

James Latham now hold in stock Crown Cut Oak veneered flexible plywood. The pre-veneered flexible plywood saves our customer time by having a decorative oak veneer bonded to a Superform Flexible Plywood.

Stock Range of Superform Veneered Flexible Plywood

Thickness: 4mm

Board Size: 2440mm x 1220mm Long Grain
1220mm x 2440mm Cross Grain

Species: Crown Cut Oak
Other species are available to order.



SUPERFORM FLEXIBLE PLYWOOD

Flexible plywood has a specialised construction allowing it to be easily bent to shape. Superform is recognised as the flexible plywood of choice for many shopfitters, joinery manufacturers and exhibition contractors.

The species of timber used in Superform's product construction gives the plywood exceptional flexibility and performance. Superform is the perfect product to form curved shapes and can be finished by applying laminate or flexible veneer.


Superform Flexible Plywood is available in a range of thicknesses from 3mm to 16mm and a choice of sizes 2440mm x 1220mm or 3050mm x 1220mm.

Stock Range of Superform Flexible Plywood


Thickness: 3mm, 5mm, 8mm and 16mm
7mm and 12mm available to order

Board Size: 3050mm x 1220mm
Long grain, Cross grain
2440mm x 1220mm
Long grain, Cross grain

Bending Radius: 3mm / 3cm, 5mm / 5cm, 7mm / 8cm,
8mm / 8cm, 12mm / 15cm,
16mm / 20cm




Long Grain



Grain direction along 2440mm

Flexed

Cross Grain



Grain direction along 1220mm

Flexed

Grain direction determines how a flexible plywood will flex:

When flexed a Long Grain Flexible Plywood 2440mm x 1220mm will achieve a 2440mm high column.

When flexed, a Cross Grain Flexible Plywood 1220mm x 2440mm will achieve a 1220mm high column.

DECOFLEX FLEXIBLE VENEERS

Flexible Veneers are thinly sliced veneer which have been joined together to make a sheet of veneer. The sheet then has a paper backing applied to one side. The result is a flexible sheet with a highly desirable timber species effect.

Decoflex

flexible wood veneer

Flexible veneer can be bonded to most substrates like doors, MDF or plywood and gives great results when applied to curved surfaces.



Stock Range of Flexible Veneer

Thickness:	0.6mm
Board Size:	2500mm x 1240mm 3050mm x 1240mm
Species	Ash, White and Steamed Beech, Cherry, Maple, Crown and Quarter Oak, Pine, Sapele and American Black Walnut

QUERKUS

James Latham are stockists of the Querkus range by Decospan, the range enables customers to design their own oak-effect boards.



Stock Range of Querkus Flexible Veneer

Thickness:	0.6mm
Board Size:	2750mm x 1220mm
Colours Held:	Natural Adagio Oak B1 Natural Vivace Oak S1 Retro Baltimore Oak B1 Retro Harlem Oak B1 Retro Hobokan Oak B1 Smoke Robusta Oak B1

For more information please contact your local depot to request a Querkus brochure.



Also available to order:

- 3050mm x 1530mm sheets
- A wide range of other species
- Burr Veneers
- Lookalike Range – a reconstituted wood that is stained to give the effect of other timber species. Lookalike brochures are available upon request.

James Latham Distribution Sites

1 James Latham Dudley ●●

T: 01384 234444
F: 01384 233121
E-mail: panels.dudley@lathams.co.uk
timber.dudley@lathams.co.uk

2 James Latham Fareham ●●

T: 01329 854800
F: 01329 849585
E-mail: panels.fareham@lathams.co.uk
timber.fareham@lathams.co.uk

3 James Latham Gateshead ●●

T: 0191 469 4211
F: 0191 469 2615
E-mail: panels.gateshead@lathams.co.uk
timber.gateshead@lathams.co.uk

4 James Latham Leeds ●●

T: 0113 387 0830
F: 0113 387 0855
E-mail: leeds@lathams.co.uk

4 ATP (Advanced Technical Panels) ●●

T: 0113 387 0850
F: 0113 387 0855
E-mail: atp@lathams.co.uk

5 James Latham Scotland ●●

T: 01698 838777
F: 01698 831452
Email: scotland@lathams.co.uk

6 James Latham Leicester ●●

T: 0116 288 9161
F: 0116 281 3806
E-mail: panels.leicester@lathams.co.uk
timber.leicester@lathams.co.uk

7 James Latham Yate ●●

T: 01454 315421
F: 01454 323488
E-mail: panels.yate@lathams.co.uk
timber.yate@lathams.co.uk

8 James Latham Hemel Hempstead ●●

T: 01442 849000
F: 01442 239287
E-mail: panels.hemel@lathams.co.uk

9 James Latham Thurrock ●

T: 01708 869800
F: 01708 860900
E-mail: panels.thurrock@lathams.co.uk

10 James Latham Purfleet ●

T: 01708 864477
F: 01708 862727
E-mail: timber.purfleet@lathams.co.uk

11 James Latham - Product Specification Showroom London

Suite 301, Business Design Centre,
52 Upper Street, Islington, N1 0QH
T: 020 7288 6417
E-mail: BDC@lathams.co.uk

12 James Latham - Product Specification Showroom Manchester

31a Tib St, Manchester M4 1LX
T: 0161 537 1185
E-mail: pssm@lathams.co.uk

Distribution facilities




Port Of Tilbury



Port of Liverpool



Port of Grangemouth



KEY: ● PANEL PRODUCTS ● TIMBER PRODUCTS



Call **0116 257 3415**
email marketing@lathams.co.uk
or visit www.lathamtimber.co.uk



Responsible Purchaser