

**OUTDOOR
DECK
COMPANY**



Decking & Cladding System
Catalogue August 2025

info@outdoordeck.co.uk - outdoordeck.co.uk - +44 (0) 208 977 0820

Contents

Cladding System 2

Variclad Cladding 3

Decking System 4

Grad Finishes 5

Decking
Cladding
Variclad

Grad Rails and Clips 12


Decking
Cladding & Variclad

Top Lift Decking Pedestals 14

Accessories 15



Cladding System



100% Invisible Fixing

Perfect Alignment & Gaps Between Boards

A Unique & Patented Screw-free System

Seamless cladding for walls, ceilings or any other flat surface.

A variety of timbers ready to attach to Grad rails.

Perfectly placed clips to suit board shape, width and configuration whether regular or Variclad.

Effortless installation.



Click here




Variclad Cladding

Variable widths to create a unique and eye-catching look


The Variclad system is compatible with three different sizes of Bamboo boards for use with Flat Rail Variclad 1.

**45mm, 64mm and 120mm
Bamboo X-treme**

Clipped on the same rail, for a durable design and easy installation.



Bespoke arrangements are available on request subject to order volume.



Click here



Decking System

The ultimate invisible-fix screw-free decking system



Seamless screw-free decking with a suite of accessories.

Our aluminium rails are supplied with factory-attached Grad® clips perfectly placed to suit your specified board shape and width.



[Click here](#)

Speedy and effortless installation.

A variety of timbers to suit every project.



Grad Finishes

Decking

Thermo Ash



At Installation 6 months + 1 Year +



Thermo-treated Ash

Clear Grade
Domed Profile
20 Year Warranty
FSC Certified Product Available

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Thermo Pine



At Installation 6 months + 1 Year +



Thermo-treated Pine

With Knots
Domed Profile
15 Year Warranty
FSC Certified Product Available

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Kebony



At Installation 6 months + 2 Years +



Kebonized Radiata Pine

Clear Grade
Domed Profile
30 Year Warranty
FSC Certified Product Available

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Ipe



At Installation 6 months + 2 Years +

Ipe

Clear Grade
Domed Profile
30 Year Warranty
FSC Certified Product Available



Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Grad Finishes

Decking cont.

Bamboo X-treme Woca



At Installation 6 months + 2 Years +


Thermo-treated Bamboo G-D-20120-XW

Clear Grade
Domed Profile
25 Year Warranty
B Fire-rated

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Bamboo N-durance



At Installation 6 months + 2 Years +


Thermo-treated Bamboo G-D-20120-N

Clear Grade
Domed Profile
25 Year Warranty
B Fire-rated

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Thermo Iroko



At Installation 18 months + 4 Years +


Thermo Iroko

Clear Grade Premium
Flat Profile
25 Year Warranty

Compatible rails:

PR 24 (90)
Flat Rail (90)

Silver FR*



Awating Image

Composite G-D-5136-FR

Bfl, s1 Fire rated Premium
Flat Profile
10 Year Warranty


Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Grad Finishes

Decking cont.

Accoya Grey



Awating Image

At Installation 6 months + 2 Years +


Accoya Modified Radiata Pine

Clear Grade
Domed Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Accoya Natural



At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine



Clear Grade
Domed Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:

PR 24 (120)
PR 39 (120)
PR 56 (120)
Flat Rail (120)

Cladding

Thermo Pine Rhomboid



At Installation 6 months + 1 Year +



Thermo-treated Pine

With Knots
Flat Profile
15 Year Warranty
FSC Certified Product Available

Compatible rails:

Flat Rail (65)

Thermo Pine Square



At Installation 6 months + 1 Year +

Thermo-treated Pine

With Knots
Flat Profile
15 Year Warranty
FSC Certified Product Available

Compatible rails:

Flat Rail (65)


Grad Finishes

Cladding cont

Accoya Natural Rhomboid



20x52mm
Various lengths




At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine


Clear Grade
Flat Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:
Flat Rail (52)

Accoya Natural Square



20x52mm
Various lengths




At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine


Clear Grade
Flat Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:
Flat Rail (52)

Accoya Natural 120



21x120mm
Various lengths




At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine

Clear Grade
Domed Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:
Flat Rail (120)

Accoya Grey 120



21x120mm
Various lengths



At Installation 6 months + 1 Year +

Awating Image

Accoya Modified Radiata Pine

Clear Grade
Domed Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:
Flat Rail (120)

Grad Finishes

Cladding cont.

Accoya Grey Rhomboid



20x52mm
Various lengths

Awating Image


At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine

Clear Grade
Flat Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:
Flat Rail (52)

Accoya Grey Square



20x52mm
Various lengths

Awating Image


At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine


Clear Grade
Flat Profile
50 Year Warranty
Cradle to Cradle Certified Gold
FSC Certified Product Available

Compatible rails:
Flat Rail (52)

Bamboo X-treme Natural 45



20x45mm
L1.85m



At Installation 6 months + 1 Year +


Thermo-treated Bamboo

G-C-2145-X


Clear Grade
Flat Profile
25 Year Warranty
B Fire-rated

Compatible rails:
Flat Rail (45)

Bamboo X-treme Natural 64



20x64mm
L1.85m



At Installation 6 months + 1 Year +

Thermo-treated Bamboo

G-C-2164-X



Clear Grade
Flat Profile
25 Year Warranty
B Fire-rated

Compatible rails:
Flat Rail (64)

Grad Finishes

Cladding cont.

Bamboo X-treme Natural 120



At Installation 6 months + 1 Year +

Thermo-treated Bamboo


G-C-21120-X

Clear Grade
Flat Profile
25 Year Warranty
B Fire-rated

Compatible rails:

Flat Rail (120)

Thermo Ash Rhomboid



At Installation 6 months + 2 Years +


Thermo-treated Ash

Clear Grade
Flat Profile
20 Year Warranty
FSC Certified Product Available

Compatible rails:

Flat Rail (52)

Thermo Ash Square



At Installation 6 months + 1 Year +


Thermo-treated Ash

Clear Grade
Flat Profile
20 Year Warranty
FSC Certified Product Available

Compatible rails:

Flat Rail (52)

Thermo Ash 120



At Installation 6 months + 2 Years +

Thermo-treated Ash

Clear Grade
Domed Profile
20 Year Warranty
FSC Certified Product Available


Compatible rails:

Flat Rail (120)

Grad Finishes

Variclad

Bamboo X-treme Natural 45



At Installation 6 months + 1 Year +

Thermo-treated Bamboo


G-C-2145-X

Clear Grade
Flat Profile
25 Year Warranty
B Fire-rated

Compatible rails:

Variclad 1

Bamboo X-treme Natural 64



At Installation 6 months + 1 Year +

Thermo-treated Bamboo


G-C-2164-X

Clear Grade
Flat Profile
25 Year Warranty
B Fire-rated

Compatible rails:

Variclad 1

Bamboo X-treme Natural 120



At Installation 6 months + 1 Year +


Thermo-treated Bamboo

G-C-21120-X

Clear Grade
Flat Profile
25 Year Warranty
B Fire-rated

Compatible rails:

Variclad 1



Grad Rails and Clips

Decking

Flat Rail (90)



G-DCR-2100

To fit 90mm wide decking,
L1984mm H18mm with clips

Flat Rail (120)



G-DCR-1185

To fit 120mm wide decking,
L1984mm H18mm with clips

PR 24 (90)



G-DR-2101

To fit 90mm wide decking,
L1984mm H30mm with clips

PR 24 (120)



G-DR-1191

To fit 120mm wide decking,
L1984mm H30mm with clips

PR 39 (120)



G-DR-1194

To fit 120mm wide decking,
L1984mm H45mm with clips

PR 56 (120)



G-DR-1197

To fit 120mm wide decking, L1984mm
H62mm with clips

Connectors

Top Link (120)



G-A-1488-I

Connector for joining two rails &
ensuring clips remain perfectly
spaced

Rail Connection Plate -
PR 39 & PR 56



G-A-1505-I

To connect rails where
angles are required
For PR 39 (120) & PR 56 (120) rails

Rail Connection Plate -
PR 24



G-A-1506-I

To connect rails where angles are
required
For PR 24 (120) rails

Skirting

Top Cube



G-A-1498-I

Adjustable pedestal to be used at
the terrace edge

Skirting Support 1



G-A-1473-I

Skirting rail for single boards

Grad Rails and Clips

Skirting cont.

Skirting Support 2



G-A-1474-I
Skirting rail for two boards

Skirting Support 3



G-A-1476-I
Skirting rail for three boards

Skirting Connection Plate



G-A-1504-I
Connection for skirting where unsupported boards come together at an angle

Cladding & Variclad

Flat Rail (45)



G-CR-1799
To fit 45mm cladding, L1989mm H18mm with clips, 6mm gaps

Flat Rail (52)



G-CR-1188
To fit 52mm cladding, L1960mm H18mm with clips, 4mm gaps

Cladding & Variclad cont.

Flat Rail (64)



G-CR-1792
To fit 64mm cladding, L1960mm H18mm with clips, 6mm gaps

Flat Rail (65)



G-CR-1822
To fit 65mm cladding, L2001mm H18mm with clips 4mm gaps

Flat Rail (90)



G-DCR-2100
To fit 90mm wide cladding, L1984mm H18mm with clips 5mm gaps

Flat Rail (120)



G-DCR-1185
To fit 120mm cladding, L1984mm H18mm with clips, 6mm gaps

Flat Rail Variclad 1



G-CR-1903
To fit Variclad cladding, L1968mm H18mm with clips, 6mm gaps

Top Lift Decking Pedestals



G-P-35-55
35-55mm



G-P-56-100
56-100mm



G-P-101-145
101-145mm



G-P-146-190
146-190mm



G-P-191-235
191-235mm




G-P-236-280
236-280mm



G-P-281-325
281-325mm



G-P-326-370
326-370mm



Code

G-P-35-55

G-P-56-100

G-P-101-145

G-P-146-190

G-P-191-235

G-P-236-280

G-P-281-325

G-P-326-370

Pedestal Configuration

Head, Base

Head, Base + 1x Pedestal Extension

Head, Base + 2x Pedestal Extensions

Head, Base + 3x Pedestal Extensions + 2x Pedestal Reinforcers

Head, Base + 4x Pedestal Extensions + 2x Pedestal Reinforcers

Head, Base + 5x Pedestal Extensions + 3x Pedestal Reinforcers


Head, Base + 6x Pedestal Extensions + 4x Pedestal Reinforcers

Head, Base + 7x Pedestal Extensions + 4x Pedestal Reinforcers

Accessories

Ancillary


Removal Keys



G-A-968
Board removal key suitable for 120mm boards

Finishes

Ventilation Board



G-A-1516
For areas where ventilation and drainage are required

Pedestals

Pedestal Extensions



G-P-1495-I
Extenders for Decking Pedestals

Pedestal Reinforcer



G-P-1499-I
Reinforcers for Decking Pedestals

Slope Corrector



G-P-1496-I
Slope Correctors (0 - 4%) for Decking Pedestals

Clips

Removable Clip



G-A-1483-I
Individual clip to be fitted to rail as required - compatible with all rails

Half Clip



G-A-1485-I
Half-size clip to be fitted to rail as required or as an end clip - compatible with all rails

Packer Clip



G-A-1486-I
Packing clip for surface fixing boards when space is limited

Clip Without Stoppers



G-A-1487-I
Flat clip to be fitted to rail when unusual angles are required


Solo Clip



G-A-1703-I

Get in touch

and discover how Grad hidden-fix can enhance your projects



info@outdoordeck.co.uk - www.outdoordeck.co.uk - +44 020 8977 0820

