Ecophon Performance Family by Saint Gobain

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 51 23 Acoustical Tile Ceilings

PRODUCT DESCRIPTION: This HPD covers the following suspended sound absorbing ceilings: Hygiene Performance A/Tech, Hygiene Performance B/Tech, Hygiene Performance Ds, Hygiene Performance Plus A, Hygiene Performance Plus A 40, Hygiene Performance Wall, Hygiene Performance Care Wall, Akusto Wall C/Akutex HS, Solo/ Akutex HS, Hygiene Performance Baffle. The Performance family consists of a high density glasswool core for sound absorption. This family is a group of products with similar materials and varying proportions.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format				
Nested Materials Method				
Basic Method				
Threshold Disclosed Per				
C Material				
Product				

Threshold level	Residuals/Impurities
⊙ 100 ppm	Considered
C 1,000 ppm	C Partially Considered
C Per GHS SDS	Not Considered
Per OSHA MSDS	
C Other	Explanation(s) provided
	for Residuals/Impurities?

Yes No

All Substances Abov	re the Threshold Indicated Are:
Characterized % weight and role pr	○ Yes Ex/SC ○ Yes ○ No rovided for all substances.
Screened	C Yes Ex/SC € Yes C No
All substances screet results disclosed.	ned using Priority Hazard Lists with
Identified	C Yes Ex/SC C Yes € No
One or more substan	nces not disclosed by Name (Specific of
Generic) and Identific	er and/ or one or more Special Condition
did not follow guidan	nce.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

C C

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ECOPHON PERFORMANCE FAMILY [FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK UREA PHENOL FORMALDEHYDE LT-UNK DOLOMITE NOGS ALUMINA TRIHYDRATE BM-2 TITANIUM DIOXIDE LT-1 | CAN | END TALC BM-1 | CAN POLYACRYLIC ACID LT-UNK | CAN IRON HYDROXIDE OXIDE YELLOW LT-UNK POLY(VINYL ALCOHOL) LT-UNK KAOLIN CLAY LT-UNK | CAN 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHENYLBENZENE LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK SODIUM SULFATE LT-UNK SODIUM SULPHITE LT-P1 POLYVINYL ACETATE (PVA) LT-UNK UREA LT-UNK LIMESTONE, CALCIUM CARBONATE LT-UNK POLYDIMETHYLSILOXANES LT-P1 | PBT SULFAMIC ACID, SODIUM SALT (1:1) NoGS UNDISCLOSED BM-1 RESIDUAL OILS, PETROLEUM, SOLVENT-DEWAXED LT-1 | PBT | CAN | MUL PYRAZOLO[5,1-B]QUINAZOLIN-9(1H)-ONE, 3-[(4-CHLORO-2-NITROPHENYL)AZO]-2-METHYL- LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END AMMONIUM HYDROXIDE LT-P1 | RES | AQU | SKI | MUL **AMMONIUM POLYACRYLATE LT-UNK 3,6,9,12,15,18,21,24-**OCTAOXADOTETRACONT-33-EN-1-OL LT-UNK ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (>=10-<15 EO) LT-UNK 3-IODO-2-PROPYNYL BUTYLCARBAMATE BM-2 | AQU | SKI | EYE | MAM | END | MUL GLASSY SODIUM PHOSPHATE LT-UNK MAGNESITE NoGS CHLORITE Nogs undisclosed LT-unk undisclosed LT-unk undisclosed LT-P1 | END UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

The names of some substances are undisclosed for intellectual property reasons.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Eurofins Indoor Air Comfort - certified product Recycled content: Recycled content declaration LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

• Yes
• No

PREPARER: Self-Prepared VERIFIER: GreenCircle Certified VERIFICATION #: 6H3-9636 SCREENING DATE: 2020-03-30 PUBLISHED DATE: 2020-03-30 EXPIRY DATE: 2023-03-30



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ECOPHON PERFORMANCE FAMILY

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted when the concentration is above the disclosure threshold.

OTHER PRODUCT NOTES: The variation in content between the products covered by this HPD is due to varying proportions of materials (thickness and density of glasswool and quantity of edge paint).

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-30				DATE: 2020-03-30
%: 59.00 - 88.00	GS: LT-UNK	RC: Both	NANO: No	ROLE: Baseboard core and facing
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The recycled content in the baseboard core made of glass fiber is around 70% (self-declared). The percentage range of the substance is due to product recipe variations in the product family.

UREA PHENOL FORMALDEHYDE

ID: 25104-55-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NING DATE: 2020-03	3-30
%: 3.90 - 9.00	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

GS: NoGS

DOLOMITE ID: 16389-88-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-30 %: 2.70 - 13.00

RC: None

ROLE: Filler

NANO: No

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-03-30		
%: 1.10 - 6.00	GS: BM-2	RC: None	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists			PD Priority Hazard Lists		

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	IING DATE: 2020-03	3-30
%: 0.80 - 3.60	gs: LT-1	RC: None NANO: No ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		•
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: The paint used on the facing contains Titanium dioxide. Titanium dioxide is classified as a suspected carcinogen (cat. 2) by inhalation according to the CLP European Regulation. However, according to our supplier, there are no reported cases of cancer in the paint and coating industry when used in a liquid matrix such as a paint or ink.

The percentage range of the substance is due to product recipe variations in the product family.

TALC ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-03-30

Screening Method: Pharos Chemical and Materials Library

RC: None NANO: No Role: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

POLYACRYLIC ACID	ID: 9003-01-4
------------------	---------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
%: 0.20 - 3.60	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		ic carcinogen with low

SUBSTANCE NOTES: The paint used on the facing contains a polymer from the Acrylic Resin family, a group of polymers derived from acrylic acid. However, as there is no generic CAS number for this polymers family, the Polyacrylic Acid has been declared as an approximation. The percentage range of the substance is due to product recipe variations in the product family.

IRON HYDROXIDE OXIDE YELLOW

ID: 20344-49-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.10 - 2.40	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

POLY(VINYL ALCOHOL) ID: 9002-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
%: 0.10 - 0.90	GS: LT-UNK	RC: None	NANO: No	ROLE: Preservative
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

KAOLIN CLAY ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30			
%: 0.08 - 0.40	gs: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHENYLBENZENE

ID: 9010-92-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-03-30			
%: 0.07 - 0.40	GS: LT-UNK	RC: None	NANO: No	ROLE: Polymeric binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings fo	ound on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The paint used on the facing contains a polymeric binder from the Styrene Acrylic Resin family. However, as there is no generic CAS number for this polymer family, the Styrene/Acrylates Copolymer has been declared as an approximation. The percentage range of the substance is due to product recipe variations in the product family.

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: 24937-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
6: 0.07 - 0.40	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on I	HPD Priority Hazard Lis

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
%: 0.06 - 0.50	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	arnings found on I	HPD Priority Hazard Lis

SODIUM SULPHITE ID: 7757-83-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.06 - 0.20	gs: LT-P1	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	arnings found on	HPD Priority Hazard Lists	
SUBSTANCE NOTES: The po	SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
%: 0.05 - 0.30	GS: LT-UNK	RC: None	nano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No v	varnings found on I	HPD Priority Hazard List

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

***: 0.05 - 0.20

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

LIMESTONE, CALCIUM CARBONATE				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2020-03 -	-30
%: 0.03 - 2.50	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No wa	rnings found on HF	PD Priority Hazard Lists

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

POLYDIMETHYLSILOXANES	ID: 63148-62-9				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DA	HAZARD SCREENING DATE: 2020-03-30		
%: 0.03 - 0.13	GS: LT-P1	RC: None	nano: No	ROLE: Binder	

None found

No warnings found on HPD Priority Hazard Lists

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SULFAMIC ACID, SODIUM SALT (1:1)

ID: 13845-18-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.03 - 0.20	GS: NoGS	RC: None	nano: No	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	NING DATE: 2020-03-30		
%: 0.02 - 0.20	GS: BM-1	RC: None	nano: No	ROLE: Water repellent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: The name of this substance is undisclosed for intellectual property reasons, but has been third-party verified. The percentage range of the substance is due to product recipe variations in the product family.

RESIDUAL OILS, PETROLEUM, SOLVENT-DEWAXED

ID: 64742-62-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	REENING DATE: 2020-03-30		
%: 0.00 - 0.40	GS: LT-1	RC: None	nano: No	ROLE: Binder	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Highly refined mineral oil, which contains <3% (w/w) DMSO extract as measured by IP346. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

The percentage range of the substance is due to product recipe variations in the product family.

PYRAZOLO[5,1-B]QUINAZOLIN-9(1H)-ONE, 3-[(4-CHLORO-2-NITROPHENYL)AZO]-2-METHYL-

ID: 74336-59-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-03-30		
%: 0.00 - 0.40	GS: LT-UNK		RC: None	nano: No	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD	Priority Hazard Lists

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

HYDROXYETHYL CELLULOSE ID: 9004-62-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.30	GS: LT-P1	RC: None	nano: No	ROLE: Additive		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	Potential Endocrine Disruptor			

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

AMMONIUM HYDROXIDE ID: 1336-21-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-03-30

Screening Method: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-03-30

RC: None NANO: No ROLE: Additive

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

AMMONIUM POLYACRYLATE	ID: 9003-03-6
-----------------------	----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.30	GS: LT-UNK	RC: None	RC: None NANO: No ROLE: AG			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	No warnings found on HPD Priority Hazard Lists			

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

3,6,9,12,15,18,21,24-OCTAOXADOTETRACONT-33-EN-1-OL

ID: 9004-98-2

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.30	gs: LT-UNK	RC: None	NANO: No	ROLE: Additive & Preservative
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
None found			No war	nings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED (>=10-<15 EO)

ID: 68920-66-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.30	gs: LT-UNK	RC: None	NANO: No	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	rnings found on H	HPD Priority Hazard Lists	

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.03	GS: BM-2	RC: None NANO: No ROLE: Preservative			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Ver	ry toxic to aquation	clife	
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Ver	ry toxic to aquation	c life with long lasting effects	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - Ma	y cause an allerg	ic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Ca	uses serious eye	damage	
MAMMALIAN	EU - GHS (H-Statements)	H331 - To	xic if inhaled		
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Car repeated e	•	organs through prolonged or	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential E	Endocrine Disrupt	tor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - S	Severe Hazard to	Waters	
SKIN SENSITIZE	MAK	Sensitizing	g Substance Sh -	Danger of skin sensitization	

GLASSY SODIUM PHOSPHATE ID: 68915-31-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.05	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found o	n HPD Priority Hazard Lists		

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

MAGNESITE ID: 13717-00-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.00 - 0.05	GS: NoGS	RC: None	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family.

CHLORITE ID: 1318-59-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30			
%: 0.00 - 0.05	gs: NoGS	RC: None	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	arnings found on H	PD Priority Hazard Lists	
SUBSTANCE NOTES: The pe	ercentage range of the substance is due to produ	ict recipe variations in th	ne product family		

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.00 - 1.80	GS: LT-UNK	RC: None	nano: No	ROLE: Glass veil	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family. This substance is considered proprietary by the supplier but has been third-party verified.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.00 - 0.40	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found or	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family. This substance is considered proprietary by the supplier but has been third-party verified.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-30		
%: 0.00 - 0.03	GS: LT-P1	RC: None	nano: No	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	Potential Endocrine Disruptor		

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family. This substance is considered proprietary by the supplier but has been third-party verified.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2020-03-30		
%: 0.00 - 0.02	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		Nov	warnings found o	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: The percentage range of the substance is due to product recipe variations in the product family. This substance is considered proprietary by the supplier but has been third-party verified.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Eurofins Indoor Air Comfort - certified product

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: Eurofins A/S

APPLICABLE FACILITIES: Saint-Gobain Ecophon AB,

10-10

10-10

Hyllinge, Sweden

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Eurofins Gold Indoor Air Comfort. Certificate available on demand. The contents of these certificates have been third-party verified.

RECYCLED CONTENT

Recycled content declaration

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: Ecophon

APPLICABLE FACILITIES: Saint-Gobain Ecophon AB,

10-17

Saint-Gobain AB

Hyllinge, Sweden

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: The recycled content in glass fiber is around 70% in the baseboard core. Considering the different components in the ceiling tiles in this HPD, the minimum recycled content is 46%.

LCA

Environmental Product Declaration (EPD)

CERTIFYING PARTY: Third Party

ISSUE DATE:

EXPIRY DATE:

CERTIFIER OR LAB: Martin

APPLICABLE FACILITIES: Saint-Gobain Ecophon AB, Hyllinge, Sweden

2019-01-30

2024-01-28

Erlandsson, IVL Swedish Environmental

Research Institute

https://gryphon4.environdec.com/system/data/files/6/16825/S-

P-01447%20EPD%20Ecophon%20Hygiene%20Family%20-

%20Tech.pdf

CERTIFICATION AND COMPLIANCE NOTES: Environmental Product Declaration for Ecophon HygieneTM /Tech (S-P-01447). Included in this EPD: Performance Plus A, Performance Wall, Performance Baffle, Clinic A/Tech, Clinic E / Tech, Protec A / Tech, Perfromance A/Tech, Meditec A / Tech, Meditec E / Tech, ProtecAir A/Tech, Protec Ds/Tech.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACCESSORIES

HPD URL: https://www.ecophon.com/en/products/Modularceilings/Hygiene/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Ceiling tiles are part of a system including numerous accessories with assembly variations depending on the project requirements. To get the exhaustive list of accessories, please contact the Ecophon technical team or have a look at Msketch (installation method) under each product webpage.



The variation in content between the products covered by this HPD is due to varying proportions of materials (thickness and density of glasswool and quantity of edge paint and varying types of facings.

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain

ADDRESS: Ecophon Saint-Gobain AB

Ytervägen 1

Hyllinge Sweden 265 75, Sweden

WEBSITE: https://www.ecophon.com/en/

CONTACT NAME: Daniel Olausson
TITLE: Sustainability coordinator

PHONE: +46 42 17 99 00

EMAIL: daniel.olausson@ecophon.se

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.