


the GRIME range



Jaymart

Specification Grime Stopper

Jaymart Rubber & Plastics Limited

Roman Way

Crusader Park

Warminster

Wiltshire

BA12 8SP

Tel : 01985 218994

email : sales@jaymart.co.uk

Web: www.jaymart.co.uk

NBS SPECIFICATION GRIME STOPPER ENTRANCE MATTING

TYPICAL SPECIFICATION

N10


General Fixtures/Furnishings/Equipment

300

Entrance Matting

40

Miscellaneous Fittings



Application

Internal High Traffic Areas

DDA Compliant can be used in conjunction with wheelchairs and shopping trolleys.

Closed Construction Heel Safe

Description

A matting consisting of strips of very heavy duty Polypropylene broadrib zone carpeting, secured between rigid silver aluminium scraper bars. Designed for indoor use in shops, public buildings, schools, offices, hotels, leisure centres and hospitals.

The matting can be supplied in virtually any size or shape but, for reasons of safe handling, it is recommended that mat sections, which can be butted together, do not exceed 2m²

The Panels interconnect on the front and back panel, the panels on the left to right can make up required by butting panels side by side. The Jaymart system allows for perfect rib alignment without the need for T Bars.

Grime Stopper is 16 mm thick and available in a range of eight single or combined colours

Manufacturer

Jaymart Rubber & Plastics Ltd Roman Way Crusader Park Warminster Wiltshire BA12 BSP

Tel: 01985 218997 Fax: 01985 217417 email : sales@jaymart.co.uk Web: www.jaymart.co.uk

Product Reference

Grime Stopper Entrance matting

Aluminium Finishes Available

Standard Mill Finish & Anodised Finishes (Special Order)

Composition

Made from 95% Recycled Aluminium

Size

Specify size and shape but matting should be ordered in sections maximum width 3m wide

Thickness/ Depth

16mm

Weight

10kg per m²

Construction

Closed

Interlocking Panel System

Pile Type

Construction

100% Polypropylene

Guarantee/ Warranty

10 year subject to correct maintenance and cleaning procedures being carried out

Colours

Steel Blue (36), Anthracite (07), Lever (19), Brown/White (12), Light Blue (13), Blue/Grey (35), Turquoise (42), Silver/Grey (51), Forest Green (29), Plain Burgundy (61), Blue (10), Green (004), Red (41), Graphite (052), Forest (76), Jeans Blue(39), Royal Blue(34) & Safari (68).

Interchangeable / Replaceable inserts

Installation

Installed in recessed matwell or surface mounted. with or without frame dependent on floor finishes



Revised 29/1/21