# KarEbinR

Fire alarm

Better product, **better value** 



Our KarEbinR PVC Sheet is designed to be strong, reliable and safe - the same qualities Mountaineers rely on with 'carabiner' rings for rock climbing

Go ahead, climb your mountain with confidence using only the best - KarEbinR

KarEbinR is an innovative brand that focusing on getting high-quality products into the marketplace at a highly attractive price

We greatly care about the customer experience and a long term relationship built on **quality**, **value** and **trust**  The result is our exclusive high quality PVC sheet

We are confident that you will be happy with our products and services

OUR PRODUCTS ARE ALREADY USED IN MANY ORGANISATIONS

## Typical Area Types

#### RESTAURANTS/FOOD PRODUCTION FACILITIES

Due to the versatile nature of the KarEbinR range, it can be utilised in just about any food preparation and serving location, making storage and preparation areas easy to clean and hygienic. Other areas such as toilets and washrooms would also benefit.

#### **SPORT & LEISURE**

KarEbinR is ideally suited to these intense work environments and will inspire customer confidence in your facilities. It is attractive, non-porous (for wet areas) and stylish.

#### HEALTHCARE/PHARMACEUTICAL

The inherent properties of PVC do not allow the growth of bacteria within the product. It looks stylish, is easy to clean and has high impact resistant making it an ideal product for any healthcare environment. Also, there are welded options for higher requirement areas such as operating theatres.

#### EDUCATION

Whether it is a university, college, academy, high school, primary or any type of learning facility, there are many different areas to include the KarEbinR products. Kitchen/food prep areas, toilets, washrooms, splashbacks (sink areas), changing rooms, shower rooms, ICT labs - it is robust and easy to clean with a variety of trim options to fully suit your needs.







Contact us on: 0113 532 5355

Unit 6 Heywood Industrial Park Birds Royd Lane Brighouse HD6 1NA Email: sales@karebinr.com

Visit us: karebinr.com



### Colour Ranges Available

Colours are not a true representative of the actual colours. Please see the colour chart for a true reflection



KarEbinR	Kleen	Kore	Kolours
Surface Finish	Satin		
Sheet sizes:			
Length	2500mm or 3000mm		
Width	1220mm		
Thickness	2.5mm		
Weight	3.63KG per m2		
Temperature Specifications			
Safe working temperature	60 °C		
Product soft point:	80 °C		
Ignition temperature:	390 °C		
Set ignition:	450 °C		
Substrates (general)	All substrates to be dried to a minimum of 16% WME (wood moisture equivalent) All porous surfaces to be sealed with 1:10 diluted PVA 12.5mm Plasterboard		
Suitable Substrates	9mm Plywood Fair-faced blockwork (3mm over a 2m straight) Plastered surfaces finished with steel trowel (pink light weight plasters not suitable) Tile (Clean, de-greased and securely bonded to substrate)		
Joints	Single part Two part Weld		
Fire Rating	EN13501 – 1 B-S2, D0		
Fixing	Two methods of fixing dependent upon site requirements		
KarEbinR Bond	Two-part polyurethane adhesive		
KarEbinR Foil	Gun applied Hybrid MS Polymer		
Cleaning	Regular cleaning with hot soapy water or non-abrasive mild cleaning products		
Product Warranty	y 20 Years		





