

Resin Bound Paving Specialists

Knowledge. Experience. Innovation.



Circumstance is why we set up. Innovation, knowledge and passion is why we're still here.

Welcome to SureSet.





Why SureSet?	4
Why resin bound?	6
Applications	7
Bases for SureSet	8
Design	9
Specifying SureSet	10
Installation	11
Services	12
Our colour range	14
Case studies	18
Application insights	24
PourOn	27
What else we offer	28
SureSet guarantee	29
Testimonials	30
FAQ's	31



Finding global success was all about standards, and when you've been in the industry 27 years you learn a thing or two about what works and what doesn't.

SureSet has always been driven by innovation, quality, and has continually raised the bar of excellence.

Peter Watts



Why SureSet?

We pride ourselves on exceptional customer service along with premium products. From start to finish we offer technical advice, full supply and installation, and up to 30 years guarantee to complete the service.

Our resin bound paving solutions offer natural and recycled materials, unlimited colours, and a design flexibility that no other paving type can match. Unlike many traditional paving systems, SureSet is permeable.

This means that any proposal including SureSet demonstrates a sustainable approach to water management.

As a market leader in permeable resin bound paving, we have the reputation, experience and innovative approach to make any design outstanding.

Eliminates loose stone

Seamless finish ideal for disabled access, children, pushchairs and bicycles.

Permeable

The voids in SureSet permeable paving allow water to pass straight through.

This natural drainage eliminates puddles and contributes to flood prevention.

The permeability of SureSet makes it fully SuDS (Sustainable urban Drainage Systems) compliant.

Hardwearing

Long lasting surface, ideal for pedestrian and vehicular areas.

UV stable

Offering long-term colour stability.

Low maintenance

Weed growth is minimal and the open voids eradicate any standing water. All you need to do is sweep and occasionally power wash your surface.

Fast installation

Approximately 250m² a day can be laid over many existing surfaces. We can arrange everything from start to finish, providing materials and installation.

Design flexibility

Single or multi-coloured curves, circles, patterns and numbers can be achieved just as easily as a straightforward installation.

Unlimited colour range

For creative, innovative designs.



Reinstatement

Can be successfully patched and repaired with a colour matched formulation.

Environmentally friendly

The installation method is a low energy, cold applied process. A depth (typically, 18mm) minimises raw material consumption. The need for excavation and replacement of an existing hard surfacing can also be minimised.

Up to 30 years guarantee

We can install our paving anywhere in the world and our installations are guaranteed for up to 30 years against:

- Loose stone
- Cracking
- Oil damage
- UV degradation
- Frost damage
- Workmanship

British Board of Agrément (BBA)

SureSet has undergone rigorous testing required to ensure that it is fit for purpose. We demonstrate compliance with industry regulations and our products are tested and certified annually by the UK's leading certification body – certificate no 20/5719.

SuDS

SuDS is an approach to water management introduced by the Environment Agency. The main principles of SuDS is to mimic natural drainage i.e. allow rainwater to soak back into the ground rather than allowing it to run directly into watercourses.





Why resin bound?

The popular paving choice known for its permeability, the stone is mixed with a clear resin on site so that each particle of stone is completely coated with the resin.

Once the resin and aggregate are fully mixed together, they are then applied to the base to give a permeable, smooth and durable finish.

When combined, the finished depth of the bound system usually varies between 12mm and 24mm.

The specified depth is dependent on the aggregate size in the mix and the application it is being used for. The resin bound system allows the mixing of different sizes and colours of aggregate to give a wide variety of appearances and textures.



	Resin bound	Block paving	Tarmac	Concrete	Crazy paving	Loose gravel	Resin bonded
Permeable	<	∜	<	<	×	<	×
Weed resistant	<	×	×	×	<	×	৶
Frost resistant	<	×	×	×	×	<	×
Oil damage safe	<		×	×	<	×	<
Slip resistance			<	<	<		<
Colour stable	<	<	×	×	×	×	×
Low maintenance	<	×	×	×	×	×	×
Durability	<₽	×	×	<₽	×	×	×

Applications

SureSet Resin Systems are available in an endless variety of materials and colours, which are suitable for all applications. We advise discussing each project and application with us individually but here is a guide to our recommended usages.











Vehicular

Pool areas

Tree areas

Pedestrian

Decorative

	Natural Aggregates		Crushed Marble			FlexiSet	Spectrum	Recycled		
Size Applications	3mm	6mm	10mm	3mm	6mm	10mm	10mm	3mm	6mm	10mm
Pedestrian Paving	⊘	∜	∜	∜	∜	∜	∜		∜	∜
Vehicular Use	⊘	∜	∜	∜	∜	<	×		×	×
Tree Pit	×	∜	∜	×	∜	∜	∜	×	×	×
Pool Surroundings	∜	4	∜	∜	4	</td <td>⊘</td> <td></td> <td>×</td> <td>×</td>	⊘		×	×
Decorative	∜	∜	∜	∜	∜	∜	∜	</td <td>∜</td> <td>∜</td>	∜	∜





Bases for SureSet

Asphalt (also known as Tarmac)

Is the ideal base for SureSet paving. Suitable for all traffic types (depending on build up). SureSet can be laid directly onto an existing asphalt surface or a newly installed one as soon as it has cooled. The asphalt should be installed onto an appropriate granular subbase, of adequate depth to accept the expected weight of use.

Existing Concrete

All concrete bases should be structurally sound, primed, and have a crack reduction membrane (CRM) applied before SureSet is installed.

Freshly-Laid Concrete

A minimum period of 7 days must be allowed before installation of SureSet onto new concrete. The surface should then be primed using a polymer based primer before SureSet is installed.

Although SureSet is crack resistant, it will ultimately reflect any crack within the base. Movement joints must be included in the plans, and carried up through the SureSet paving where necessary. A sufficient depth and grade of concrete should be used to withstand the expected loadings in use.

Crushed Rock

Is an ideal base for tree surrounds, and is suitable for areas of low pedestrian traffic with no vehicular access.

Requires to be built in two layers of 4/20 free draining crushed stone base, and well-compacted to a minimum depth of 100mm. SureSet needs to be laid to a minimum depth of 30mm to compensate for the weaker base.

SureCell®

Is a recycled plastic cellular grid structure suitable for pedestrian and light vehicular areas (sub-base dependent). When interlocked and filled loose stone and compacted, it creates a permeable and load-bearing base course or stand-alone paving surface. When filled, the SureCell has a compressive strength of 400t/m².

As with all groundworks, local, specialist advice must be taken on the subbase requirements for each scheme.

Typical Base build-ups











Design

Our wide range of colours and textures allows SureSet to blend in with surrounding materials or provide a striking contrast, depending on the creative vision of the designer.

Resin bound paving has proved to be the perfect design solution for an extensive range of projects across the world.

From schools, medical centres, bridges and hospitals to private homes and pedestrian areas, SureSet has brought to life designs of all shapes, sizes and complexities.

We offer solutions for exterior applications in a vast range of colours and textures, allowing designers to continue their design theme to the outside hardscapes.

Our product also provides designers the opportunity to create intricate and detailed designs using stencils or metal edging within the surface. Whether it is a corporate logo, a welcome message to visitors, or a school emblem, SureSet can be used to create a perfect, colour-matched representation of virtually any subject. Providing a unique design signature to any project.

Our highly skilled team of Installers efficiently complete the project with focus on accuracy and attention to detail.

The result is an extremely durable and highly attractive solution that will keep its colour and good looks for many years to come.

Add the ultimate 'WOW factor' to your paving!





Specifying SureSet

If you would like SureSet to provide you with a quotation we will need to know:

- Size of the area in square metres (m2).
- · Application type of use.
- · Colour or aggregate you require.

The process to specify

A SureSet resin bound surface consists of:

- Aggregate: Natural gravels, crushed rock, marble or recycled materials.
- Resin binder: crystal clear, UV stable and flexible.

SureSet resin bound paving is a cold laid process.

The resin bound aggregate is mixed together to ensure each particle is fully coated in resin, allowing it to bind together when laid.

To specify the exact SureSet blend and depth of material

- Product code: e.g. 2304.18
- Description: Nominal size, colour and texture (crushed / rounded)
 e.g. Barley Butter.
- Depth of laying: e.g. 18mm (dependent on application type).

Code and descriptions are labelled on the bottom of each sample disc.

Recommended depths of laying are on SureSet specifications.





















Installation

Our Operations Team will handle all the arrangements for your installation; supporting you through the process and doing everything they can to make it as easy as possible for you.

SureSet installations are completed in various ways, depending on the type of project. The traditional method has been to install the materials using a hand trowel. However in recent years we have developed machinery that will allow for a more efficient and accurate installation, such as our Power Float.

Curing time

- Can be laid in temperatures as low as 0°C.
- · Can be laid over existing surfaces.

During and after installation

Our Installers will work tidily and with respect to on-site regulations and neighbouring properties. All adjacent areas will be protected during the installation to minimise the risk of resin contamination.

They will clear up behind themselves and take away any rubbish.

With our large network of Certified Installers and Global Partners, we can install a SureSet surface worldwide.

All Certified Installers and global partners have:

- Invested in our training programme
- · Skills and experience
- Fulfilled our stringent criteria
- A SureSet Certification

To specify the exact SureSet blend and depth of material

- Product code: e.g. 2304.18
- Description: Nominal size, colour and texture (crushed / rounded)
 e.g. Barley Butter.
- **Depth of laying:** e.g. 18mm (dependent on application type).

Code and descriptions are labelled on the bottom of each sample disc.

Recommended depths of laying are on SureSet specifications.



SureSet resin is a versatile and attractive option for a variety of outdoor surfacing projects, ranging from driveways and pathways to commercial spaces and public areas.

Scan the QR code to view our wide range of residential and commercial case studies, or visit sureset.co.uk/case-studies





Services

Installation

Both nationwide and globally, we offer a full installation service. Your SureSet installation will be carried out and managed by a SureSet approved installation team. All SureSet approved installations are backed by our Guarantee for up to 30 years.

You can request a no obligation quotation online or call +44(0)1985 841 180



Trade Products

We understand that experienced tradesmen, builders and DIY enthusiasts may not require our installation services, so we have developed a variety of self-install options as well as the opportunity to access our SureSet ProResin, and the variety of natural aggregates and marbles, all available direct from SureSet or through our online shop.

Cleaning

We have a full maintenance guide available to download from our website, we also offer a resin bound cleaning service. If you would like to find out more about this, please contact us.

CPD presentations

We offer resin bound CPD presentations covering the manufacturing, mixing and application processes and maintenance.

Samples

SureSet offer a free sample delivery service, samples can be requested via the website or by contacting the Sales Team.



If you have a project you wish to self install you should consider using our DIY Kits or DIY Packs.



Scan the QR code to view our online shop, visit sureset.co.uk/shop or email trade@sureset.co.uk



Learn the ropes

Resin bound training course(s)

If you are a looking to widen your services, improve your resin bound skills, learn more about polyurethane resins and use them on projects, then please consider our training course(s) held regularly throughout the year. The training content is a combination of classroom learning and practical application demonstrations.

As part of our membership commitment with FeRFA and best practice, we cover the use of our three part chemically curing resin catalyst system, ProResin, used for resin bound paving installations and available to purchase online to use on your own resin bound projects.

Installer scheme

Supporting our highly skilled Installation Team is a network of SureSet Certified Installers, who complete their own projects nationwide along with our Global Partners who work internationally.







Our colour range

Natural aggregates

Our most popular colour range providing natural aggregates that are functional and aesthetically pleasing.





Check our application table on page 7 to see which range is suitable for your project.



Marbles

These marble colours are timeless, a truly beautiful material made of traditional marble aggregate.






DIY

This beautiful range is perfect for all DIY projects around the garden.



Spectrum® recycled glass

A range of spectacular colours, made in-house from recycled glass and colour coated in many primary, glittery, pastel and pearlescent colours.



FlexiSet

FlexiSet is 50% recycled rubber, 50% 6mm natural aggregate, and resin, delivering the usual environmental benefits associated with SureSet. Suitable for pedestrian use only.



Recycled Materials (decorative use only)

Using either waste or by-products these recycled materials include crushed mirrors, 100% recycled glass, and crushed shells.





Case study

Swaminarayan Temple, Anoopam Mission, in Uxbridge

Founded in 1987 and what was originally a reasonable sized house with over 14 acres of land, The Anoopam Mission soon became a beautiful Swaminarayan Temple located in a quiet and secluded part of Uxbridge in South Buckinghamshire. It opens its doors to help those who need it the most, without any discrimination of other faiths and the non-religious, of their class, creed, colour or gender. Since 2016, SureSet have been working with the Anoopam Mission alongside MEB Design and Beard Construction to complete their project vision of creating the biggest multi-cultural campus in the United Kingdom.

Phase 1

The original scope of the project was to include a total area of 1180m² using SureSet resin bound paving materials on the steps and pedestrian entrance to the tranquil Temple. "To see the project through each phase from the original plans to the final resin bound paving on site was incredible. It has been a great

experience and a privilege to work on this type of project, and we will continue to support Anoopam Mission with their plans." Testimonial by Dave Shell, Head of Operations at SureSet Resin.



Phase 2

The second phase at the Swaminarayan Campus was originally applied for in 2019 to build a Hindu Crematorium, which is said to be one of the UK's first! Here, the aggregate colours were kept the same for consistency, creating a continuous flow around the new building. It was important to continue the same colours used on the first phase as it gives a sense of connection. The design of the crematorium building, and its facilities were particularly customised and designed by local Architect Nick Mancini, from Mancini Curran Associates, to meet the needs of the Hindu community.

A fully permeable 14mm open graded asphalt base was prepared by others prior to our arrival. The SureSet team completed a full installation of 717m² at a 16mm depth using a hand float and our mechanical methods for the best possible finish. The main colour used was a natural warm red 3mm aggregate, Tuscan Barley Butter. The chosen colour was perfect to feature around the

grounds as it matched the red wood window frames and the exterior building features beautifully.

The second area of materials SureSet installed was 105m² of 3mm luxury resin bound marble, named Buttermilk, a light white sand colour. This chosen material was also hand floated to a 16mm depth. It was used in the design as a striking decorative border around the crematorium outlining the buildings shape, blending in well with the surrounding colours, which really draws your eyes towards it.

The Anoopam Mission Committee and visitors alike have expressed nothing but pleasure with the outcome and feel the project has been a great success, transforming a piece of residential land into a place for cultural community.



Case study

Stazzona, Italy

Choosing materials for indoor floors requires a lot of attention and care, but it is equally important for outdoor ones, especially if they are part of urban design.

The right paving can make the city more beautiful of course, but also more liveable, and safer, suitable for hosting activities and fitting the needs of the people who live there.

In Stazzona (Lake Como) where the Church of San Giuliano stands, the permeable resin bound paving has redesigned the boundaries between the horizontal space of the square and the panoramic balcony, open to the lake and its beautiful valleys, in order to create an immersive effect into the landscape.

The small village of Stazzona, which enjoys a unique panorama, has promoted the replacement of the existing surfacing, made by porphyry blocks, with a continuous and seamless paving, suitable for both pedestrian and vehicular use, with the purpose of connecting the different sides of the square to the adjacent road and then up to the belvedere, which overlooks Lake Como.

Permeable paving has been the ideal solution and perfectly matches the project concept. Permeable paving is continuous and gives the visual perception of gliding over the square throughout the adjacent street up to the panoramic sidewalk. Placed on an asphalt base, it is a 18mm thick layer of attractive blended 6mm selected aggregates Sienna Yellow and Breccia Aurora.

The surface, with a natural and elegant appearance, has been further embellished by the insertion of 315 square blocks also with permeable resin bound paving. Each block is 15x15cm and made with 1–2mm aggregates in Bardiglio Gray, arranged according to a geometric design. This was conceived by the designer in order to create an association between the interior flooring of the church, which is black, and the exterior to accompany the movement in the square.

Resistant to atmospheric agents, permeable and draining, with minimal maintenance requirements, permeable resin bound paving is the right choice due to its functionality.

The skilled HiSkin Installation Team have enhanced the architectural and landscaped identity of the area. The visitors can admire the SureSet paving that leads to a wonderful panoramic view of Lake Como from Stazzona balcony.





Church Farm, Rode

A pleasant array of new luxury, low carbon countryside homes were built in the beautiful Somerset village of Rode. The new homes were completed using local naturally quarried Cotswold stone. The homes at Church Farm are distinctively individual, with elegant architectural features that bring a sense of longstanding community. Built in natural limestone, designed to weather gently over the years, Church Farm, near Bath, needed a paving system that could match the homes features, as well as aesthetically blend into the surrounding landscape.

The Award winning housing developers, Autograph Homes, considered every detail of their designs and wanted to include a sustainable paving source, they wanted to create a generous size resin bound access road that provided a relaxed, natural feel to welcome residents to their home, but also incorporated some texture using traditional cobble setts to break up certain areas.

SureSet resin bound paving is typically a handlaid, smooth, and fully permeable external paving surface. The chosen material of resin bound was SureSet's popular blend '6mm Barley Butter' was chosen for the development to withstand vehicular access traffic, including the occasional refuse lorry and regular foot traffic.

The stylish modern paving system met the ethos of the housing developers, which is to make a difference with their designs by combining sustainable energy systems with intelligent use of space and structure, offering homeowners a lifetime of savings. The client requested a full supply and installation service of our high-quality range of paving that always includes a 21-year Guarantee. To complete the 1,257m² of SureSet paving onto a tarmac base, as per our specification advice.

The resin bound paving was laid to a maximum 20mm depth using our 6mm Barley Butter BBA approved permeable resin surface course.

Whether you are a specifier needing a full installation by our skilled teams or a tradesman wanting to use self-install options, SureSet supply you with high-quality products and excellent customer service.

SureSet has been working with designers, contractors and homeowners installing resin bound paving since 1997. SureSet paving is suitable for new build and refurbishment projects, providing a fully permeable surface that allows water to freely drain through the paving.



Case study

Manor Gardens, Wiltshire

Located in a small town close to the popular holiday destination Centre Parcs, Longleat Forest in Wiltshire, an owner of a tired, south-facing residential patio area wanted to transform the back garden of their detached property with resin bound aggregate.

Removing the old sandstone slabs was a task too large for the homeowner and would exceed the overall budget available for the rejuvenation. After careful consideration and various movement checks of the 15-year-old paving slabs, the homeowners opted to use our Natural Aggregate DIYPack to overlay their pre-existing slabs. SureSet's 6mm Cappuccino material was chosen from the Natural Aggregate Range.

An added feature of a StepRiser in a subtly contrasting colour, to allow easy access through the properties french doors onto the sleek patio area, was installed and finished with a step edging strip infilled with a matching colour for continuity.

Their installation started out with preparing the slab base with a crack reduction membrane (CRM), removing the ACO drain covers and masking off any brickwork and exposed edges. Once the weather warmed up and the morning fog passed, the first batch of material was mixed, wheelbarrowed to the

far corner of the patio and hand floated to a level 18mm depth, all of these tools were bought from our online shop. The manholes were also covered with resin bound and a bespoke rotary airer cover was created to prevent a horrid hole which would be left if the washing stand was not in use on a windy day!

"I can highly recommend this company and their online products. I wanted something to replace my patio slabs that would look sleek and clean, I am glad I used this product.

The company were professional, with good communication and answered any questions I had before buying online.
The materials arrived on time, and all correspondence was professional

– 5 stars from me, very happy."

- Homeowner

Over a year later the owners are extremely pleased with how the material looks and performs in the rain!





Brendon Court, Bath

The University of Bath is one of the leading universities in the UK, located in Claverton Down on the East side of Bath, it is known for its excellence in teaching and research. As a result, the university attracts a large number of students from all over the world. With an increasing number of students enrolling in the university, there was a growing demand for quality accommodation facilities that met the needs and preferences of the students.

In response to this growing demand, the University of Bath decided to construct a new student accommodation building that would provide students with a comfortable and convenient living experience. Brendon Court was the result of this initiative.

Brendon Court is a student accommodation complex made up of 113 flats, which are home to 126 first year undergraduate students who are living on campus.

In the centre of Brendon Court is a communal area which also acts as an access way. The key functions of the area are that it needs to be accessible, easy to maintain and provide a place for students to sit and enjoy the outdoor space provided.

Main Contractor K P Wilton & Son Ltd, from Bristol, contacted SureSet as resin bound paving was a perfect solution for the project. Using a reputable product and contractor is a very important part of creating these commercial jobs and our 26 years of expertise was exactly what the customer was looking for.

The areas were installed with a permeable asphalt base (laid by others). Having a permeable base provides a fully draining build up to ensure water can completely flow through to the natural drainage table below, with no standing water. The correct base provides a stable foundation for the resin bound paving to be installed on top.

Subcontractor and Legacy Installer of SureSet; Bruce Lovelock was on site to prepare the area and mark out the batches for the permeable paving. 6mm Barley Butter was chosen from our Natural Aggregate Range, as one of our most popular colours it blends perfectly with its surroundings.

The implementation of the resin bound paving proved to be a successful solution. The new pathways not only enhanced the aesthetic of the complex but also provided a durable, low maintenance and safe surface.



Application insights

Tree Pits

Tree pits are often an easy target for casually discarded litter, requiring disproportionate time and effort to keep these areas in pristine condition.

Our permeable resin bound tree pits need little maintenance, enhance the environment, eliminate the need for unsightly and costly metal grilles and are much less likely to be vandalised.

The unique resin bound structure maximises the voids between aggregate particles, allowing air flow and water penetration whilst remaining tough and durable yet with enough flexibility to allow for growth.

SuDS Compliant

SureSet is fully SuDS compliant and therefore is often the first choice for Councils as a tree pit solution. Our permeable surfacing allows water to return to the natural water table. With issues surrounding flooding and pollution, a permeable surface is becoming essential.

PH values will remain unchanged by SureSet and our tree surrounds can often act as a filter layer protecting the underlying soil from contaminants.

Heat Reflective

SureSet can be heat reflective and its voided structure allows for the absorption and evaporation of moisture combating the Heat Island effect.

The benefits of a SureSet resin bound tree pit include:

- · Easy to maintain
- No loose stone
- Nowhere for rubbish to collect
- Reduces the opportunity for weeds to grow
- Covered by a guarantee for up to 30 years when installed by SureSet, a SureSet Certified Installer or Global Partner.

Plant Safe

All SureSet products cure as an inert material, meaning that they are environmentally friendly and of no danger to plants.



Installation

FlexiSet

FlexiSet offers a rustic natural finish for any resin bound surface.

Made from 50% recycled rubber, 50% 6mm natural aggregate and our unique resin formula, FlexiSet delivers all the usual environmental benefits associated with SureSet

The unpolished look and inherent flexibility of FlexiSet makes it ideal for:

- · Woodland trails
- Jogging paths
- · Pedestrian areas
- Cycle tracks
- Equestrian centres
- · Drainage channels
- Golf courses
- Tree pits

Why choose FlexiSet?

- · It's economical
- It's environmentally friendly
- It's lightweight
- It's flexible
- · It's permeable

Suitable bases include concrete, asphalt, well-compacted stone and SureCell.

Made from shredded bus and truck tyres, the recycled rubber itself is black, but by adding natural aggregate to the mix we can bring colour to the surface.

SureSet FlexiSet resin bound paving helps improve the issues of drainage and surface water and addresses the irregularities of trees root levels.

See our full range of colours on our website.





ProResin

SureSet ProResin is a high-quality Aliphatic UV stable polyurethane binder which is used as part of a blend to create durable, permeable resin bound paving.

ProResin is designed for use in a forced action mixer only, using the appropriate amount of recommended or locally sourced aggregate. Using a forced action mixer ensures the resin and aggregate are fully and consistently blended.

ProResin is available in Kit form and when mixed, can be used for many commercial and residential applications such as driveways, pathways, hard landscaping, courtyards, swimming pool surrounds and patios.



- Formulated in-house
- UV stable* HDI aliphatic polyurethane (high quality)
- Crystal clear
- Can be used in temperatures from 0°C (conditions apply)
- · 3-part chemically curing
- Flexible
- Controllable curing times
- Can be used all year round
- Durable
- ISO 9001 audited Quality Management system







If you have a project you wish to self install you should consider using our DIY Kits or DIY Packs.



Scan the QR code to view our online shop, visit sureset.co.uk/shop or email trade@sureset.co.uk



PourOn

PourOn is an easy solution for stabilising new or existing loose stone. The clear, UV stable resin encapsulates the aggregate creating a natural looking gravel area which is solid under foot.

For use in commercial and residential applications, PourOn is supplied in 1kg, 5kg and 20kg sizes and can be used with aggregate in situ or bought new directly from SureSet.

Its quick installation process is advantageous, especially for commercial projects where site closures may be required. The application rate of PourOn covers an impressive 1000m² per day with three installers so it is well-suited to large-scale areas.



Features:

- UV stable
- Low maintenance
- Easy to install
- Durable
- · Natural appearance
- Retains permeability
- Stabilise loose gravel
- · Use with larger sized stone





What else we offer...

If you are a DIY enthusiast, we have self-install permeable resin paving for your own residential projects. All our self-install, DIY, products are supplied with high-quality resins that are UV stable and aggregates that are washed, dried and bagged with quality checks.

DIY Pack

Designed with homeowners in mind, Packs come in convenient sizes of 20m² and 40m² along with everything you need to complete and installation.

DIY Kit

No experience is required as our DIY Kits are easy to use. Kits cover 1m² (supplied in 2 buckets) to be installed at a minimum 16mm depth and available in various colours.

Maintenance Kit

A miniature DIY Kit suitable for repairs on areas under 0.5m².

Aggregate Only

Supplied in 25kg bags, our aggregates are washed, dried and graded. Use with ProResin or PourOn.

Vertical

4kg kits can be used for areas such as step risers or small walls.

Edging

High quality aluminium edging profiles are available in rigid or flexible options at various depths. Sold in lengths of 2.5m². Use as an outer edge or to give crisp designs within the paving.

SureCell

SureCell is a plastic interlocking base option. Panels are 48cm x 26cm x 52mm deep. 1m² consists of 4 panels which clip together. Minimum order of 5m².

Tools & Preparation Materials

Various tools, consumable and preparation materials are available to purchase through our online shop to be used when installing your resin bound paving.





If you have a project you wish to self install you should consider using our DIY Kits or DIY Packs.



Scan the QR code to view our online shop, visit sureset.co.uk/shop or email trade@sureset.co.uk

Up to 30 year guarantee

SureSet is dedicated to providing the highest possible service with the highest quality product.



SureSet is a hard-wearing durable surface that can withstand traffic from light pedestrian to vehicular access, easily coping with the stresses of power steering and heavy axle loads. The design technology of our resin bound paving system gives us the confidence to guarantee your project, when installed by a certified Approved or Legacy Installer, in accordance with our quality standards.

Our permeable resin bound paving installations are fully guaranteed for up to 30 years from the date of application against:

- · Loose stone
- Softening
- Oil damage
- Frost damage
- Cracking
- Workmanship*

Guarantee Periods

5 years

Product only - Applicable to all applications, when installed by an Approved Installer

21 years

Product and Installation - Applicable to all applications, when installed by SureSet

Product only - Applicable to all applications, when installed by a Legacy Installer or Global Partner

30 years

Product and Installation - Applicable to domestic footpaths/patios only, when installed by SureSet

Product only – Applicable to domestic footpaths/patios only, when installed by a Legacy Installer or Global Partner

When installed under an Approved Installer, Legacy Installer or Global Partner, the workmanship provided is covered directly by them and we provide them with a product only guarantee.

The guarantee is conditional upon a suitable base being used, and the advice in our Aftercare and Maintenance Guide has been followed.

Materials supplied under Trade, DIY or installed by a SureSet Certified Installer are not covered under the SureSet Guarantee periods.

Usage

SureSet surfaces are intended to be used by normal pedestrian or vehicular traffic for which they have been designed. Protection should be provided against abnormal usage.

Routine Maintenance & Washing

Keep SureSet surfaces clean by regularly sweeping with a stiff broom and hose with clean water. A pressure washer can be used to remove dirt, grime and moss. SureSet also offer a professional cleaning service, please contact us to arrange.

Full terms and conditions and maintenance guide can be downloaded from our website.

^{*}Workmanship is covered when supplied and installed directly by SureSet.



Testimonials

44

We are delighted! Everyone at the school is thrilled as were the parents and children when they returned to school after the holidays! What a transformation! Everything was left clean and tidy in a prompt manner. It was a pleasure to work with you and your team.

Ali - Chilton Foliat Primary School

"I just wanted to let you all know at SureSet how absolutely delighted I am with the new patio you laid for me last Saturday. As you know I was sent help from Blind Veterans to help with my garden as it was deemed dangerous due to my sight loss. The loose gravel outside the patio doors (the only access to my garden), caused particular concern and recently I fell and cracked a couple of ribs negotiating my way through the doors. Now stepping onto the smooth safe patio, makes such a difference, especially when I am holding a glass of wine! Your kindness and hard work is appreciated."

Lynette Elliott - Homeowner

"Very impressed with service and product. Initial laying was a learning experience but when I got used to the product, it became much easier."

DIY Kit Customer

"I can highly recommend this company and their online products. I wanted something to replace my patio slabs that would look sleek and clean, I am glad I used this product. The company were professional, with good communication and answered any questions I had before buying online. The materials arrived on time, and all correspondence was professional – 5 stars from me, very happy."

Mr. Philp - DIY Pack customer

"SureSet were committed to ensuring that the best-finished product was achieved, on a project where precision was paramount. Professional, helpful, and polite throughout, from concept to aftercare."

Max Harriman from Tom Stuart-Smith Ltd



Thank you so much for the Kits they were brilliant to use - genuinely DIY. We had been a bit worried about how it would go but Simon positively enjoyed himself laying them and said it was quite therapeutic! They will be perfect for us at Chelsea Flower Show, the resin bound looks clean, smart, and professional and gives the space an upmarket finish which is what we really needed.

Paul Richardson from Steel Sculptures Ltd



To see what our other customers thought or if you'd like to leave us a review, visit our Trustpilot page.

Scan the QR code to let us know what you think or visit trustpilot.com/review/sureset.co.uk





FAQ's

Is SureSet resin bound paving BBA approved?

We are a British Board of Agrément certified business 20/5719.

Do you have an accredited CPD presentation?

SureSet offers a CPD service providing professionals with the ability to develop and enhance their knowledge of permeable resin bound paving systems.

How do I specify SureSet?

We are partners of NBS Source and have further information on our website. Please also refer to **page 10** in this brochure on how to specify SureSet.

How much does a SureSet surface cost?

Each project is priced individually depending on the location, size of area, application type and aggregate choice. Contact us at sales@sureset.co.uk with this information and we can provide a quotation.

Can heavy vehicles drive over SureSet?

SureSet is suitable for use in car parks and access roads and can be driven on by lorries and maintenance vehicles.

Is the resin toxic?

No. Once installed SureSet is an inert material.

How is it permeable?

SureSet is carefully mixed to ensure each particle is well bound to its neighbour whilst allowing the maximum void space between them for drainage.

What depth is it normally laid at?

The depth of SureSet will vary for each project, this depends on the type of application and the size of the aggregate used. Typically the depth of SureSet is approximately 18mm.

Can I lay it myself?

DIY Packs are available for self-install projects. DIY kits are perfect for smaller areas. We recommend using a SureSet Installation Team for larger projects.

How long does it take to cure?

SureSet resin bound paving is suitable for use after 10–12 hours for pedestrian use and 24 hours for all vehicles, to ensure the surface is fully cured.

Is it easy to clean?

Yes, SureSet is low maintenance.
Regular sweeping and the occasional
power washing is recommended to
keep it looking fresh.

How long will it last?

SureSet comes with a guarantee up to 30 years when installed by a SureSet, Legacy installer or Global Partner. (Trade and DIY products are not covered by the guarantee) however, the resin technology suggests it will last in excess of 30 years.

Can I use the resin with aggregate I already have?

In principle yes, although this would not be covered by our guarantee and any aggregate would need to satisfy our minimum quality standard. If you would like to discuss this further, please contact us.



If you require any further advice or info, please get in touch:

+44 (0)1985 841180 mail@sureset.co.uk sureset.co.uk



SureSet UK Ltd, 32 Deverill Road Trading Estate, Sutton Veny, Warminster, BA12 7BZ, United Kingdom

Content correct at time of print August 2024