
2016

Bohle



Simply Balustrades
Balustrade Hardware Supplies

"Fittings for glass"

Discover the World of Bohle Hardware

The new high impact duo for your hardware projects: The Design Manual with its large application images is perfectly suited for choosing the ideal fittings with your customers. The Planning Manual contains all technical data and forms the basis to quickly and easily calculate and implement your projects and orders with Bohle.




Simply Balustrades ...

Bohle presents a simple overview to our extensive range of balustrade hardware, offering fittings to suit every pocket. Divided into channel systems, clamps, and point fixings, we offer reliable, high quality hardware in a range of price options. This simple guide will offer you options for the construction of most popular balustrade configurations.

To find out more about our comprehensive range please contact our friendly and knowledgeable Customer Services staff, who are more than happy to help you with your enquiries, or visit our website www.bohle-group.com.



Index



EasyMount	5
Posiglaze	14
Clamps	16
Single Point Fixings	18
How to contact Bohle	23

EasyMount



Slender and Elegant Design

The Bohle EasyMount Fix systems enable you to install all-glass railing systems quickly and simply. The stylish system offers high levels of transparency with various application possibilities. The Bohle EasyMount Vario systems also give you the ability to precisely align glass panels.

EasyMount Fix

The EasyMount Fix Glass Mounting Kits enable quick and easy installation. The intelligent modular system enables the use of the same profile, no matter which system you choose, either Fix or Vario.

EasyMount Vario

The EasyMount Vario Glass Mounting Kits enable quick and easy installation. With a simple sliding movement the system can be adjusted by up to 40 mm. The Bohle mounting tool BO 5215281 enables you to work from the accessible side, making installation less time consuming.

To see the full EasyMount range visit our website www.bohle-group.com, or phone 0800 616151 for a full Fittings for Glass catalogue.

EasyMount Fix and Vario


Simple Installation and Profitability

Bohle EasyMount systems pay off.

- Staff costs during installation or for developing alternative solutions are reduced to a minimum
- Quick and simple installation
- Flexible linear alignment
- Glass panes can be exchanged quickly from above or from one side without problems
- No cut-outs or drill holes in the glass required
- No filling compound required for fixing the glass in the profile
- Simplified planning







The slide is in neutral position, and so is the glass.

Features

We offer the ideal application for any requirement. Thanks to the great number of different profiles, Bohle offers an appropriate application for any construction project. If you do not find what you are looking for, please do not hesitate to contact us.

- Water drainage openings in profiles
- Flush profile extensions via connecting pins
- Anodised 25μ coating, salt water resistant
- Length of aluminium materials 2500 mm and 5000 mm
- Save time due to simple installation and user-friendly instruction manual
- Inside and outside corners available for all systems

Safety



"General Building Inspection Test Certificate" (AbP)



NBoble Profile for EasyMount Top top mount


XXL





Rail load 1.0 kN · Material aluminium · Finish anodised E6/EV1

Please note:

You will find suitable installation kits under Bohle EasyMount Glass Mounting Kits.








b) BO 5215248 / BO 5215249 (Ø42.4mm) = 16mm

ArtNo.	Description
B0 5215228	2500 mm · (A) 50 mm
B0 5215390	5000 mm · (A) 25 mm

NBoble Corner Inside / Outside



for profile BO 5215228 + BO 5215390 · Material aluminium · Finish anodised E6/EV1



ArtNo.	Description
B0 5215229	


EasyMount Fix and Vario

NBohle End Cap



Nersion left / right · For profile BO 5215228 / 5215390

ArtNo.			
B0 5215230			




NBoble Top Cover



Suitable for use with claddings, e.g. plasterboard · Claddings must be fixed on-site.


① Length (L) 2500 mm · For profile BO 5215215, BO 5215228, BO 5215233, BO 5215268 Packaging unit 1 item

ArtNo.	Width · Height
B0 5215225	(d) 3 mm · (H) 14 mm / (A) 9 mm
B0 5215226	(d) 10 mm · (H) 20 mm / (A) 16 mm
B0 5215227	(d) 20 mm · (H) 20 mm / (A) 16 mm




Profile for EasyMount Top L top mount with extended fixing plate








b) B0 5215248 / B0 5215249 (Ø42.4mm) = 16mm B0 5215257 (U 26x20x2mm) = 4mm B0 5215253 (U 30x25x2mm) = 4mm



Please note:

You will find suitable installation kits under Bohle EasyMount Glass Mounting Kits.



	50
120	
<u> </u>	70


Art.-No. Length · Distance BO 5215215 2500 mm · (A) 170 mm 5000 mm · (A) 160 mm B0 5215384

NBoble Inside Corner



 $\ensuremath{\textcircled{\scriptsize{\textbf{1}}}}$ For profile BO 5215215 + BO 5215384 \cdot Material aluminium - Finish anodised E6/EV1

ArtNo.			
B0 5215216			




NBoble Outside Corner



 $\ensuremath{\text{for profile BO 5215215}}$ For profile BO 5215215 + BO 5215384 \cdot Material aluminium \cdot Finish anodised E6/EV1

ArtNo.		
B0 5215217		




NBoble End Pieces



for profile BO 5215215 / 5215384

ArtNo.	Version
B0 5215218	left
B0 5215219	right




NBohle Top Cover



Suitable for use with claddings, e.g. plasterboard \cdot Claddings must be fixed on-site.

① Length (L) 2500 mm · For profile BO 5215215, BO 5215228, BO 5215233, BO 5215268 · Packaging unit 1 item

ArtNo.	Width · Height
B0 5215225	(d) 3 mm · (H) 14 mm / (A) 9 mm
B0 5215226	(d) 10 mm · (H) 20 mm / (A) 16 mm
B0 5215227	(d) 20 mm · (H) 20 mm / (A) 16 mm



EasyMount Fix and Vario


NBoble Profile for EasyMount Side side mount


Rail load 1.0 kN · Material aluminium · Finish anodised E6/EV1




Please note:

You will find suitable installation kits under Bohle EasyMount Glass Mounting Kits.







B0 5215233 B0 5215365 XXL

a) BO 5215315 - BO 5215338 EasyMount Fix = 4mm BO 5215340 - BO 5215363 EasyMount Vario = 7mm


ArtNo.	
B0 5215233	2500 mm
B0 5215365	5000 mm

NBoble Inside Corner



 $\ensuremath{\textcircled{\scriptsize for}}$ For profile B0 5215233 + B0 5215365 \cdot Material aluminium \cdot Finish anodised E6/EV1


ArtNo.	
B0 5215234	




NBoble Outside Corner



for profile BO 5215233 + BO 5215365






Snapframe Standard





finish anodised E6/EV1

Art. No.	Length · For
B0 5215236	2500 mm · BO 5215233
B0 5215371	5000 mm · B0 5215365




NBoble End Pieces



f For profile BO 5215233 / 5215365

Art. No.	Version
B0 5215237	left
B0 5215238	right




End Pieces for use with Snapframe



f For profile BO 5215233 / 5215365 with snapframe

Art. No.	Version
B0 5215239	left
B0 5215240	right




NBoble Extension Pin



For reinforcement of profile joints

 $\ensuremath{ \P }$ For profile BO 5215233, BO 5215365, BO 5215268 + BO 5215375 \cdot Ø 6 mm \cdot Length 40 mm \cdot Material stainless steel (V4A) \cdot Sales unit 8 items

ArtNo.	
B0 5215244	



EasyMount Vario

Vario Glass Mounting Kits

The EasyMount Vario Glass Mounting Kits enable quick and easy installation. With a simple sliding movement the system can be adjusted by up to 40 mm. The Bohle mounting tool BO 5215281 enables you to work from the accessible side, making installation less time consuming.

NBohle Glass Mounting Kit EasyMount Vario rail load 1.0 kN



EasyMount Vario - for linear alignment

for profile 2500 mm

Included in delivery: 2 x 2500 mm Rubber Profile 8 x Glass clamps

Art. No.	Glass thickness
B0 5215340	12 mm
B0 5215341	6/2/6 (12.76) mm
B0 5215342	6/4/6 (13.52) mm
B0 5215343	15 mm
B0 5215344	8/2/8 (16.76) mm
B0 5215345	8/4/8 (17.52) mm
B0 5215346	19 mm
B0 5215347	10/2/10 (20.76) mm
B0 5215348	10/4/10 (21.52) mm

EasyMount Vario - for linear alignment

for profile 5000 mm


Included in delivery: 2 x 5000 mm Rubber Profile 16 x Glass clamps

Art. No.	Glass thickness
B0 5215352	12 mm
B0 5215353	6/2/6 (12.76) mm
B0 5215354	6/4/6 (13.52) mm
B0 5215355	15 mm
BO 5215356	8/2/8 (16.76) mm
B0 5215357	8/4/8 (17.52) mm
B0 5215358	19 mm
BO 5215359	10/2/10 (20.76) mm
B0 5215360	10/4/10 (21.52) mm

NBoble Mounting Tool



Mounting tool for Bohle EasyMount Fix and Vario balustrade system



ArtNo.			
B0 5215281			

Mounting Tool for EasyMount Vario



Mounting tool for Bohle Vario balustrade system

Art.-No. B0 5215284 "Glass and Glazier"

Discover our comprehensive Bohle Main Catalogue

An indispensable reference guide for everybody working with glass:

On approximately 450 clearly structured pages you will find everything you need for glass processing and finishing.

All products 24/7 and always up-to-date: www.bohle-group.com MBohle Bohle Bohle VERIFI) Glass and Glazier

Posiglaze



Posiglaze is an innovative aluminium channel system that holds glass panels in place for use on balustrades and partitions.

Posiglaze is

- Quick and easy to install
- Fully adjustable
- Lightweight and extremely strong
- Suitable for domestic and commercial applications
- Fully anodised in a stainless steel effect



NBoble Posiglaze Kit. Surface Mounting



For surface mounting

for glass thickness 12 mm, 15 mm, 17.5 mm, 19 mm and 21.5 mm

ArtNo.	Description
B0 6003401A	3000 mm BASE Kit for 12 mm glass
B0 6003401B	3000 mm BASE Kit for 15 mm glass
B0 6003401C	3000 mm BASE Kit for 17.5 mm glass
B0 6003401D	3000 mm BASE Kit for 19 mm glass
B0 6003401E	3000 mm BASE Kit for 21.5 mm glass
B0 6003404	End cap for use with Surface Mounting Kits
B0 6003413	Posiglaze Corner 100 x 100 mm internal. 136 x 136 mm external

NBohle

Posiglaze Kit · Face Fix Mounting



For face fix mounting

for glass thickness 12 mm, 15 mm, 17.5 mm, 19 mm and 21.5 mm

ArtNo.	Description
B0 6003405A	3000 mm FACE Kit for 12 mm glass
BO 6003405B	3000 mm FACE Kit for 15 mm glass
BO 6003405C	3000 mm FACE Kit for 17.5 mm glass
BO 6003405D	3000 mm FACE Kit for 19 mm glass
BO 6003405E	3000 mm FACE Kit for 21.5 mm glass
BO 6003406	Side Cladding · 3000 mm length
BO 6003407	Cladding End Cap for use with Face Fix kits · left hand
BO 6003408	Cladding End Cap for use with Face Fix kits · right hand
B0 6003413	Posiglaze Corner 100 x 100 mm internal. 136 x 136 mm external

NBoble End Cap for Surface Mounting



ArtNo.	Description
B0 6003404	End cap for use without cladding
B0 6003430	Slot in end cap 316 stainless steel

NBoble Posiglaze Corner



136 x 136 mm external. 100 x 100 mm internal

ArtNo.	Description
B0 6003413	Posiglaze corner

NBoble Additional Fitting Packs



Additional fitting packs for use with Base and Face fix Posiglaze channels

for glass thickness 12 mm, 15 mm, 17.5 mm, 19 mm and 21.5 mm

ArtNo.	Description	
B0 6003412A	Pack for 12 mm glass	
B0 6003415B	Pack for 15 mm glass	
B0 6003417C	Pack for 17.5 mm glass	
B0 6003419D	Pack for 19 mm glass	
B0 6003421E	Pack for 21.5 mm glass	
B0 6003425	Joining dowels, set of 2	
BO 6003426 Adjustment Spanner		

NBoble Handrail Wall Connector



ArtNo.	Description	
B0 6003444	Wall connector · for 42.4 mm handrail	

Straight Connector



ArtNo.	Description	
B0 6003445	Straight connector · for 42.4 mm handrail	

NBoble Handrail Gasket



ArtNo.	Description	
B0 6003445A	Gasket · for 12 mm glass · 6 mtrs	
B0 6003445B	Gasket · for 15 mm glass · 6 mtrs	
BO 6003445C Gasket · for 17.5 mm glass · 6 mtrs		
B0 6003445D	Gasket · for 19 mm glass · 6 mtrs	
BO 6003445E	Gasket · for 21.5 mm glass · 6 mtrs	

NBoble Handrail



For use with the Posiglaze balustrade systems

for glass thickness 12 mm, 15 mm, 17.5 mm, 19 mm and 21.5 mm.

ArtNo.	Description	
B0 6003442	Handrail · 42.4 mm Ø · grade 316 · satin polished · 3000 mm long	
BO 6003448	Handrail \cdot 48.3 mm Ø \cdot grade 316 \cdot satin polished \cdot 3000 mm long	
B0 6003454	Handrail · 42.4 mm Ø · grade 316 · satin polished · 6000 mm	

NBoble Handrail End Cap



ArtNo.	Description
B0 6003443	Endcaps · for 42.4 mm handrail

NBoble Handrail 90° Connector



ArtNo.	Description	
B0 6003446	90° connector · for 42.4 mm handrail	

Handrail Articulated Connector



ArtNo.	Description
B0 6003447	Articulated connector \cdot top \cdot for 42.4 mm handrail
B0 6003447B	Articulated connector · bottom · for 42.4 mm handrail

Clamps



In the "Hardware for Balustrades" division you will find clamps for tempered glass and laminated safety glass up to a total thickness of 12.76 mm. The clamps are manufactured either of diecast zinc or stainless steel and are supplied with fixing screws (stainless steel VA) and cover caps which match the finishes of the clamps.

To see the full range of Clamps visit our website www.bohle-group.com, or phone 0800 616151 for a full Fittings for Glass catalogue.


NBoble Clamp tempered glass D-shaped





Panel thickness	Art.No.
6 mm	B0 70100+
8 mm	B0 70101+
10 mm	B0 70102+
12 mm	B0 70103+

incl. securing pin

① Dimensions 62 x 45 mm · For mounting to square tubes








Material	Code	Finish
1	22	shiny chrome-plated
1	63	stainless steel finish
5	16	polished stainless steel V4A
5	55	brushed stainless steel V4A
9	55	brushed stainless steel V2A


NBoble Clamp tempered glass square



Panel thickness	Art.No.
6 mm	B0 70050+
8 mm	B0 70051+
10 mm	B0 70052+

① Dimensions 45 x 45 mm · For mounting to square tubes







Material	Code	Finish
1	22	shiny chrome-plated
1	63	stainless steel finish
5	16	polished stainless steel V4A
5	55	brushed stainless steel V4A
9	55	brushed stainless steel V2A

NBoble Clamp tempered glass D-shaped




① Dimensions 50 x 40 mm · For mounting to square tubes





Art. No.	Panel thickness	Finish
B0 70151122	8 mm	shiny chrome-plated
B0 70151163	8 mm	stainless steel finish
BO 70151516	8 mm	polished stainless steel V4A
B0 70151555	8 mm	brushed stainless steel V4A
BO 70151955	8 mm	brushed stainless steel V2A

Single Point Fixings



Point fixings for interior and exterior applications. With Bohle point fixings there are no limits to your creativity, whether for railing systems, interior work or entire wall cladding. Adjustable and easy to install, Bohle point fixings are an enhancement to any modern construction project.

To see the full range of Single Point Fixings visit our website www.bohle-group.com, or phone 0800 616151 for a full Fittings for Glass catalogue.



NBobbe Single Point Fixings 50 mm




- Easy installation and fixing of the glass
- Sturdy design in accordance with DIN EN 1991-1-1
- High precision and quality finish
- Adjustment of distance is possible after glass mounting

For tempered and laminated safety glass \cdot use at least 4 pieces depending on glass dimensions \cdot Diagrams for glass processing can be found in our Online Shop \cdot Can be adjusted through elongated hole in connection element.

⑥ Size Ø 50 · Drill hole in glass 30 mm Ø · Adjustment range 0 - 5 mm





Art. No.	$Mounting \ distance \ glass/wall \ (adjustable \ 0 - 5 \ mm) \cdot Glass \ thickness \cdot Glass \ thickness \cdot Stainless \ steel \cdot Max. \ load \ bearing \ capacity$
B0 5214026	$25~\text{mm}\cdot\text{tempered glass 10}$ - $12~\text{mm}\cdot\text{laminated safety glass 11.52}$ - $13.52~\text{mm}\cdot\text{AISI 304}\cdot\Omega$: $3.5;~\text{N: }6.0~\text{kN}$
B0 5214027	40 mm · tempered glass 10 - 19 mm · laminated safety glass 11.52 - 21.52 mm · AISI 304 · Q: 3.5; N: 5.0 kN
B0 5214034	25 mm · tempered glass 15 - 19 mm · laminated safety glass 17.52 - 21.52 mm · AISI 304 · Q: 4.0; N: 6.0 kN
B0 5214028	25 mm · tempered glass 10 - 12 mm · laminated safety glass 11.52 - 13.52 mm · AISI 316 · Ω: 4.0; N: 6.0 kN
B0 5214029	40 mm · tempered glass 10 - 19 mm · laminated safety glass 11.52 - 21.52 mm · AISI 316 · Q: 3.5; N: 5.0 kN
B0 5214035	25 mm · tempered glass 15 - 19 mm · laminated safety glass 17.52 - 21.52 mm · AISI 316 · Q: 4.0; N: 6.0 kN

NBobbe Single Point Fixings 40 mm




- Easy installation and fixing of the glass
- Sturdy design in accordance with DIN EN 1991-1-1
- High precision and quality finish
- Adjustment of distance is possible after glass mounting

For tempered and laminated safety glass \cdot use at least 4 pieces depending on glass dimensions \cdot Diagrams for glass processing can be found in our Online Shop \cdot Can be adjusted through elongated hole in connection element.

Size Ø 40 · Drill hole in glass 25 mm Ø · Adjustment range 0 - 5 mm






Art. No.	$Mounting \ distance \ glass/wall \ (adjustable \ 0 - 5 \ mm) \cdot Glass \ thickness \cdot Glass \ thickness \cdot Stainless \ steel \ \cdot Max. \ load \ bearing \ capacity$
B0 5214030	25 mm · tempered glass 10 - 12 mm · laminated safety glass 11.52 - 13.52 mm · AISI 304 · Q: 3.5; N: 5.5 kN
B0 5214031	40 mm · tempered glass 10 - 19 mm · laminated safety glass 11.52 - 21.52 mm · AISI 304 · Q: 3.0; N: 4.5 kN
B0 5214036	25 mm · tempered glass 15 - 19 mm · laminated safety glass 17.52 - 21.52 mm · AISI 304 · Q: 3.5; N: 5.5 kN
B0 5214032	25 mm · tempered glass 10 - 12 mm · laminated safety glass 11.52 - 13.52 mm · AISI 316 · Q: 3.5; N: 5.5 kN
B0 5214033	40 mm · tempered glass 10 - 19 mm · laminated safety glass 11.52 - 21.52 mm · AISI 316 · Q: 3.0; N: 4.5 kN
B0 5214037	25 mm · tempered glass 15 - 19 mm · laminated safety glass 17.52 - 21.52 mm · AISI 316 · Q: 3.5 N: 5.5 kN


Single Point Fixings


NBoble Single Point Fixings



 Diameter (D) 60 mm \cdot Length (L) 130 mm \cdot Glass thickness 13.5 - 21.5 mm









Art. No.	Finish
B0 5214060	stainless steel (V2A)
B0 5214062	stainless steel (V4A)


NBoble Single Point Fixings






① Diameter (D) 80 mm · Length (L) 195 mm Glass thickness 15 - 31.5 mm





Art. No.	Finish
B0 5214061	stainless steel (V2A)
B0 5214063	stainless steel (V4A)



The Bohle Online Shop

The Bohle Online Shop offers you our latest product range around the clock in a clearly structured and informative way.

The brand new Online Shop has now been launched, featuring clearer layout, better performance and improved functionality.

www.bohle-group.com



Optimised for all digital devices.



Secure customer area with online and offline order history.



Clearly structured product presentation with filter function.



New offers and deals always updated.



Convenient search function.



24/7 the latest product portfolio.



UK & ROI Sales Conditions

- 1. Definitions
 a. Conditions: the terms and conditions set out in this document as amended from time to time in accordance with condition 2.c.
 b. Contract the contract between Bolle and the Purchaser for the sale and purchase of the Products in accordance with these Conditions.
 c. Order: the Purchaser's order for the Products, as set out in the Purchaser's order form and/or Bollie's written record of any telephone order.
 d. Products: the products for any part of them) set out in the Order.
 e. Purchaser, the person of time who purchases the Products from Bolle.
 f. Specification: any specification for the Products, including any related plans and drawings, that is agreed in writing by the Purchaser and Bolle.
 g. Bollie: the supplier of the Products, Bolle Limited, registered in England and Wales with company number 00644864

- Wales with company number 00644864

 2. Application

 a. These conditions apply to the Contract, as well as all statements made by Bohle in catalogues, brochures, price lists, quotations, on the internet or verbally, to the exclusion of any terms the Purchaser may seek to impose or which may be implied by custom, trade, practice or course of dealing. Any samples, drawings, descriptive matter, or advertising produced by Bohle and any descriptions or illustrations contained in Bohle's catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Products described in them. They shall not form part of the Contract or have any contractual force.

 b. The Contract constitutes the entire agreement between the parties. The Purchaser acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of Bohle which is not set out in the Contract.

 c. Variations of these conditions are only valid if confirmed by Bohle in writing.
 d. Placing and Order constitutes the Purchaser's acceptance of these Conditions. The Purchaser will be responsible for ensuring that the terms of the Order and any Specification submitted by the Purchaser are complete and accurate.

 e. Bohle may change these Conditions at its discretion land Bohle will notify the Purchaser of any amendments to the Conditions. For the avoidance of doubt, the Purchaser will be bound by the Conditions in force at the date of placing the relevant Order.

a. Any Orders received (whether by mail, internet, phone or fax) will be deemed to have been accepted unless the Purchaser is otherwise notified by Bohle.

- Price & Payment Terms
 a. Quotations are only valid in writing and for the stated period. A quotation shall not constitute an offer.
 b. The price for the Products shall be the price set out in Bohle's published price list at the date of the Purchaser's order, unless otherwise agreed in writing with
- at the date of the Purchaser's order, unless otherwise agreed in writing with Bobile.

 c. Bohle reserves the right to amend the specification of the Products at any time but guarantees that the amended products will deliver at least equivalent intentionality and performance.

 d. Prices are to be understood in IGBP) unless otherwise agreed with Bobile, net of any deductions or discounts applicable, exclusive of VAT (which shall be payable by the Purchaser in addition on resceint applicable, exclusive of VAT (which shall be payable by the Purchaser in addition on resceint applicable, exclusive of VAT (which shall be payable by the Purchaser in addition on resceint applicable, exclusive of VAT (which shall be payable by the Purchaser in the Purchaser in the Purchaser above £150 (2000) net of VAT.

 e. Payments in £(IGBP) shall be made to National Westminster Bank, sort code of 1-10-563, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1984-830. Payments in £(ICBR) shall be made to Ulster Bank, sort code 965303, account number 1985-830, accoun

- purchase costs (incl. for components & services). Bother may also adjust prices if the Purchaser requests a change in delivery date, quantity or type of Products ordered, or the Specification, or if the Purchaser causes a delay due to any information or instructions given or not given by it.

 Bother may invoice the Purchaser for the Products on or at any time after the Order is placed.

 J. Payment is to be made:

 i. in advance by wire transfer or by irrevocable, confirmed letter of credit issued in Bothie's interfered the interfered to the products on the products of the products of

- Payment is to be made:
 i. in advance by white transfer or by irrevocable, confirmed letter of credit issued to Bohle's indicated bank or by cheque; or
 ii. if so agreed with Bohle in witting prior to the Purchaser placing an Order,
 within 30 days of the date of Bohle's invoice, subject to an agreed credit limit;
- or
 iii. if so agreed with Bohle in writing prior to the Purchaser placing an Order, by
 another payment method including credit or charge card. Cheques may only
 be accepted conditionally.
 With the exception of clause 4.j.ii, processing of any Order will not commence
 until clearance of funds.

- until clearance of funds.

 I. All bank charges are for the account of the Purchaser unless otherwise agreed in writing prior to Order.

 m. Without prejudice to any other right it may have, Bohle may suspend deliveries or service until payment is received in full.

 n. Any dispute in relation to a particular Order shall not entitle the Purchaser to withhold payment in relation to any other Order.

 o. Bohle shall be entitled to charge interest on late payments at a rate of 6% above the minimum bank rate of the European Central Bank on the amount overdue. Such interest shall accuse on a daily basis from the due date until the date of a cutual payment of the overdue amount, whether before or after judgment. Any costs incurred by Bohle in connection with receiving a late payment or recovering costs incurred by Bohle in connection with receiving a late payment or recovering any overdue sum shall be paid by the Purchaser.

- cts are dispatched from such of Boble's warehouses as is the mi rounces are inspacrice intollined in south to bothes whether the most appropriate location for Bohle. The delivery period stated in any Order confirmation is approximate and time of delivery is not of the essence. Delays in delivery do not justify any kind of compensation except as otherwise expressly
- set out in these Conditions.

 b. Bolhe will deliver the Products to the location set out in the Order or such other location as the parties may agree (Delivery Location) at any time after Bohle notifies the Purchaser that the Products are ready.

 c. Delivery of the Products shall be completed when the Products arrive at the
- d. If the Products are not available or have been modified, Bohle reserves the right
- a. If the Products are not available or have been mornine, been reserves the right to supply similar products of equivalent functionality.
 e. Deliveries may be made in instalments and each such instalment shall constitute a separate Contract which may be invoiced separately. Any right to cancel one instalment shall not entitle the Purchaser to cancel any other instalment.
 f. Bohle shall be entitled to make partial delivery of any Order if, for example, certail Products are unavailable. Partial delivery shall not entitle the Purchaser to reject
- the Urder.

 g. The Purchaser shall not be entitled to reject the Products if Bohle delivers up to and including [5]% more or less than the quantity of Products ordered, but a pro-

- rata adjustment shall be made to the Order invoice on receipt of notice from the Purchaser that the wrong quantity of Products was delivered.

 It fit the Purchaser refuses to accept a delivery without Bohle's agreement, he must bay 80hle's expenses or loss resulting from that refusal, including storage costs, until he accepts delivery. If the Purchaser has not accepted delivery of the Products within 10 working days of the date that Bohle originally delivered the Products to the Delivery Location, Bohle may reseal or otherwise dispose of part or all of the Products and change the Purchaser for any reasonable costs in connection with the storage and sale of the Products. If the Purchaser has paid in advance for the Products, Bohle will redund the purchase price less any such costs as well as any shortfall below the price of the Products.

 It Bohle falls as any shortfall below the price of the Products that is caused by the Purchaser's failure to provide Bohle with adequate delivery instructions or by any other act or omission of the Purchaser.

 If Bohle falls to deliver the Products, its liability shall be limited to the costs and expenses incurred by the Purchaser in obtaining replacement goods similar in description and quality in the cheapest market available, less the price of the Products.

- k Risk in the Products shall pass to the Purchaser on completion of deliver . Title to the Products passes on receipt by Bohle of full payment. Until then, the
- Purchaser must:
 i. hold the goods on a fiduciary basis as Bohle's bailee;
 ii. insure and store the Products separately and keep them in satisfactory conditi
- II. insure and store the Products separately and keep them in satisfactory condition;

 iii. not modify, pledge, sell or part with possession of the Products; and

 iv. notify 80he if any of the events in clause 9 b. shall occur.

 On request the Products shall be made available to 80hle for re-collection and
 the Purchaser shall provide any information relating to the Products as 80hle
 shall request. Until title in the Products has passed to the Purchaser, the
 Purchaser shall not purport to be the owner of the Products and shall not
 show such Products as stock in its accounts.

 Bohle may at any time upon reasonable notice enter the Purchaser's premises (or
 any other premises where the Products are strengl for the purpose of inspecting
 the Products and ensuring the Purchaser's compliance with this Contract. The
 Purchaser shall ensure that 80hle is granted access to such premises and
 facilities as are reasonably necessary for the purpose of this clause.
- facilities as are reasonably necessary for the purpose of this clause.

 n. If before title to the Products passes to the Purchaser, the Purchaser becomes subject to any of the events isted in clause 9.b. or Boble reasonably believes that any such event is about to happen and notifies the Purchaser accordingly, then, without limiting any other right or remedy boble may have, Boble may at any time require the Purchaser to deliver up the Products and, if the Purchaser fails to do so may, together with appropriate transport and personnel, promptly enter any premises of the Purchaser or of any third party where the Products are stored in order to recover them.

- reptance

 Belivered Products must be inspected by the Purchaser promptly upon receipt of
 the Products. If the Purchaser does not claim any discrepancies in the delivery
 within 3 working days after receipt of the shipment, the Purchaser will be
 deemed to have accepted the Products in full.
- within a working lass after feetigh in the singiliterit, the Protectes will be deemed to have accepted the Products in full.

 b. If Bothe agrees that the Purchaser may return Products, they must be in their original condition (nursed, undemaged, in original packaging) and accompanied by a return note as well as proof of purchase. Any return charges must be paid by the Purchaser and a re-stocking charge of 20% of the Products value or £20 (GBE) whichever is the greater will be charged to the Purchaser for any goods returned through ho naful of Bohre any item comprised in the Order has been specially ordered by Robble to satisfy such Order.

 c. The Purchaser may not return any Products which have been custom made to the Purchaser's specification, or where any item comprised in the Order has been specially ordered by Robble to satisfy such Order.

 cl. Products received in an obviously damaged condition (including damaged packaging) should be either rejected by the Purchaser on delivery, or, if signed for, then signed for as 'Received in damaged condition', regardless of carrier appearvoir, instructions and of carrier driver information. Failure to do this will result in any claim for damage being rejected.

- Varranty
 a. Subject to clause 7.c, Bohle guarantees that the Products will be free from Subject to clause 7.c, Bohle guarantees that the Products will be free from defects for 6 months after date of invoice (Warranty Period). Should the Purchaser notify Bohle in writing within the Warranty Period of a defective product, Bohle will repair or replace the Product (at its discretion) within a reasonable time, provided that Bohle shall have reasonable opportunity to examine the Product at either the Purchaser's or Bohle's premises (at Bohle outline).
- return of Products must be approved by Bohle in writing before being effected and the Purchaser shall bear the cost of carriage, postage and packaging, shipments received by Bohle where such costs have not been paid by the
- septimization received by power when seators are not so the part by the Purchaser will not be accepted. Bothe will not accept warranty protection claims for damage caused by: i. the Purchaser's failure to comply with Bohle's instructions (or if none are given, good industry practice) regarding the installation, use, storage, commissioning, modification or repair by the Purchaser or any unauthorised third party of the Products;
 ii. the Purchaser making further use of the Products after giving notice in
- accordance with condition 7.a; iii. Bohle following any drawing, design or Specification supplied by the
- Purchaser; iv. the Purchaser altering or repairing the Products without the written consent of , ear and tear, willful damage, negligence or abnormal storage or working
- vi. the Products differing from their description or specification as a result of changes made to ensure that they comply with applicable statutory or
- regulatory requirement.

 d. Except as provided in this clause 7, Bohle shall have no liability to the Purchaser in respect of the Products' failure to comply with the warranty set out in clause 7 a
- ent as set out in these Conditions, all warranties, conditions and other terms
- e. Except as set out in these Conditions, all warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.
 f. These Conditions shall apply to any repaired or replacement Products supplied by

- Nothing in these Conditions shall limit or exclude Bohle's liability for it. death or personal injury caused by the north
- Nothing in these Conditions shall limit or exclude Boile I sability for:
 i. death or personal injury caused by its negligence, or the negligence of its
 employees, agents or subcontractors (as applicable);
 iii. firadu of fraudulent misrepresentation;
 iii. breach of the terms implied by section 12 of the Sale of Goods Act 1979; or
- iv. any matter in respect of which it would be unlawful for Bohle to exclude or

- iv. any matter in respect of which it would be unlawful for Borile to exclude or restrict liability. Subject to clause 8.a. i. Bolle shall under no circumstances whatever be liable to the Purchaser, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract, and ii. Bohle's total liability to the Purchaser in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including under or in connection with the Contract, whether in contract, tort (including under or in connection with the Contract, whether in contract, tort (including under or in connection with the Contract, whether in contract, tort (including under or in connection with the Contract, whether in contract, tort (including under or in connection).

negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed [the lesser of] [repair or replacement of the Products] [or £[x]m].

- a. If the Purchaser becomes subject to any of the events listed in condition 9.b. or If the Purchaser becomes subject to any of the events listed in condition 9.b, or Bobile reasonably believes that the Purchaser is about to become subject to any of them and notifies the Purchaser accordingly, then without limiting any other right or remedy 80hle may have, 80hle may cancel or suspend all further deliveries under the Contract or under any other contract between the Purchaser and Bobile without incurring any liability to the Purchaser, and all outstanding sums in respect of Products delivered to the Purchaser shall become immediately
- b. For the purpose of condition 9.a. the relevant events are
- due.

 Joe The purpose of condition 9.a, the relevant events are:

 i. the Purchaser becomes insolvent, or an order is made or a resolution is passed for the winding up of the Purchaser (other then voluntarily for the purpose of solvent amalgamation or reconstruction), or if an administrator, administrative receiver or receiver is appointed in respect of the whole or any part of the Purchaser's assets or business, or if the Purchaser makes any composition with its creditors or takes or suffers any similar or analogous action in consequence of debt, or (if the Purchaser is an individual) is the subject of a bankruptcy petition or order, or any event which has an effect equivalent or similar occurs in any jurisdiction to which the Purchaser is subject.

 ii. the Purchaser suspends, threatens to suspend, ceases or threatens to cease to carry on all or substantially the whole of its business;

 iii. the Purchaser's inancial position deteriorates to such an extent that in Bohle's opinion the Purchaser's capability to adequately fulfill its obligations under the Contract has been placed in jeopardy, and

 iv. (being in individual) the Purchaser's capability to adequately fulfill its obligations under the Contract has been placed in jeopardy, and

 iv. (being in individual) the Purchaser's capability to adequately of illness or incapacity (whether mental or physical) is incapable of managing his or her own affairs or becomes a patient under any mental health legislation.

 c. Bohle may terminate the Contract, including any Order placed but not yet processed, immediately upon written notice to the Purchaser if:

 i. the Purchaser is in material breach of any of the terms of this Contract and falls to remedy such breach within [14] days of written notice requiring it to do so by 80hle; or

 ii. the Purchaser has failed to pay any sum due under this Contract by its due date and states and states.

- ii. the Purchaser has failed to pay any sum due under this Contract by its due
- ii. the Purchaser has failed to pay any sum due under this Contract by its due date and such sum remains unpaid within [14] days of written notice by Bohle requiring the Purchaser to pay such sum in full.
 d. All sums payable under this Contract shall, upon termination of the Contract or any relevant Order (as appropriate) become immediately due and payable.
 e. Upon termination of the Contract the Purchaser shall deliver to Bohle any Products in its possession to which title has not passed to the Purchaser. Failure to do so within a reasonable time shall entitle Bohle (without prejudice to any other right or remedy available to Bohle) to enter onto the Purchaser's premises on who there remedies where the Purchaser's premises on who there remedies where the Purchaser's premises on the half the Purchaser's premises.
- other injust to femely evaluation to Software and the Conduction of the Conduction o

10. Force Majeure

a. Bohle shall not be liable for failure or delays in delivery or service caused by circumstances beyond their reasonable control (which may include strikes, lock-outs or other industrial disputes whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdow of plant or machinery, nuclear, chemical or hological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, losa at sea, epidemics or similar ervents, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors) and Bohle will be entitled to an appropriate delivery time extension for the fulfilment of the Order.

a. The Contract, and any dispute or claim arising out of or in connection with it or The contract, and any suspect of claim of single out or an interest of the state of the state of formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with, English law, and the parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales.

- eneral Bohle may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract. The Purchaser may not assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract without the prior written consent of Bohle.

 Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first class not recorded delivers. Commercial couries for or a-mail.

- address as that party may have specified to the other party in writing in accor dance with this clause, and shall be delivered personally, sent by pre-paid first class post, recorded delivery, commercial courier, fax or e-mail.

 c. A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 12.b; if sent by pre-paid first class post or recorded delivery, at 9.00 am on the second working day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or, if sent by fax or e-mail, one working day after transmission.

 d. The provisions of clauses 12.b and 12.c shall not apply to the service of any proceedings or other documents in any legal action.

 e. If any court or competent authority finds that any provision of the Contract (or part of any provisions) is is valid, illegal or unenforceable, that provision or part-provision shall, to the extent required, be deemed to be deleted, and the validity and enforceable or lilegal provision of the Contract should be valid, enforceable and logal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.

 A waiver of any right or remedy under the Contract is only effective if given in writing and shall not be deemed a vavier of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a valver of that or any other right or remedy, nor shall it preclude or restrict the further exercise of that or any other right or remedy, on shall alt preclude or restrict the further exercise of that or any other right or remedy. (3 A person who is not a party to the Contract shall not have any rights under or in connection with it.

How to contact Bohle

Bohle Ltd.

Bohle Online Shop www.bohle-group.com

Sales Telephone 0800 616151
Sales Fax 0161 344 0111
Machinery Sales & Support 0161 342 1104
Account Payments Direct 0161 342 1112
E-Mail info@bohle.ltd.uk

Pickup and Postal Address Fifth Avenue,
Tameside Park, Dukinfield


Cheshire SK16 4PP

Office opening times

Monday to Friday 8.00 am - 5.00 pm



Monday to Friday 9.00 am - 3.30 pm



Notes about this catalogue

With the printing of this catalogue, all previous catalogues or parts thereof, are no longer valid. Our offers apply to retail, trade and industry. Technical specifications (dimensions, weights, materials, etc.) and other specifications (design, colour, etc.) are subject to change. The range of products can change during the time this catalogue is current. In particular, we reserve the right to remove individual articles without prior notice. Please request further details from your Bohle contact person. Print-related colour variations are possible. Bohle AG is not liable for any printing or other errors and omissions in this catalogue. For many of the articles protective rights such as patents, trademarks, design copyrights, etc. have been registered or are pending registration - also by third parties. Terms and Conditions apply.

© Copyright by Bohle - This catalogue is protected in all parts (texts, photos, images etc.) by copyright. Any use outside the strict limits of copyright laws without written permission of Bohle AG is not permitted. This applies in particular to duplications, reprints, translations, microfilming as well as saving and processing in electronic systems.

United Kingdom and Ireland

Bohle Ltd. Fifth Avenue Tameside Park · Dukinfield Cheshire · SK16 4PP

T +44 161 3421100 F +44 161 3440111 info@bohle.ltd.uk

www.bohle-group.com