
SPACECLOUD™ Acoustic RAFT





AURA™ is sustainably manufactured using 60% post-consumer waste recycled PET from single use plastics (soft drink and detergent bottles).

Recycled bottles are flaked into tiny chips, sanitised and fed into a hopper that melts the pellets, pumping them through a spinneret which creates thousands of thread-like fibres.

AURA™ Acoustic Panels are made entirely of PET plastic, the mono-material is through-colour, non-toxic, pinable, free of formaldehyde, has incredibly low VOCs and can be recycled at the end of its useful life.

The fibres are cooled and set into a soft, fine web which is finally heated and compressed into the finished panel. These can be cut, thermoformed, CNC-routed, waterjet cut or custom printed.

Soundspace⊚ AURA<sup>™</sup> is a 100% PET panel designed to offer superior sound absorption that makes our range of products.

AURA<sup>™</sup> is a highly functional acoustic material intended to be used as acoustic panels, baffles, fins and rafts.

AURA<sup>™</sup> is produced from a minimum of 60% recycled PET fibre and can be recycled again to give a closed loop product.

Soundspace AURA<sup>™</sup> Panels are made to the Global Recycling Standard 4.0 and OKEO-TEX 100




AURA<sup>™</sup> is a 100% recyclable non-laminated P.E.T panel which is used to create many of our products.

This material can be cut to almost any shape or size, and comes in a range of colours that can also be printed.

With our methods of waterjet cutting, CNC and thermoforming we have designed a range of solutions that can be easily customised

Combining aesthetics and acoustic performance seamlessly.

AURA<sup>™</sup> is the inherently fire retardant and sustainable choice.



AURA™ PANEL

Soundspace AURA<sup>™</sup>Acoustic Panels are versatile acoustic panel designed for a range of interior applications. Available in 12 mm and 24 mm thicknesses, AURA<sup>™</sup>Acoustic panels are lightweight, semi-rigid and made from 100% polyester fibre.

AURA<sup>™</sup>Acoustic panels are customisable with methods of waterjet cutting, CNC and thermoforming we have designed a range of solutions that can be easily customised. Panels are solid colour throughout and require no edging or capping.



SPACECLOUD™ Acoustic Raft System

Soundspace SpaceCloud™ Acoustic Raft System is made of AURA™ 100% PET panels designed to control reverberation noise in interior spaces.							
	24mm Acoustic Panel and supported with su alist feature offering aesthetic flexibility and a						
	m x 2800mm this versatile raft can be made URA™ 12mm PET Acoustic Ceiling tile for stan						
Specification	SpaceCloud™ has been manufactured using 65% post-consumer recycled fibres and is 100% recyclable. The recycled PET fibres are prominently sourced from bottles and other recyclable PET consumables.						
	We have identified the perfect density that between acoustic performance and rigidity Manufactured under ISO9001						
Dimensions	24mm Raft 1200mm x 2800mm into any size + shape 12mm ASCENT™Ceiling Tile 595mm x 595mm   595mm x 1195mm						
Standard Shapes							
	Rectangle 1200mm x 2800mm	Square 1200mm x 1200mm					
		Ceiling Tile 12mm 595mm x 595mm ASCENT™ Ceiling Tile 12mm 1195mm x 595mm					

Triangle 1200mm Circle 1200mm x 1200mm


#### SPACE CLOUD™ 24mm

Soundspace SpaceCloud™ is a versatile acoustic raft designed for a range of interior applications. Available in 24 mm thicknesses, Made from AURA™ panels are lightweight, semi-rigid and made from 100% polyester fibre.

Acoustic performance for AURA<sup>™</sup> 24mm panels with 100mm, 200mm and 300mm Air Gaps

Frequer	ncy (Hz)	125	250	500	1000	2000	4000	NRC
SpaceC + 100mm	<b>loud™ 24mm</b> Air Gap	0.25	0.65	1.00	1.00	1.00	1.00	1.00
SpaceC + 200mm	<b>loud™ 24mm</b> Air Gap	0.50	0.95	1.00	1.00	1.00	1.00	1.05
SpaceC + 300mm	<b>loud™ 24mm</b> Air Gap	0.65	0.80	1.00	1.00	1.00	1.00	1.10

Absorption Coefficient in accordance with ISO 354 Tested at SRL Technical Services UK




#### ASCENT™ Acoustic CEILING TILE 12mm

Soundspace ASCENT™Acoustic Tiles are a versatile, durable, high performance acoustic tile for standard grid systems and interior applications. Available in 12 mm at 595mm x 595mm and 1195mm x 595mm. ASCENT™ Tiles are lightweight, semi-rigid and made from 100% polyester fibre.

Acoustic performance for ASCENT<sup>™</sup> 12mm Ceiling Tile with 100mm, 200mm and 300mm Air Gaps

Frequency (Hz)	125	250	500	1000	2000	4000	NRC
ASCENT™ 12mm + 100mm Air Gap	0.15	0.45	0.90	1.00	0.95	1.00	0.85
ASCENT ™ 12mm + 200mm Air Gap	0.45	0.85	1.00	0.90	1.00	1.00	0.95
ASCENT™ 12mm + 300mm Air Gap	0.60	0.95	0.90	0.95	1.00	1.00	1.00

Absorption Coefficient in accordance with ISO 354 Tested at SRL Technical Services UK



#### AURA<sup>™</sup> Acoustic Panel Datasheet

Soundspace AURA<sup>™</sup>Acoustic Panels are versatile acoustic panel designed for a range of interior applications. Available in 12 mm and 24 mm thicknesses, AURA<sup>™</sup>Acoustic panels are lightweight, semi-rigid and made from 100% polyester fibre.

AURA<sup>™</sup> Acoustic panels are customisable with methods of waterjet cutting, CNC and thermoforming we have designed a range of solutions that can be easily customised.

AURA<sup>™</sup> Acoustic panels are solid colour throughout and require no edging or capping.

Specification	AURA <sup>™</sup> Panels have been manufactured using 65% post-consumer recycled fibres and is 100% recyclable. The recycled PET fibres are prominently sourced from bottles and other recyclable PET consumables. Panels are made by compressing FR oil-free PET fibres which go though a spinning, punching and baking process. We have identified the perfect density that offers a great balance between acoustic performance and rigidity. Manufactured under ISO9001					
Dimensions + Density	12mm Panel 1220mm x 2800mm 24mm Panel 1220mm x 2800mm	2.4kg / m2 4.8kg / m2				
Fire Specification	EN13501-: 2007+ A1:2009	B s1 d0				
	ASTM E84-2019	Class A				
Composition	100% Polyester 65% Recycled PET Fibre / 35% virgin i Non-woven. No Pattern repeat but has a subtle directional grair Product may vary batch to batch due to blending, which is inhe					
VOC Emissions	Soundspace AURA <sup>™</sup> Panels have been tested for chemical emissions and is considered a low VOC product.					
	VOC Concentration <0.02mg/m2	Formaldehyde 0.00UG/G				
Sustainability	Global Recycling Standard GRS 4.0	OKEO TEX 100 - Class 1				
	Soundspace AURA™ Panels are 100% Recyclable					



We are Soundspace and we're inspired to enhance beautiful spaces in a sustainable way.

We do this using recycled, reusable resources that help the environment.

We work intelligently with clients to create and deliver design led solutions.

Acoustics and aesthetics, function with form.

We understand the built environment is a place for productivity... ... contemplation, inspiration and collaboration.

We love working with brands and people everywhere to create more sustainability conscious spaces.







soundspace\_acoustics

soundspace\_acoustics

soundspace\_



soundspaceacoustics



soundspace-acoustics



@soundspaceacoustics



+44 7921 338099

+44 (0) 203 773 2307 w w w . s o u n d s p a c e a c o u s t i c s . c o m