



jaga

STRADA

Energy
SAVERS
LOW-H₂O

BROCHURE £ UK 2013





Energy
SAVERS
LOW-H₂O

STRADA

Warm power,
cutting-edge design

- Discreet slim-line design with flat front panel and stylish aluminium grille.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Suitable for an integrated valve and concealed connection.
- Safe to touch casing.
- **A 30 year guarantee** on the heat exchanger.



design award
winner

DBE option for high output from compact sizes at super-low temperatures from 28°C.



45
38






STRADA



DIMENSIONS (in cm)



DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- partially pre-mounted casing for connection left or right at low level
- cover plate in stainless steel effect for the side panel at the opposite side from the valve

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12VDC
- mounting instructions
- packed with the radiator

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

CONNECTION

Standard connection:


Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. STRW.035 050 06.xxx/60

High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:


add to the code of the radiator /00.

Ex. STRW.035 050 06.xxx/00

For valve set prices see chapter "Connection sets & valves"

CONNECTION SETS

Example to the wall, totally concealed within the casing



set 25

CODE 2-PIPE

	COLO.SW2.JC.3...	70.70
	COLO.SW2.JW.3...	58.00

fill in sleeve coupling code

Precision metal tube 14/1	114
Precision metal tube 15/1	115
Precision metal tube 16/1	116
RPE/ALU tube 16/2	316

Other connection sets:

See chapter "Connection sets and valves" for all connection options and technical information.



ORDERING CODE

code	height	length	type	colour
STRW . 020	050	10 .	XXX	
fill in colour code ↓				

ORDERING CODE WITH DBE

code	height	length	type	colour	Option
STRW . 020	060	06 .	XXX		/DBE
fill in colour code ↓					


DBE should be selected according to the power in comfort mode, as stated in the price and output table.

The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For boost mode: see www.jaga.co.uk.



TOWEL RAIL

in chrome-plated aluminium



CODE	L	£
5501.001	56	148.20
5501.002	66	148.20

H020 - STRADA



STRW.020 LLL TT.XXX

STRW.020 LLL TT.XXX/DBE

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
050	---	---	---	---	---	06	269	131	100.70	122.00
	10	328	159	93.30	116.10	---	---	---	---	---
	15	545	265	109.60	134.10	---	---	---	---	---
	20	766	373	126.90	153.40	---	---	---	---	---
060	---	---	---	---	---	06	323	157	107.30	129.80
	10	393	191	99.80	123.90	---	---	---	---	---
	15	654	319	118.60	144.90	---	---	---	---	---
	20	919	448	138.10	166.90	---	---	---	---	---
070	---	---	---	---	---	06	377	183	120.90	144.50
	10	459	223	111.70	137.40	---	---	---	---	---
	15	763	372	133.90	161.60	---	---	---	---	---
	20	1072	522	158.80	189.60	---	---	---	---	---
080	---	---	---	---	---	06	430	209	129.60	154.90
	10	524	255	119.50	146.90	---	---	---	---	---
	15	872	425	143.90	173.70	---	---	---	---	---
	20	1226	597	171.30	204.30	---	---	---	---	---
090	---	---	---	---	---	06	484	236	137.70	164.60
	10	590	287	128.10	157.60	---	---	---	---	---
	15	981	478	156.30	189.20	---	---	---	---	---
	20	1379	672	185.90	222.20	---	---	---	---	---
100	---	---	---	---	---	06	538	262	147.80	175.20
	10	655	318	137.30	167.80	---	---	---	---	---
	15	1090	531	169.50	203.70	---	---	---	---	---
	20	1532	746	202.90	240.50	---	---	---	---	---
110	---	---	---	---	---	06	592	288	155.40	183.90
	10	721	350	144.70	176.80	---	---	---	---	---
	15	1199	584	179.70	215.60	---	---	---	---	---
	20	1685	821	216.50	256.70	---	---	---	---	---
120	---	---	---	---	---	06	646	314	164.60	195.00
	10	786	382	154.30	189.20	---	---	---	---	---
	15	1308	637	192.60	231.90	---	---	---	---	---
	20	1838	895	232.70	276.60	---	---	---	---	---
140	---	---	---	---	---	06	753	366	179.80	212.00
	10	917	446	168.40	205.40	---	---	---	---	---
	15	1526	743	211.40	252.90	---	---	---	---	---
	20	2145	1045	270.50	317.50	---	---	---	---	---
160	---	---	---	---	---	06	861	419	213.10	250.80
	10	1048	509	199.00	242.10	---	---	---	---	---
	15	1744	850	251.70	300.20	---	---	---	---	---
	20	2451	1194	323.20	379.00	---	---	---	---	---
180	---	---	---	---	---	06	968	471	230.80	271.80
	10	1179	573	216.70	264.10	---	---	---	---	---
	15	1962	956	274.90	328.20	---	---	---	---	---
	20	2758	1343	351.00	411.40	---	---	---	---	---
200	---	---	---	---	---	06	1076	524	250.30	295.00
	10	1310	637	234.30	286.00	---	---	---	---	---
	15	2180	1062	313.70	372.90	---	---	---	---	---
	20	3064	1493	382.10	448.50	---	---	---	---	---
240	---	---	---	---	---	06	1291	628	314.50	371.70
	10	1572	764	295.10	360.60	---	---	---	---	---
	15	2616	1274	393.20	468.10	---	---	---	---	---
	20	3677	1791	480.50	564.50	---	---	---	---	---
280	---	---	---	---	---	06	1506	733	353.10	416.40
	10	1834	891	331.50	404.80	---	---	---	---	---
	15	3052	1487	442.00	525.80	---	---	---	---	---
	20	4290	2090	542.20	636.30	---	---	---	---	---

Type	WITH DBE				
	Watts 75/65	Watts 55/45	Watts 45/38	£ st. colour	£ other
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
10	543	326	233	254.30	278.50
15	904	542	389	281.00	307.30
20	1169	701	503	300.60	329.30
---	---	---	---	---	---
---	---	---	---	---	---
10	609	365	262	266.30	292.00
15	1013	608	436	296.30	324.00
20	1322	793	568	321.20	352.00
---	---	---	---	---	---
---	---	---	---	---	---
10	674	404	290	274.00	301.40
15	1122	673	482	306.30	336.10
20	1476	886	635	333.70	366.70
---	---	---	---	---	---
---	---	---	---	---	---
10	890	534	383	341.10	370.60
15	1481	889	637	385.00	417.80
20	1879	1127	808	414.50	450.90
---	---	---	---	---	---
---	---	---	---	---	---
10	955	573	411	350.30	380.80
15	1590	954	684	398.10	432.40
20	2032	1219	874	431.50	469.20
---	---	---	---	---	---
---	---	---	---	---	---
10	1021	613	439	357.70	389.80
15	1699	1019	731	408.30	444.30
20	2185	1311	940	445.10	485.40
---	---	---	---	---	---
---	---	---	---	---	---
10	1086	652	467	367.30	402.20
15	1808	1085	777	421.30	460.50
20	2338	1403	1005	461.40	505.30
---	---	---	---	---	---
---	---	---	---	---	---
10	1217	730	523	381.50	418.50
15	2026	1216	871	440.10	481.60
20	2645	1587	1137	499.20	546.10
---	---	---	---	---	---
---	---	---	---	---	---
10	1648	989	709	528.90	572.00
15	2744	1646	1180	612.80	661.40
20	3451	2071	1484	684.40	740.10
---	---	---	---	---	---
---	---	---	---	---	---
10	1779	1067	765	546.70	594.10
15	2962	1777	1274	636.00	689.30
20	3758	2255	1616	712.10	772.50
---	---	---	---	---	---
---	---	---	---	---	---
10	1910	1146	821	564.20	615.90
15	3180	1908	1367	674.80	734.00
20	4064	2438	1748	743.20	809.70
---	---	---	---	---	---
---	---	---	---	---	---
10	2472	1483	1063	741.80	807.40
15	4116	2470	1770	886.90	961.80
20	5177	3106	2226	974.20	1058.20
---	---	---	---	---	---
---	---	---	---	---	---
10	2734	1640	1176	778.20	851.50
15	4552	2731	1957	935.70	1019.50
20	5790	3474	2490	1035.90	1130.00

EN442 output at 20°C room temperature

STRADA H035

STRW.035 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
050	---	---	---	---	---	06	395	194	130.80	155.00
	10	449	220	101.70	127.40	11	598	287	152.70	178.50
	15	735	361	119.30	147.10	16	797	378	179.90	207.60
	20	1030	506	137.50	167.60	21	1057	498	192.90	223.10
060	---	---	---	---	---	06	474	233	139.50	165.20
	10	539	264	108.70	136.20	11	718	344	162.70	190.20
	15	882	434	128.90	158.90	16	956	454	193.80	223.70
	20	1236	608	149.50	182.10	21	1268	598	209.40	242.00
070	---	---	---	---	---	06	553	271	157.20	184.40
	10	629	308	121.20	150.40	11	837	401	182.10	211.30
	15	1029	506	144.80	176.40	16	1115	529	219.70	251.30
	20	1442	709	170.50	205.70	21	1480	698	240.10	275.30
080	---	---	---	---	---	06	632	310	168.50	197.70
	10	718	351	129.90	161.20	11	957	459	194.40	225.80
	15	1176	578	155.70	189.60	16	1274	605	235.60	269.50
	20	1648	810	183.80	221.40	21	1691	797	258.70	296.30
090	---	---	---	---	---	06	711	349	179.00	210.30
	10	808	395	139.10	173.00	11	1076	516	206.80	240.80
	15	1323	650	169.00	206.30	16	1434	681	253.70	291.00
	20	1854	911	199.10	240.40	21	1903	897	278.70	320.00
100	---	---	---	---	---	06	790	388	192.30	224.10
	10	898	439	148.50	183.50	11	1196	573	222.00	256.90
	15	1470	723	182.20	221.10	16	1593	756	275.20	314.00
	20	2060	1013	216.40	259.00	21	2114	997	304.30	347.00
110	---	---	---	---	---	06	869	427	202.20	235.50
	10	988	483	156.40	193.20	11	1316	631	233.40	270.30
	15	1617	795	192.80	233.80	16	1752	832	291.00	332.00
	20	2266	1114	230.50	275.80	21	2325	1096	323.60	369.00
120	---	---	---	---	---	06	948	465	213.90	249.30
	10	1078	528	166.80	206.70	11	1435	688	247.40	287.30
	15	1764	867	206.60	251.00	16	1912	908	310.00	354.50
	20	2472	1215	247.40	296.90	21	2537	1196	345.70	395.30
140	---	---	---	---	---	06	1106	543	236.30	274.10
	10	1257	615	183.30	226.00	11	1674	802	272.60	315.30
	15	2058	1012	228.10	275.50	16	2230	1059	343.90	391.40
	20	2884	1418	288.20	341.30	21	2960	1396	406.50	459.80
160	---	---	---	---	---	06	1264	620	279.20	323.60
	10	1437	703	215.60	265.30	11	1914	917	319.60	369.30
	15	2352	1156	270.30	325.70	16	2549	1210	406.70	462.10
	20	3296	1620	342.60	405.70	21	3382	1594	482.10	545.20
180	---	---	---	---	---	06	1422	698	301.60	349.70
	10	1616	791	234.50	289.20	11	2153	1032	345.90	400.50
	15	2646	1301	294.60	355.30	16	2867	1361	442.20	502.90
	20	3708	1823	371.60	439.80	21	3805	1794	522.20	590.30
200	---	---	---	---	---	06	1580	776	326.10	378.80
	10	1796	879	253.50	313.00	11	2392	1146	372.00	431.50
	15	2940	1445	334.60	402.00	16	3186	1513	503.40	570.70
	20	4120	2025	403.90	478.80	21	4228	1993	566.00	640.90
240	---	---	---	---	---	06	1896	931	408.70	475.10
	10	2155	1055	318.00	392.80	11	2870	1375	463.50	538.20
	15	3528	1734	418.60	502.80	16	3823	1815	627.00	711.20
	20	4944	2431	506.90	600.40	21	5074	2392	708.00	801.50
280	---	---	---	---	---	06	2212	1086	458.20	532.00
	10	2514	1230	356.80	440.50	11	3349	1605	519.50	603.30
	15	4116	2024	469.80	564.20	16	4460	2118	702.90	797.30
	20	5768	2836	571.00	676.00	21	5919	2791	796.90	902.00

STRW.035 LLL TT.XXX/DBE

WITH DBE					
Type	Watts 75/65	Watts 55/45	Watts 45/38	£ st. colour	£ other
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
06	609	365	262	290.00	315.70
11	1018	611	438	317.40	344.80
16	1436	862	617	356.20	386.20
21	1748	1049	752	371.80	404.50
06	688	413	296	307.60	334.80
11	1137	682	489	336.70	365.90
16	1595	957	686	382.10	413.80
21	1960	1176	843	402.50	437.70
06	767	460	330	319.00	348.20
11	1257	754	541	349.00	380.30
16	1754	1052	754	398.00	432.00
21	2171	1303	934	421.20	458.70
06	981	589	422	383.70	414.90
11	1676	1006	721	419.90	453.80
16	2394	1436	1029	482.40	519.70
21	2863	1718	1231	507.40	548.70
06	1060	636	456	397.00	428.70
11	1796	1078	772	435.10	469.90
16	2553	1532	1098	503.90	542.70
21	3074	1844	1322	533.00	575.70
06	1139	683	490	406.90	440.20
11	1916	1150	824	446.40	483.30
16	2712	1627	1166	519.70	560.70
21	3285	1971	1413	552.20	597.70
06	1218	731	524	418.60	454.00
11	2035	1221	875	460.40	500.30
16	2872	1723	1235	538.60	583.20
21	3497	2098	1504	574.40	623.90
06	1376	826	592	440.90	478.80
11	2274	1364	978	485.70	528.40
16	3190	1914	1372	572.60	620.10
21	3920	2352	1686	635.20	688.40
06	1804	1082	776	592.40	636.80
11	3114	1868	1339	649.50	699.10
16	4469	2681	1922	767.80	823.30
21	5302	3181	2280	843.30	906.30
06	1962	1177	844	614.80	662.90
11	3353	2012	1442	675.90	730.50
16	4787	2872	2058	803.40	864.00
21	5725	3435	2462	883.30	951.40
06	2120	1272	912	639.30	692.00
11	3592	2155	1545	701.90	761.40
16	5106	3064	2196	864.60	931.90
21	6148	3689	2644	927.20	1002.10
06	2706	1624	1164	830.40	896.80
11	4670	2802	2008	910.20	985.00
16	6703	4022	2882	1120.70	1204.90
21	7954	4772	3420	1201.70	1295.20
06	3022	1813	1299	879.90	953.70
11	5149	3089	2214	966.20	1050.00
16	7340	4404	3156	1196.60	1291.00
21	8799	5279	3784	1290.60	1395.70

EN442 output at 20°C room temperature

H 050 - STRADA



STRW.050 LLL TT.XXX

STRW.050 LLL TT.XXX/DBE

L	STANDARD					TWIN					WITH DBE					
	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	Watts 45/38	£ st. colour	£ other
050	---	---	---	---	---	06	474	235	136.20	162.70	---	---	---	---	---	---
	10	538	265	109.00	137.40	11	693	332	159.20	187.60	---	---	---	---	---	---
	15	867	430	127.10	157.70	16	949	449	187.30	217.90	---	---	---	---	---	---
	20	1213	602	146.80	180.10	21	1291	605	201.20	234.40	---	---	---	---	---	---
060	---	---	---	---	---	06	568	282	145.20	173.70	06	703	422	302	295.60	324.00
	10	646	318	116.40	146.80	11	832	399	169.60	200.00	11	1132	679	487	324.10	354.50
	15	1040	516	137.20	170.20	16	1139	539	201.50	234.50	16	1619	971	696	363.90	397.00
	20	1455	722	159.20	195.20	21	1549	725	218.00	253.90	21	2029	1217	872	380.40	416.30
070	---	---	---	---	---	06	663	329	163.60	193.70	06	798	479	343	314.00	344.10
	10	753	371	129.40	161.70	11	970	465	189.50	221.90	11	1270	762	546	344.10	376.50
	15	1214	602	153.70	188.60	16	1329	629	228.00	263.10	16	1809	1085	778	390.40	425.50
	20	1698	842	180.90	219.60	21	1807	846	249.50	288.20	21	2287	1372	983	412.00	450.60
080	---	---	---	---	---	06	758	376	175.60	208.20	06	893	536	384	326.00	358.70
	10	861	424	138.80	173.70	11	1109	532	202.60	237.40	11	1409	845	606	357.10	391.90
	15	1387	688	165.20	202.90	16	1518	719	244.70	282.40	16	1998	1199	859	407.10	444.80
	20	1940	962	195.00	236.40	21	2066	968	268.70	310.20	21	2546	1528	1095	431.10	472.60
090	---	---	---	---	---	06	852	423	186.70	221.40	06	1122	673	482	391.40	426.10
	10	968	477	148.50	186.20	11	1247	598	215.40	253.10	11	1847	1108	794	428.40	466.10
	15	1561	774	178.90	220.30	16	1708	809	263.20	304.60	16	2668	1601	1147	491.90	533.30
	20	2183	1083	210.80	256.30	21	2324	1088	289.30	334.70	21	3284	1970	1412	518.00	563.40
100	---	---	---	---	---	06	947	470	200.30	235.80	06	1217	730	523	405.00	440.50
	10	1076	530	158.40	197.20	11	1386	665	231.00	269.90	11	1986	1192	854	444.10	482.90
	15	1734	860	192.70	235.60	16	1898	898	285.20	328.20	16	2858	1715	1229	513.90	556.80
	20	2425	1203	228.30	275.40	21	2582	1209	315.20	362.30	21	3542	2125	1523	543.90	591.00
110	---	---	---	---	---	06	1042	517	210.90	248.20	06	1312	787	564	415.60	452.90
	10	1184	584	166.90	208.00	11	1525	732	243.10	284.10	11	2125	1275	914	456.10	497.10
	15	1907	946	203.90	249.30	16	2088	988	301.70	347.10	16	3048	1829	1311	530.40	575.80
	20	2668	1323	243.10	293.30	21	2840	1330	335.10	385.30	21	3800	2280	1634	563.80	614.00
120	---	---	---	---	---	06	1136	564	223.10	262.80	06	1406	844	605	427.70	467.50
	10	1291	636	177.80	222.30	11	1663	798	257.70	302.20	11	2263	1358	973	470.70	515.20
	15	2081	1032	218.20	267.50	16	2278	1078	321.20	370.50	16	3238	1943	1392	549.90	599.20
	20	2910	1443	260.50	315.20	21	3098	1451	357.70	412.30	21	4058	2435	1745	586.40	641.00
140	---	---	---	---	---	06	1326	658	247.10	289.90	06	1596	958	686	451.80	494.60
	10	1506	742	196.60	244.50	11	1940	931	284.70	332.70	11	2540	1524	1092	497.80	545.70
	15	2428	1204	242.10	295.00	16	2657	1258	357.30	410.00	16	3617	2170	1555	585.90	638.70
	20	3395	1684	304.00	362.80	21	3615	1693	420.90	479.80	21	4575	2745	1967	649.60	708.40
160	---	---	---	---	---	06	1515	752	291.80	342.10	06	2055	1233	884	605.00	655.30
	10	1722	849	230.80	286.70	11	2218	1064	333.50	389.40	11	3418	2051	1470	663.50	719.30
	15	2774	1376	286.00	347.60	16	3037	1438	421.80	483.50	16	4957	2974	2132	783.00	844.80
	20	3880	1924	360.50	430.00	21	4131	1935	498.50	568.10	21	6051	3631	2602	859.60	929.30
180	---	---	---	---	---	06	1705	846	315.70	370.30	06	2245	1347	965	628.80	683.50
	10	1937	955	250.90	312.30	11	2495	1197	361.10	422.50	11	3695	2217	1589	691.10	752.50
	15	3121	1548	311.70	379.30	16	3416	1617	458.70	526.30	16	5336	3202	2294	819.80	887.50
	20	4365	2165	390.70	466.00	21	4648	2177	539.70	615.00	21	6568	3941	2824	900.80	976.20
200	---	---	---	---	---	06	1894	940	341.50	401.30	06	2434	1460	1047	654.70	714.40
	10	2152	1061	271.40	338.10	11	2772	1330	388.70	455.60	11	3972	2383	1708	718.70	785.60
	15	3468	1720	353.10	428.10	16	3796	1797	521.20	596.20	16	5716	3430	2458	882.40	957.30
	20	4850	2405	424.40	507.20	21	5164	2418	584.90	667.70	21	7084	4250	3046	946.10	1028.90
240	---	---	---	---	---	06	2273	1128	426.80	501.50	06	3083	1850	1326	848.50	923.20
	10	2582	1273	339.20	422.50	11	3326	1596	483.30	566.60	11	5126	3076	2204	930.00	1013.30
	15	4162	2064	440.50	533.80	16	4555	2156	648.10	741.30	16	7435	4461	3197	1141.80	1235.00
	20	5820	2886	531.30	634.20	21	6197	2902	730.40	833.20	21	9077	5446	3903	1224.10	1326.90
280	---	---	---	---	---	06	2652	1316	479.00	562.50	06	3462	2077	1489	900.70	984.20
	10	3013	1485	380.90	474.50	11	3881	1862	541.80	635.60	11	5681	3409	2443	988.60	1082.30
	15	4855	2408	494.60	599.10	16	5314	2516	726.60	831.20	16	8194	4916	3523	1220.30	1324.90
	20	6790	3367	598.10	713.60	21	7230	3386	822.20	937.60	21	10110	6066	4347	1315.90	1431.30

EN442 output at 20°C room temperature

STRADA H065

STRW.065 LLL TT.XXX

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
050	---	---	---	---	---	06	533	267	142.70	171.80
	10	606	301	117.30	148.10	11	772	371	167.00	197.80
	15	961	481	136.40	169.80	16	1087	513	196.00	229.40
	20	1343	672	156.80	193.10	21	1515	705	210.90	247.30
060	---	---	---	---	---	06	640	321	152.70	183.80
	10	727	361	125.50	158.90	11	926	444	178.40	211.80
	15	1153	577	147.30	183.70	16	1304	615	211.00	247.40
	20	1611	806	170.20	209.50	21	1818	846	228.70	268.00
070	---	---	---	---	---	06	746	374	171.40	204.60
	10	848	421	139.00	174.60	11	1080	518	198.70	234.30
	15	1345	673	164.40	202.90	16	1521	718	238.10	276.70
	20	1880	941	192.20	234.70	21	2121	987	260.40	302.90
080	---	---	---	---	---	06	853	428	184.30	220.20
	10	969	481	149.20	187.80	11	1234	592	212.50	251.00
	15	1538	770	176.70	218.10	16	1738	820	255.60	297.00
	20	2148	1075	207.00	252.60	21	2424	1128	280.40	326.00
090	---	---	---	---	---	06	959	481	195.80	234.40
	10	1090	541	159.50	201.30	11	1389	667	226.00	267.80
	15	1730	866	190.90	236.60	16	1956	923	274.60	320.30
	20	2417	1210	223.60	273.50	21	2727	1269	301.70	351.70
100	---	---	---	---	---	06	1066	535	209.70	249.10
	10	1211	601	169.40	212.20	11	1543	741	241.60	284.50
	15	1922	962	204.80	252.00	16	2173	1026	296.70	343.90
	20	2685	1344	241.10	292.80	21	3030	1410	327.50	379.20
110	---	---	---	---	---	06	1173	589	220.70	262.20
	10	1332	661	178.60	223.80	11	1697	814	254.30	299.70
	15	2114	1058	216.60	266.40	16	2390	1128	313.80	363.70
	20	2954	1478	256.50	311.50	21	3333	1551	348.30	403.30
120	---	---	---	---	---	06	1279	642	234.10	278.60
	10	1453	721	190.60	239.90	11	1852	889	269.90	319.20
	15	2306	1154	231.90	286.30	16	2608	1231	334.40	388.80
	20	3222	1613	275.10	335.00	21	3636	1692	371.90	431.90
140	---	---	---	---	---	06	1492	749	259.70	307.40
	10	1695	841	211.40	264.40	11	2160	1037	298.90	351.80
	15	2691	1347	258.20	316.40	16	3042	1436	372.60	430.70
	20	3759	1881	321.10	385.60	21	4242	1975	437.60	502.20
160	---	---	---	---	---	06	1706	856	306.40	362.60
	10	1938	962	247.80	309.80	11	2469	1185	349.80	411.80
	15	3075	1539	304.30	372.40	16	3477	1641	439.10	507.30
	20	4296	2150	379.70	455.90	21	4848	2257	517.00	593.30
180	---	---	---	---	---	06	1919	963	331.60	392.80
	10	2180	1082	269.20	337.40	11	2777	1333	378.80	446.90
	15	3460	1732	331.20	406.10	16	3911	1846	477.30	552.10
	20	4833	2419	411.20	493.80	21	5454	2539	559.80	642.30
200	---	---	---	---	---	06	2132	1070	358.80	425.80
	10	2422	1202	290.80	365.10	11	3086	1481	407.60	481.80
	15	3844	1924	374.10	456.60	16	4346	2051	541.30	623.80
	20	5370	2688	446.20	536.90	21	6060	2821	606.30	697.00
240	---	---	---	---	---	06	2558	1284	447.50	530.70
	10	2906	1443	362.70	455.00	11	3703	1777	505.90	598.00
	15	4613	2309	465.80	568.00	16	5215	2461	672.10	774.30
	20	6444	3225	557.60	669.60	21	7272	3385	756.00	868.10
280	---	---	---	---	---	06	2985	1498	502.20	595.30
	10	3391	1683	406.80	510.50	11	4320	2073	566.90	670.60
	15	5382	2694	522.20	636.90	16	6084	2871	753.10	867.80
	20	7518	3763	626.80	752.70	21	8484	3949	850.10	976.10

STRW.065 LLL TT.XXX/DBE

WITH DBE					
Type	Watts 75/65	Watts 55/45	Watts 45/38	£ st. colour	£ other
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
06	775	465	333	303.10	334.30
11	1226	736	527	333.00	366.40
16	1784	1070	767	373.40	409.80
21	2298	1379	988	391.10	430.50
06	881	529	379	321.90	355.00
11	1380	828	593	353.30	388.90
16	2001	1201	860	400.50	439.10
21	2601	1561	1118	422.90	465.30
06	988	593	425	334.70	370.60
11	1534	920	660	367.10	405.60
16	2218	1331	954	418.00	459.50
21	2904	1742	1249	442.90	488.50
06	1229	737	528	400.50	439.10
11	1989	1193	855	439.00	480.90
16	2916	1750	1254	503.20	548.90
21	3687	2212	1585	530.40	580.40
06	1336	802	574	414.40	453.80
11	2143	1286	921	454.60	497.60
16	3133	1880	1347	525.40	572.60
21	3990	2394	1716	556.20	607.90
06	1443	866	620	425.40	466.80
11	2297	1378	988	467.40	512.70
16	3350	2010	1441	542.50	592.40
21	4293	2576	1846	576.90	631.90
06	1549	929	666	438.80	483.30
11	2452	1471	1054	482.90	532.20
16	3568	2141	1534	563.00	617.50
21	4596	2758	1976	600.60	660.50
06	1762	1057	758	464.40	512.10
11	2760	1656	1187	511.90	564.90
16	4002	2401	1721	601.20	659.30
21	5202	3121	2237	666.30	730.80
06	2246	1348	966	619.60	675.80
11	3669	2201	1578	679.80	741.80
16	5397	3238	2321	800.30	868.40
21	6768	4061	2910	878.10	954.40
06	2459	1475	1057	644.80	706.00
11	3977	2386	1710	708.80	776.90
16	5831	3499	2507	838.50	913.20
21	7374	4424	3171	920.90	1003.40
06	2672	1603	1149	672.00	738.90
11	4286	2572	1843	737.60	811.80
16	6266	3760	2694	902.40	984.90
21	7980	4788	3431	967.40	1058.10
06	3368	2021	1448	869.20	952.40
11	5503	3302	2366	952.60	1044.70
16	8095	4857	3481	1165.80	1268.00
21	10152	6091	4365	1249.70	1361.80
06	3795	2277	1632	923.80	1017.00
11	6120	3672	2632	1013.60	1117.30
16	8964	5378	3855	1246.80	1361.50
21	11364	6818	4887	1343.80	1469.80

EN442 output at 20°C room temperature

H095 - STRADA



STRW.095 LLL TT.XXX

STRW.095 LLL TT.XXX/DBE

L	STANDARD					TWIN					WITH DBE					
	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other	Type	Watts 75/65	Watts 55/45	Watts 45/38	£ st. colour	£ other
050	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
060	---	---	---	---	---	06	736	378	164.40	200.70	06	871	523	375	314.80	351.20
	10	836	421	139.70	178.60	11	1078	518	190.90	229.70	11	1378	827	593	345.50	384.30
	15	1288	656	163.70	206.00	16	1606	753	225.20	267.50	16	2086	1252	897	387.70	429.90
	20	1795	915	186.70	232.00	21	2352	1081	243.10	288.40	21	2832	1699	1218	405.50	450.80
070	---	---	---	---	---	06	858	440	183.70	222.30	06	993	596	427	334.20	372.80
	10	975	491	153.90	195.30	11	1257	604	211.90	253.30	11	1557	934	670	366.50	407.90
	15	1502	765	181.30	226.10	16	1874	879	252.90	297.80	16	2354	1412	1012	415.40	460.20
	20	2094	1067	209.50	258.10	21	2744	1261	275.60	324.30	21	3224	1934	1386	438.10	486.70
080	---	---	---	---	---	06	981	503	198.40	240.80	06	1116	670	480	348.80	391.20
	10	1114	561	165.70	210.90	11	1437	691	227.40	272.60	11	1737	1042	747	382.00	427.10
	15	1717	875	195.30	244.00	16	2142	1005	272.10	320.90	16	2622	1573	1127	434.50	483.30
	20	2394	1220	226.00	278.70	21	3136	1441	297.40	350.00	21	3616	2170	1555	459.80	512.40
090	---	---	---	---	---	06	1103	566	210.90	256.30	06	1373	824	590	415.60	461.00
	10	1254	631	177.00	225.80	11	1616	777	241.90	290.60	11	2216	1330	953	455.00	503.60
	15	1931	984	210.60	263.80	16	2409	1130	292.20	345.50	16	3369	2021	1449	520.90	574.20
	20	2693	1372	243.40	301.00	21	3528	1621	319.40	377.00	21	4488	2693	1930	548.10	605.60
100	---	---	---	---	---	06	1226	629	227.50	275.20	06	1496	898	643	432.20	479.90
	10	1393	701	189.70	241.20	11	1796	863	260.30	311.80	11	2396	1438	1030	473.40	524.80
	15	2146	1093	227.30	283.60	16	2677	1256	317.00	373.30	16	3637	2182	1564	545.70	602.00
	20	2992	1524	263.90	324.50	21	3920	1801	348.30	408.80	21	4880	2928	2098	576.90	637.50
110	---	---	---	---	---	06	1349	692	240.30	290.90	06	1619	971	696	445.00	495.60
	10	1532	771	200.50	255.40	11	1976	950	274.70	329.60	11	2576	1546	1108	487.70	542.60
	15	2361	1203	240.90	300.60	16	2945	1381	335.90	395.70	16	3905	2343	1679	564.50	624.30
	20	3291	1677	280.90	345.70	21	4312	1982	370.50	435.40	21	5272	3163	2267	599.20	664.00
120	---	---	---	---	---	06	1471	754	254.40	308.50	06	1741	1045	749	459.10	513.20
	10	1672	842	213.50	272.60	11	2155	1036	291.40	350.40	11	2755	1653	1185	504.40	563.50
	15	2575	1312	256.90	321.70	16	3212	1507	357.40	422.20	16	4172	2503	1794	586.00	650.90
	20	3590	1829	300.20	370.50	21	4704	2162	395.20	465.30	21	5664	3398	2436	623.80	694.00
140	---	---	---	---	---	06	1716	880	283.80	342.60	06	1986	1192	854	488.50	547.30
	10	1950	982	239.10	303.60	11	2514	1208	324.10	388.50	11	3114	1868	1339	537.10	601.60
	15	3004	1531	288.60	358.80	16	3748	1758	399.80	469.80	16	4708	2825	2024	628.40	698.50
	20	4189	2134	351.90	428.30	21	5488	2522	465.10	541.50	21	6448	3869	2773	693.80	770.20

EN442 output at 20°C room temperature

Jaga Heating Products (UK) Ltd
Orchard Business Park
Bromyard Road
Ledbury, Herefordshire HR8 1LG

Tel.: +44 1531 631 533
Fax: +44 1531 631 534
E-mail: jaga@jaga.co.uk
www.jaga.co.uk

Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 11 29 41 16
Fax: +32 11 29 41 60
E-mail: export@jaga.be

WWW.
THE RADIATOR FACTORY
.COM

WWW.JAGAEXPERIENCELAB.COM

your partner: