



“Vistafolia®’s lush artificial green wall system panels have been designed to create a beautiful green environment with a realistic effect even in the most inhospitable planting locations”.

PRODUCT DESCRIPTION

The standard size panel comprises UV Stabilised & Fire Rated artificial foliage fixed with stainless steel ties to a powder coated

FEATURES

- Three-panel system prevents repetition in planting and removes join lines
- Durable panels manufactured to ISO 9001
- UV & Fire Rated with test certificates
- REACH Compliant
- Quick and easy installation
- Sixteen different plant varieties
- Customisable with a range of Colour & Texture boxes

TECHNICAL SPECIFICATIONS

Standard Size Panel	Height: 800 mm Width: 800 mm Depth: up to 200 mm
Coverage	1 Panel = 0.64 sqm
Weight	Approx. 6 kg per panel
Box Size	85 cm x 85 cm x 25 cm
Box Weight	22 kg
Distribution	72 plants per panel
Colour Reference	Mixed colours
Manufacturing process	Injection moulded polyethylene / Foliage fixed to the grid manually
Packing	Box of three panels A, B, C
Warranty	5-year in the UK

Quality Standards / Certification:

UV Test: BS EN ISO 4892-2: 2013 - 'Plastics - Methods of Exposure to Laboratory Light Sources - Xenon-arc lamps.

Reaction to fire classification: B-s1, d0. BS EN ISO 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1: Classification using data from reaction to fire tests. Test to flammability UL94HB classified HB.

Freeze/Thaw test: MIL-STD-810G Method 524.

For more information see our Vistafolia® Technical Guide



UV - IFR
Technology



Quality
Standard



Tested &
Certified



5 Year UK
Warranty



Low
Maintenance




Recyclable*
*Check with local
authority

PANEL PROFILE

1 Panel = 0.64 sqm

REAR VIEW

SIDE VIEW



The Vistafolia® Panel was designed with a small allocation of 'planting overlap' to allow for seamless installation of multiple panels. The top overlap is slightly greater than the bottom one whereas the side overlaps are the same. The overlap also serves to disguise the grid that holds the plants.



“Vistafolia®’s lush artificial green wall system panels have been designed to create a beautiful green environment with a realistic effect even in the most inhospitable planting locations.”

PRODUCT DESCRIPTION

The standard size panel comprises UV Stabilized & Fire Rated artificial foliage fixed with stainless steel ties to a powder coated

FEATURES

- Three-panel system prevents repetition in planting and removes join lines
- Durable panels manufactured to ISO 9001
- UV & Fire Rated with test certificates
- REACH Compliant
- Quick and easy installation
- Sixteen different plant varieties
- Customizable with a range of Colour & Texture boxes

Quality Standards / Certification:

UV Test: BS EN ISO 4892-2: 2013 - 'Plastics - Methods of Exposure to Laboratory Light Sources - Xenon-arc lamps.

Reaction to fire classification:

- BS EN ISO 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1: Classification using data from reaction to fire tests. Result: B-s1, d0.
- NFPA 701 – Standard Methods of Fire Tests for Flame Propagation of Textiles and Films. Method 1. Result: Pass
- UL94HB. Result: HB

Freeze/Thaw test: MIL-STD-810G Method 524.

TECHNICAL SPECIFICATIONS

Standard Size Panel	Height: 31.5" Width: 31.5" Depth: up to 8"
Coverage	1 Panel = 6.9 sq. ft.
Weight	Approx. 13.2 lbs per panel
Box Size	33.5" x 33.5" x 9.8"
Box Weight	48.5 lbs
Distribution	72 plants per panel
Colour Reference	Mixed colours
Manufacturing process	Injection moulded polyethylene / Foliage fixed to the grid manually
Packing	Box of three panels A, B, C
Warranty	5-year US Limited Liability Warranty

For more information visit www.vistafolia.com



UV - IFR
Technology



Quality
Standard



Tested &
Certified



5 Year US
Limited Liability
Warranty



Low
Maintenance



Recyclable*
*Check with local
authority


For more information see our [Vistafolia® Technical Guide](#)

PANEL PROFILE

1 Panel = 6.88 sq. ft.

REAR VIEW

SIDE VIEW



The Vistafolia® Panel was designed with a small allocation of 'planting overlap' to allow for seamless installation of multiple panels. The top overlap is slightly greater than the bottom one whereas the side overlaps are the same. The overlap also serves to disguise the grid that holds the plants.

