



Folding walls
Glass folding walls

SWG
Scandinavian Wall Group AB



Centrefold



Endfold

Folding walls

STYLEFOLD 120 – An easy to operate flush folding wall which can either be top hung from a ceiling track or supported by a low profile surface mounted floor track.

The wall is fitted with double PVC seals all round to ensure a high level of acoustic integrity is achieved and maintained between adjacent rooms.

Supplied as either a centrefold or endfold configuration to accommodate different parking requirements. All panels are continuously hinged and the end panel is supplied as a pass door as standard.

The timber constructed panels have flush fitting protective aluminium edge profiles and the panel faces are available in a variety of finishes; painted, wood veneer, or a wide range of melamine or high pressure laminates.



Panel Thickness:
31 – 46dB, 65mm
48dB, 100mm



Max. panel width:
Approx. 850mm



Max. panel height:
31 – 46dB, 4000mm
48dB, 3000mm
30/60 minutes, 3000mm



Weight per m²:
31dB: 19kg, 37dB: 20kg,
41dB: 28kg, 44dB: 30kg,
46dB: 39kg, 48dB: 47kg



Fire test:
30/60 minutes



Lab-tested
acoustic insulation:
Rw 31, 37, 41, 44, 46, 48dB





Centrefold



Endfold



Glazed folding walls

STYLEFOLD 900 - A glazed version of the STYLEFOLD 120 supplied either with single or double glazing. Integral Venetian blinds are optional with double glazed units. Standard manifestations are available or special designs can be provided.

STYLEFOLD 910 - generally as the STYLEFOLD 900 but with single glazing and an aluminium frame which can be polyester powder coated to any standard RAL colour. STYLEFOLD 910 is also available with two point suspension.



Panel Thickness:
900: 65mm
910: 60mm



Max. panel width:
900/910: 800mm



Max. panel height:
900: 2700mm
910: 4000mm



Weight per m²:
Approx. 30kg,
depending on type of glass



Fire test:
None



Lab-tested
acoustic insulation:
max. approx. Rw 32dB
depending on type of glass



120



Quality assurance

SWG quality assurance is your guarantee of a thoroughly tested performance product.

All processes – planning, production, assembly, internal and external procedures – are carefully defined and continually monitored.

SWG, in partnership with Style, offers extensive technical expertise in the design, production and fitting of the finished product; please feel free to draw upon this experience.

SWG quality ensures an excellent finished product and provides a comprehensive after sales service and support through Style's network of regional offices.

Product range:

- Moveable walls
- Folding walls
- Moveable glass walls
- Vertical rising walls (Electrically operated)

		120	900 / 910
Thickness of panel		31 - 46dB, 65mm 48dB, 100mm	900: 65mm 910: 60mm
Max. panel width		Approx. 850mm	Approx. 800mm
Max. panel height		4000mm (48dB - 3000mm)	900: 2700mm 910: 4000mm
Weight per m ²		19 - 47kg	Approx. 30kg depending on type of glass
Fire test		30/60 minutes	None
Lab-tested acoustic insulation		Rw 31, 37, 41, 44, 46, 48dB	Approx. Rw 32dB depending on type of glass

900

style

moveable partition specialists

- 1 WEST DUNBARTONSHIRE
- 2 RENFREWSHIRE
- 3 NORTH AYRSHIRE
- 4 GLASGOW CITY
- 5 EAST DUNBARTONSHIRE
- 6 NORTH LANARKSHIRE
- 7 FALKIRK
- 8 CLACKMANNANSHIRE
- 9 WEST LOTHIAN
- 10 CITY OF EDINBURGH
- 11 MIDLOTHIAN
- 12 EAST LOTHIAN

Style Scotland

Townhouse Business Centre
10 Bank Street, Tillicoultry
FK13 6DP

☎ 01259 750600

☎ 01259 750601

✉ scotland@style-partitions.co.uk

Style Midlands

Unit 3 Phoenix Park, Telford Way,
Stephenson Industrial Estate, Coalville,
Leicestershire LE67 3HB

☎ 01530 831144

☎ 01530 831184

✉ midlands@style-partitions.co.uk

Style North

PO Box 331, Bolton
Lancashire, BL4 0ZW

☎ 01204 845590

☎ 01204 849065

✉ north@style-partitions.co.uk

Style South

Consort House, Princes Road,
Ferndown, Dorset, BH22 9JG

☎ 01202 874044

☎ 01202 874844

✉ south@style-partitions.co.uk

Style South East

Unit 5, 284 High Road
North Weald Bassett

Essex, CM16 6EQ

☎ 01992 524385

☎ 01992 524412

✉ southeast@style-partitions.co.uk

Style is Scandinavian Wall Group's official partner in the UK